

Revision: 09/04/2018 Supersedes Revision: 01/20/2015

		g to Regulation (EC) No. 1907/2006 as amended by (EC) No. 2015/8						
	Section 1.	dentification of the Substance/Mixture and of t	he Company/Undertaking					
.1	Product Code:	17108						
	Product Name:	12-OAHSA						
	Synonyms:	9Z-octadecenoic acid, 11-carboxy-1-hexylund	ecyl ester;					
2	Relevant identified uses o	f the substance or mixture and uses advised ag	jainst:					
	Relevant identified uses	For research use only, not for human or veteri	inary use.					
3	Details of the Supplier of the Safety Data Sheet:							
	Company Name:	Cayman Chemical Company						
		1180 E. Ellsworth Rd.						
		Ann Arbor, MI 48108						
	Web site address:	www.caymanchem.com						
	Information:	Cayman Chemical Company	+1 (734)971-3335					
4	Emergency telephone nur	nber:						
	Emergency Contact:	CHEMTREC Within USA and Canada:	+1 (800)424-9300					
		CHEMTREC Outside USA and Canada:	+1 (703)527-3887					
		Section 2. Hazards Identific	ation					
1	Classification of the Subs	tance or Mixture:						
	Flammable Liquids, Cate	egory 2						
	Serious Eye Damage/Ey							
		· · · · · · · · · · · · · · · · · · ·						
.2	Specific Target Organ To Label Elements:	oxicity (single exposure), Category 3						
.2		oxicity (single exposure), Category 3						
2		oxicity (single exposure), Category 3 Danger						
2	Label Elements:							
2	Label Elements:							
2	Label Elements:	Danger sure may cause skin dryness or cracking.						
2	Label Elements:	Danger sure may cause skin dryness or cracking. quid and vapor.						
2	Label Elements:	Danger sure may cause skin dryness or cracking. quid and vapor. e irritation.						
2	Label Elements:	Danger sure may cause skin dryness or cracking. quid and vapor. e irritation. less or dizziness.						
2	Label Elements: GHS Signal Word: GHS Hazard Phrases: EUH066: Repeated expose H225: Highly flammable li H319: Causes serious eye H336: May cause drowsin GHS Precaution Phrases: P210: Keep away from {h}	Danger sure may cause skin dryness or cracking. quid and vapor. e irritation. less or dizziness. s: eat/sparks/open flames/hot surfaces} No smoking	g.					
2	Label Elements: Constraints CHS Signal Word: CHS Hazard Phrases: EUH066: Repeated expose H225: Highly flammable lift H319: Causes serious eye H336: May cause drowsing CHS Precaution Phrases P210: Keep away from {here and the precedent of the precedent	Danger sure may cause skin dryness or cracking. quid and vapor. e irritation. esss or dizziness. s: eat/sparks/open flames/hot surfaces} No smoking ist/fume/gas/mist/vapours/spray}.	g.					
2	Label Elements:	Danger sure may cause skin dryness or cracking. quid and vapor. e irritation. ess or dizziness. s: eat/sparks/open flames/hot surfaces} No smoking st/fume/gas/mist/vapours/spray}.						
2	Label Elements:	Danger sure may cause skin dryness or cracking. quid and vapor. e irritation. esss or dizziness. s: eat/sparks/open flames/hot surfaces} No smoking ist/fume/gas/mist/vapours/spray}.						
2	Label Elements:	Danger sure may cause skin dryness or cracking. quid and vapor. e irritation. less or dizziness. s: eat/sparks/open flames/hot surfaces} No smoking ist/fume/gas/mist/vapours/spray}. pughly after handling. oves/protective clothing/eye protection/face protect						
2	Label Elements:	Danger sure may cause skin dryness or cracking. quid and vapor. e irritation. less or dizziness. s: eat/sparks/open flames/hot surfaces} No smoking ist/fume/gas/mist/vapours/spray}. pughly after handling. oves/protective clothing/eye protection/face protect	ion}.					
2	Label Elements:	Danger sure may cause skin dryness or cracking. quid and vapor. e irritation. ess or dizziness. s: eat/sparks/open flames/hot surfaces} No smoking ist/fume/gas/mist/vapours/spray}. oughly after handling. oves/protective clothing/eye protection/face protect	ion}.					
2	Label Elements: Constraints of the second s	Danger sure may cause skin dryness or cracking. quid and vapor. e irritation. ess or dizziness. s: eat/sparks/open flames/hot surfaces} No smoking ust/fume/gas/mist/vapours/spray}. oughly after handling. oves/protective clothing/eye protection/face protect : KIN (or hair): Remove/take off immediately all conta Remove victim to fresh air and keep at rest in a pos	ion}. aminated clothing. Rinse skin with sition comfortable for breathing.					
2	Label Elements: Constraints of the second s	Danger sure may cause skin dryness or cracking. quid and vapor. e irritation. eess or dizziness. s: eat/sparks/open flames/hot surfaces} No smoking ist/fume/gas/mist/vapours/spray}. oughly after handling. oves/protective clothing/eye protection/face protect : KIN (or hair): Remove/take off immediately all conta	ion}. aminated clothing. Rinse skin with sition comfortable for breathing.					
2	Label Elements: Constraints of the second s	Danger sure may cause skin dryness or cracking. quid and vapor. e irritation. eess or dizziness. s: eat/sparks/open flames/hot surfaces} No smoking ist/fume/gas/mist/vapours/spray}. oughly after handling. oves/protective clothing/eye protection/face protect : KIN (or hair): Remove/take off immediately all conta Remove victim to fresh air and keep at rest in a pos ES: Rinse cautiously with water for several minutes	ion}. aminated clothing. Rinse skin with sition comfortable for breathing.					
2	Label Elements: Contemporation of the second secon	Danger sure may cause skin dryness or cracking. quid and vapor. e irritation. less or dizziness. s: eat/sparks/open flames/hot surfaces} No smoking ist/fume/gas/mist/vapours/spray}. bughly after handling. oves/protective clothing/eye protection/face protect : KIN (or hair): Remove/take off immediately all conta Remove victim to fresh air and keep at rest in a pos ES: Rinse cautiously with water for several minutes NTER or doctor/physician if you feel unwell.	ion}. aminated clothing. Rinse skin with sition comfortable for breathing.					
2	Label Elements: Contemporation of the second secon	Danger sure may cause skin dryness or cracking. quid and vapor. e irritation. eess or dizziness. s: eat/sparks/open flames/hot surfaces} No smoking ist/fume/gas/mist/vapours/spray}. oughly after handling. oves/protective clothing/eye protection/face protect : KIN (or hair): Remove/take off immediately all conta Remove victim to fresh air and keep at rest in a pos ES: Rinse cautiously with water for several minutes	ion}. aminated clothing. Rinse skin with sition comfortable for breathing.					
2	Label Elements: Contemporation of the second secon	Danger sure may cause skin dryness or cracking. quid and vapor. e irritation. esss or dizziness. s: eat/sparks/open flames/hot surfaces} No smoking st/fume/gas/mist/vapours/spray}. oughly after handling. oves/protective clothing/eye protection/face protect : KIN (or hair): Remove/take off immediately all conta Remove victim to fresh air and keep at rest in a pos ES: Rinse cautiously with water for several minutes NTER or doctor/physician if you feel unwell. persists, get medical advice/attention.	ion}. aminated clothing. Rinse skin with sition comfortable for breathing.					



ay			L	2-OAHSA		Devision 00/04/0040
	man					Revision: 09/04/2018 Supersedes Revision: 01/20/2015
.3	Advers	e Human Health	Causes serious eye irritation			
	Effects and Symptoms: Material may be irritating to the mucous membranes and u					spiratory tract.
			May be harmful by inhalation	n, ingestion, or skin a	bsorption.	
			May cause drowsiness or diz	zziness.		
			May cause skin or respirator			
			Repeated exposure may cau	•	•	
			To the best of our knowledge	e, the toxicological p	roperties have no	t been thoroughly investigated.
		Sect	ion 3. Composition	/Information	on Ingredie	nts
CAS # RTEC		Hazardous Comp REACH Registrat	onents (Chemical Name)/ ion No.	Concentration	EC No./ EC Index No.	GHS Classification
10190 NA	1-73-9	12-OAHSA		0.5 %	NA NA	No data available.
79-2	20-9	Methyl acetate		99.5 %	201-185-2	Flam. Liq. 2: H225
19100	0000	01-2119459211-47			607-021-00-X	Eye Damage 2: H319
						STOT (SE) 3: H335 H336
						EUH066
			Section 4. Fi	rst Aid Measu	ures	
.1	Descrip	otion of First Aid				
	Measur	es:				
	In Case	of Inhalation:	Remove to fresh air. If not bre Get immediate medical attent		l respiration or giv	ve oxygen by trained personnel.
	In Case	of Skin Contact:	Immediately wash skin with s	soap and plenty of w	ater for at least 15	minutes. Remove contaminated
			clothing. Get medical attentio	on if symptoms occur	Wash clothing h	oforo rouso
					. wash clothing c	elore reuse.
	In Case	of Eye Contact:	Hold eyelids apart and flush e and tested by medical persor	eyes with plenty of w	-	5 minutes. Have eyes examined
		of Eye Contact:	and tested by medical persor Wash out mouth with water p unconscious person. Get me	eyes with plenty of w nnel. provided person is co	vater for at least 1	5 minutes. Have eyes examined
2	In Case	of Ingestion:	and tested by medical person Wash out mouth with water p unconscious person. Get med medical personnel.	eyes with plenty of w nnel. provided person is cc dical attention. Do N	vater for at least 1 onscious. Never g OT induce vomiti	5 minutes. Have eyes examined ive anything by mouth to an ng unless directed to do so by
.2	In Case	of Ingestion: ant Symptoms and	and tested by medical person Wash out mouth with water p unconscious person. Get med medical personnel. Exposure may cause: coughi	eyes with plenty of w nnel. provided person is cc dical attention. Do N	vater for at least 1 onscious. Never g OT induce vomiti	5 minutes. Have eyes examined ive anything by mouth to an
.2	In Case Importa Effects	e of Ingestion: ant Symptoms and , Both Acute and	and tested by medical person Wash out mouth with water p unconscious person. Get med medical personnel.	eyes with plenty of w nnel. provided person is cc dical attention. Do N	vater for at least 1 onscious. Never g OT induce vomiti	5 minutes. Have eyes examined ive anything by mouth to an ng unless directed to do so by
.2	In Case	e of Ingestion: ant Symptoms and , Both Acute and	and tested by medical person Wash out mouth with water p unconscious person. Get med medical personnel. Exposure may cause: coughi chest tightness.	eyes with plenty of w nnel. brovided person is co dical attention. Do N ing, dizziness, drows	vater for at least 1 onscious. Never g OT induce vomiti	5 minutes. Have eyes examined ive anything by mouth to an ng unless directed to do so by
	In Case Importa Effects Delayed	e of Ingestion: ant Symptoms and , Both Acute and d:	and tested by medical person Wash out mouth with water p unconscious person. Get med medical personnel. Exposure may cause: coughi chest tightness. Section 5. Fire	eyes with plenty of with plenty of with plenty of with provided person is condical attention. Do Ning, dizziness, drows	vater for at least 1 onscious. Never g OT induce vomiti siness, headache,	5 minutes. Have eyes examined ive anything by mouth to an ng unless directed to do so by narcosis, optic nerve atrophy,
	In Case Importa Effects Delayed Suitable	e of Ingestion: ant Symptoms and , Both Acute and	and tested by medical person Wash out mouth with water p unconscious person. Get med medical personnel. Exposure may cause: coughi chest tightness. Section 5. Fire Use alcohol-resistant foam, o	eyes with plenty of with plenty of with plenty of with provided person is condical attention. Do Nithing, dizziness, drows	vater for at least 1 onscious. Never g OT induce vomiti siness, headache,	5 minutes. Have eyes examined ive anything by mouth to an ng unless directed to do so by narcosis, optic nerve atrophy,
	In Case Importa Effects Delayed Suitable Media:	e of Ingestion: ant Symptoms and , Both Acute and d: e Extinguishing	and tested by medical person Wash out mouth with water p unconscious person. Get medical medical personnel. Exposure may cause: coughing chest tightness. Section 5. Fire Use alcohol-resistant foam, of Use water spray to cool fire-e	eyes with plenty of with plenty of with plenty of with provided person is condical attention. Do Nithing, dizziness, drows Fighting Mea carbon dioxide, wate exposed containers.	vater for at least 1 onscious. Never g OT induce vomiti siness, headache,	5 minutes. Have eyes examined ive anything by mouth to an ng unless directed to do so by narcosis, optic nerve atrophy,
	In Case Importa Effects Delayed Suitable Media:	e of Ingestion: ant Symptoms and , Both Acute and d: e Extinguishing	and tested by medical person Wash out mouth with water p unconscious person. Get med medical personnel. Exposure may cause: coughi chest tightness. Section 5. Fire Use alcohol-resistant foam, o	eyes with plenty of with plenty of with plenty of with provided person is condical attention. Do Nithing, dizziness, drows Fighting Mea carbon dioxide, wate exposed containers.	vater for at least 1 onscious. Never g OT induce vomiti siness, headache,	5 minutes. Have eyes examined ive anything by mouth to an ng unless directed to do so by narcosis, optic nerve atrophy,
.1	In Case Importa Effects Delayed Suitable Media: Unsuita Media:	e of Ingestion: ant Symptoms and , Both Acute and d: e Extinguishing able Extinguishing	and tested by medical person Wash out mouth with water p unconscious person. Get medical medical personnel. Exposure may cause: coughing chest tightness. Section 5. Fire Use alcohol-resistant foam, of Use water spray to cool fire-e	eyes with plenty of wannel. brovided person is co dical attention. Do N ing, dizziness, drows Fighting Mea carbon dioxide, wate exposed containers. inefficient.	vater for at least 1 onscious. Never g OT induce vomiti siness, headache, ASURES r, or dry chemical	5 minutes. Have eyes examined ive anything by mouth to an ng unless directed to do so by narcosis, optic nerve atrophy,
.1	In Case Importa Effects Delayed Suitable Media: Unsuita Media:	e of Ingestion: ant Symptoms and , Both Acute and d: e Extinguishing able Extinguishing able Properties and	and tested by medical person Wash out mouth with water p unconscious person. Get medical medical personnel. Exposure may cause: coughing chest tightness. Section 5. Fire Use alcohol-resistant foam, of Use water spray to cool fire-of A solid water stream may be	eyes with plenty of with nel. brovided person is condical attention. Do Nitional attention. Do Nitional attention, divide, water exposed containers. Inefficient.	rater for at least 1 onscious. Never g OT induce vomiti siness, headache, asures r, or dry chemical at temperatures a	5 minutes. Have eyes examined ive anything by mouth to an ng unless directed to do so by narcosis, optic nerve atrophy,
.1	In Case Importa Effects Delayed Suitable Media: Unsuita Media: Flamma	e of Ingestion: ant Symptoms and , Both Acute and d: e Extinguishing able Extinguishing able Properties and	and tested by medical person Wash out mouth with water p unconscious person. Get medical Exposure may cause: coughi chest tightness. Section 5. Fire Use alcohol-resistant foam, o Use water spray to cool fire-o A solid water stream may be	eyes with plenty of wannel. provided person is co dical attention. Do N ing, dizziness, drows Fighting Mea carbon dioxide, wate exposed containers. inefficient. n explosive mixtures cur under fire conditi	rater for at least 1 onscious. Never g OT induce vomiti siness, headache, asures r, or dry chemical at temperatures a	5 minutes. Have eyes examined ive anything by mouth to an ng unless directed to do so by narcosis, optic nerve atrophy,
.1	In Case Importa Effects Delayed Suitable Media: Unsuita Media: Flamma	e of Ingestion: ant Symptoms and , Both Acute and d: e Extinguishing able Extinguishing able Properties and	and tested by medical person Wash out mouth with water p unconscious person. Get medical personnel. Exposure may cause: coughing chest tightness. Section 5. Fire Use alcohol-resistant foam, of Use water spray to cool fire-ed A solid water stream may be dCan release vapors that form Container explosion may occ	eyes with plenty of wannel. brovided person is co dical attention. Do N ing, dizziness, drows Fighting Mea carbon dioxide, wate exposed containers. inefficient. h explosive mixtures cur under fire conditions.	rater for at least 1 onscious. Never g OT induce vomiti siness, headache, asures r, or dry chemical at temperatures a	5 minutes. Have eyes examined ive anything by mouth to an ng unless directed to do so by narcosis, optic nerve atrophy,
.1	In Case Importa Effects Delayed Suitable Media: Unsuita Media: Flamma	e of Ingestion: ant Symptoms and , Both Acute and d: e Extinguishing able Extinguishing able Properties and	and tested by medical person Wash out mouth with water p unconscious person. Get medical personnel. Exposure may cause: coughing chest tightness. Section 5. Fire Use alcohol-resistant foam, of Use water spray to cool fire-of A solid water stream may be dCan release vapors that form Container explosion may occu	eyes with plenty of with nel. provided person is condical attention. Do Nitional attention. Do Nitional attention, Do Nitional attention, diversional attention, diversional attention of the second diverse of the second	rater for at least 1 onscious. Never g OT induce vomiti siness, headache, asures r, or dry chemical at temperatures a ons.	5 minutes. Have eyes examined ive anything by mouth to an ng unless directed to do so by narcosis, optic nerve atrophy,
.1	In Case Importa Effects Delayed Suitable Media: Unsuita Media: Flamma	e of Ingestion: ant Symptoms and , Both Acute and d: e Extinguishing able Extinguishing able Properties and	and tested by medical person Wash out mouth with water p unconscious person. Get medical personnel. Exposure may cause: coughi chest tightness. Section 5. Fire Use alcohol-resistant foam, o Use water spray to cool fire-e A solid water stream may be dCan release vapors that form Container explosion may occ Emits toxic fumes under fire Sensitive to static discharge.	eyes with plenty of with nel. provided person is condical attention. Do Nitional attention. Do Nitional attention, Do Nitional attention, diversional attention, diversional attention of the second diverse of the second	rater for at least 1 onscious. Never g OT induce vomiti siness, headache, asures r, or dry chemical at temperatures a ons.	5 minutes. Have eyes examined ive anything by mouth to an ng unless directed to do so by narcosis, optic nerve atrophy,
5.1	In Case Importa Effects Delayed Suitable Media: Unsuita Media: Flamma	e of Ingestion: ant Symptoms and , Both Acute and d: e Extinguishing able Extinguishing able Properties and s:	and tested by medical person Wash out mouth with water p unconscious person. Get medical personnel. Exposure may cause: coughing chest tightness. Section 5. Fire Use alcohol-resistant foam, of Use water spray to cool fire-of A solid water stream may be dCan release vapors that form Container explosion may occu Emits toxic fumes under fire Sensitive to static discharge. Vapors can travel to a source	eyes with plenty of winnel. provided person is condical attention. Do Ni ing, dizziness, drows Fighting Mea carbon dioxide, wate exposed containers. inefficient. n explosive mixtures cur under fire conditions conditions. e of ignition and flast	rater for at least 1 onscious. Never g OT induce vomiti siness, headache, asures r, or dry chemical at temperatures a ons.	5 minutes. Have eyes examined ive anything by mouth to an ng unless directed to do so by narcosis, optic nerve atrophy,
.1	In Case Importa Effects Delayed Suitable Media: Unsuita Media: Flamma Hazard	e of Ingestion: ant Symptoms and , Both Acute and d: e Extinguishing able Extinguishing able Properties and s:	and tested by medical person Wash out mouth with water p unconscious person. Get medical personnel. Exposure may cause: coughi chest tightness. Section 5. Fire Use alcohol-resistant foam, o Use water spray to cool fire-e A solid water stream may be dCan release vapors that form Container explosion may occ Emits toxic fumes under fire Sensitive to static discharge. Vapors can travel to a source No data available.	eyes with plenty of winnel. provided person is condical attention. Do Ni ing, dizziness, drows Fighting Mea carbon dioxide, wate exposed containers. inefficient. In explosive mixtures cur under fire condition conditions. e of ignition and flast closed Cup	rater for at least 1 onscious. Never g OT induce vomiti iness, headache, at temperatures a ons.	5 minutes. Have eyes examined ive anything by mouth to an ng unless directed to do so by narcosis, optic nerve atrophy,
1.2 5.1	In Case Importa Effects Delayed Suitable Media: Unsuita Hazard Hazard	e of Ingestion: ant Symptoms and , Both Acute and d: e Extinguishing able Extinguishing able Properties and s:	and tested by medical person Wash out mouth with water p unconscious person. Get medi- medical personnel. Exposure may cause: coughi- chest tightness. Section 5. Fire Use alcohol-resistant foam, of Use water spray to cool fire- A solid water stream may be dCan release vapors that form Container explosion may occ Emits toxic fumes under fire Sensitive to static discharge. Vapors can travel to a source No data available. -10.00 C Method Used: C	eyes with plenty of winnel. provided person is condical attention. Do Ni ing, dizziness, drows Fighting Mea carbon dioxide, wate exposed containers. inefficient. In explosive mixtures cur under fire condition conditions. e of ignition and flast closed Cup	rater for at least 1 onscious. Never g OT induce vomiti iness, headache, at temperatures a ons.	5 minutes. Have eyes examined ive anything by mouth to an ng unless directed to do so by narcosis, optic nerve atrophy,



Revision: 09/04/2018 Supersedes Revision: 01/20/2015

		equivalent), and fu Note: Flammable		ear to prevent contact with skin and eyes. ethyl acetate.		
		Section 6. A	Accidenta	Release Measures		
6.1 6.2	Protective Precautions, Protective Equipment and Emergency Procedures: Environmental	d As conditions war and appropriate p	rant, wear a N ersonal protec	vide adequate ventilation. IOSH approved self-contained breathing a tion (rubber boots, safety goggles, and he the environment, if safe to do so.		
	Precautions:					
6.3	Methods and Material For Containment and Cleanir Up:	•		ropriate. ntainer for disposal in accordance with loo	cal regulations.	
		Section	7. Handl	ing and Storage		
7.1	Precautions To Be Taken	Avoid breathing du	ust/fume/gas/m	nist/vapours/spray.		
	in Handling:	Avoid prolonged o	r repeated exp	osure.		
		Keep away from s	•			
		·		ainst static discharge.		
7.2	Precautions To Be Taken		•	nd flame.		
	in Storing:	Keep container tig	•	tion listed on the product insert.		
	Other Precautions:	Protect from moist		autor instea on the product insert.		
		tion 8. Expo	sure Cont	trols/Personal Protection		
8.1	Exposure Parameters:	1		1	Γ	
CAS		Jurisdictio		Recommended Exposure Limits	Notations	
79-20	0-9 Methyl acetate	ACGIH TL	V	TLV: 200 ppm STEL: 250 ppm		
		France VL		TWA: 610 mg/m3 (200 ppm) STEL: 760 mg/m3 (250 ppm)		
		OSHA PEL	S	PEL: 200 ppm		
		Britain EH4	40	TWA: 616 mg/m3 (200 ppm) STEL: 770 mg/m3 (250 ppm)		
8.2	Exposure Controls:					
8.2.1	Engineering Controls (Ventilation etc.):	Use process enclo levels below recor		xhaust ventilation, or other engineering co osure limits.	ontrols to control airborn	
8.2.2		-				
	Eye Protection:	Safety glasses				
	Protective Gloves:	Compatible chemi	cal-resistant gl	oves		
	Other Protective Clothing	-				
	Respiratory Equipment (Specify Type):	NIOSH approved respirator, as conditions warrant.				
	Work/Hygienic/Maintenar	n Do not take internally.				
	ce Practices:	Facilities storing o Wash thoroughly a	-	naterial should be equipped with an eyew	ash and a safety showe	
		No data available.				
					Multi-region form	



ayman		Supersedes Revision: 01/20/2015
	Se	ction 9. Physical and Chemical Properties
0.1 Informatio	on on Basic Physic	cal and Chemical Properties
Physical	States:	[]Gas [X]Liquid []Solid
Appearar	nce and Odor:	A solution in methyl acetate
pH:		No data.
Melting P	oint:	No data.
Boiling P	oint:	No data.
Flash Pt:		-10.00 C Method Used: Closed Cup
Evaporat	ion Rate:	No data.
Flammab	ility (solid, gas):	No data available.
Explosive	∍ Limits:	LEL: 3.1% at 25.0 C UEL: 16.0% at 25.0 C
Vapor Pre Hg):	essure (vs. Air or r	mm 173 MM_HG at 20.0 C
	nsity (vs. Air = 1):	No data.
Specific (Gravity (Water = 1)	: No data.
Solubility	in Water:	No data.
Octanol/V	Nater Partition	No data.
Coefficie	nt:	
Autoignit	ion Pt:	455.00 C
Decompo	sition Temperatur	re: No data.
Viscosity	:	No data.
0.2 Other Info	rmation	
Percent V	/olatile:	No data.
Molecula	r Formula & Weigh	ht: C36H68O4 564.9
		Section 10. Stability and Reactivity
0.1 Reactivity	y: N	No data available.
0.2 Stability:		Jnstable [] Stable [X]
0.3 Stability I	Note(s):	Stable if stored in accordance with information listed on the product insert.
Polymeriz	zation: V	Nill occur [] Will not occur [X]
-		neat, flames, and sparks
	ibility - Materials a	
To Avoid	-	alkalis
	-	nitrates
	S	strong oxidizing agents
0.6 Hazardou		carbon dioxide
Decompo		carbon monoxide
Byproduc		
_,,		



Revision: 09/04/2018 Supersedes Revision: 01/20/2015

			Section	n 11. Toxico	logical	Informa	ation		
11.1	Informat Toxicolo	tion on ogical Effects:	The toxicological effects of this product have not been thoroughly studied. Methyl Acetate - Toxicity Data: Oral LD50 (rat): >5,000 mg/kg; Oral LD50 (rabbit): 3,705 mg/kg; Skin LD50 (rabbit): >5,000 mg/kg; Inhalation TCLO (human): 15,000 mg/m3; Methyl Acetate - Irritation Data: Skin (rabbit): 500 mg (24h) mild; Eyes (rabbit): 100 mg (24h) moderate;						
	Chronic	Toxicological	Methyl Acetate	e - Investigated as	s a mutagei	n and prima	ary irritant.		
	Effects:		Only select Re	egistry of Toxic Eff	fects of Ch	emical Sub	stances (RTE	CS) data is pre	sented here.
			See actual en	try in RTECS for c	complete in	formation.			
			-	e RTECS Number					
Carcii	nogenicity	/:	NTP? No IARC Monographs? No OSHA Regulated? No						
CAS	#	Hazardous Com	ponents (Cher	mical Name)		NTP	IARC	ACGIH	OSHA
1019	01-73-9	12-OAHSA				n.a.	n.a.	n.a.	n.a.
79	-20-9	Methyl acetate				n.a.	n.a.	n.a.	n.a.
		•	Sectio	on 12. Ecolo	gical Ir	format	ion	•	·
12.1	Toxicity	:		into the environm	-				
	-		Runoff from fir	re control or dilutio	on water ma	ay cause po	ollution.		
12.2	Persiste	nce and	No data availa	abla					
				able.					
	Degrada	bility:		able.					
12.3	-	bility: mulative	No data availa						
12.3	-	mulative							
	Bioaccu	mulative I:		able.					
12.4	Bioaccu Potentia Mobility	mulative I:	No data availa No data availa	able. able.					
12.4	Bioaccu Potentia Mobility	mulative I: in Soil: of PBT and vPvB	No data availa No data availa	able. able.					
12.4 12.5	Bioaccu Potentia Mobility Results assessm	mulative I: in Soil: of PBT and vPvB	No data availa No data availa	able. able. able.					
12.4 12.5	Bioaccu Potentia Mobility Results assessm	mulative I: in Soil: of PBT and vPvB nent:	No data availa No data availa No data availa No data availa	able. able. able.	sal Con	siderati	ons		
12.4 12.5 12.6	Bioaccu Potentia Mobility Results assessm Other ad	mulative I: in Soil: of PBT and vPvB nent:	No data availa No data availa No data availa No data availa Sectior	able. able. able. able. n 13. Dispos					
12.4 12.5 12.6	Bioaccu Potentia Mobility Results assessm Other ad	mulative I: in Soil: of PBT and vPvB nent: Iverse effects:	No data availa No data availa No data availa No data availa Sectior Dispose in acc	able. able. able. able. n 13. Dispos	al, state, an	d federal re	egulations.		
12.4 12.5 12.6 13.1	Bioaccu Potentia Mobility Results assessm Other ad	mulative I: in Soil: of PBT and vPvB nent: Iverse effects:	No data availa No data availa No data availa No data availa Section Dispose in acc Sectio	able. able. able. n 13. Dispos cordance with loca	al, state, an	d federal re	egulations.		
2.4 2.5 2.6 3.1	Bioaccu Potentia Mobility Results assessm Other ad Waste D	mulative I: in Soil: of PBT and vPvB nent: Iverse effects: isposal Method:	No data availa No data availa No data availa No data availa Section Dispose in acc Section	able. able. able. n 13. Dispos cordance with loca	al, state, an	d federal re	egulations.		
12.4 12.5 12.6 13.1 14.1 D	Bioaccu Potentia Mobility Results assessm Other ad Waste D	mulative I: in Soil: of PBT and vPvB nent: Iverse effects: isposal Method: RANSPORT (US I r Shipping Name:	No data availa No data availa No data availa No data availa Section Dispose in acc Section	able. able. able. n 13. Dispos cordance with loca on 14. Tran	al, state, an sport Ir	d federal re nformat	egulations.		
12.4 12.5 12.6 13.1 14.1 D	Bioaccu Potentia Mobility Results assessm Other ad Waste D LAND T	mulative I: in Soil: of PBT and vPvB nent: Iverse effects: isposal Method: RANSPORT (US I r Shipping Name: d Class:	No data availa No data availa No data availa No data availa Section Dispose in acc Sectio OOT): Methyl Ac	able. able. able. n 13. Dispos cordance with loca on 14. Tran	al, state, an sport Ir LE LIQUID	d federal re nformat	egulations.	1	
12.4 12.5 12.6 13.1 14.1 D	Bioaccu Potentia Mobility Results assessm Other ad Waste D LAND T OT Prope	mulative I: in Soil: of PBT and vPvB nent: Iverse effects: isposal Method: RANSPORT (US I r Shipping Name: d Class:	No data availa No data availa No data availa No data availa Section Dispose in acc Section Dispose in acc Section 3	able. able. able. n 13. Dispos cordance with loca on 14. Tran cetate Solution FLAMMAB	al, state, an sport Ir LE LIQUID	d federal re nformat	egulations.		
12.4 12.5 13.1 14.1 D U	Bioaccu Potentia Mobility Results assessm Other ad Waste D LAND T OT Prope OT Hazard	mulative I: in Soil: of PBT and vPvB nent: Iverse effects: isposal Method: RANSPORT (US I r Shipping Name: d Class:	No data availa No data availa No data availa No data availa Section Dispose in acc Section Dispose in acc Section Dispose in acc Section UN1231	able. able. able. n 13. Dispos cordance with loca on 14. Tran cetate Solution FLAMMAB	al, state, an sport Ir LE LIQUID	d federal re nformat	egulations.		
12.4 12.5 13.1 14.1 D U	Bioaccu Potentia Mobility Results assessm Other ad Waste D LAND T OT Prope OT Hazard	mulative I: in Soil: of PBT and vPvB nent: Iverse effects: isposal Method: RANSPORT (US I r Shipping Name: d Class: nber:	No data availa No data availa No data availa No data availa Section Dispose in acc Section Dispose in acc Section	able. able. able. n 13. Dispos cordance with loca on 14. Tran cetate Solution FLAMMAB	al, state, an sport Ir LE LIQUID	d federal re nformat	egulations.		
D U 14.1 A U	Bioaccu Potentia Mobility Results assessm Other ad Waste D LAND T OT Prope OT Hazard	mulative I: in Soil: of PBT and vPvB nent: Iverse effects: isposal Method: RANSPORT (US I r Shipping Name: d Class: nber: RANSPORT (Euro hipping Name: r:	No data availa No data availa No data availa No data availa Section Dispose in acc Section Dispose Section Dispose Section	able. able. able. n 13. Dispos cordance with loca on 14. Tran cetate Solution FLAMMAB	al, state, an Sport Ir LE LIQUID Pac	d federal re nformat	egulations.		

Multi-region format



Revision: 09/04/2018 Supersedes Revision: 01/20/2015

14.3 AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name:	Methyl Acetate Solution					
UN Number:	1231	Packing Group:	II			
Hazard Class:	3 - FLAMMABLE LIQUID	IATA Classification:	3			
Additional Transport	Transport in accordance with loca	I, state, and federal regulations.				
Information:	When sold in quantities of less than or equal to 1 mL, or 1 g, with an Excepted Quantity Code of					
	E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10.					
	Therefore packaging does not ha	ve to be labeled as Dangerous Go	ods/Excepted Quantity.			

Section 15. Regulatory Information

CAS #	Hazardous Com	ponents (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
101001 72 0	12-OAHSA				
101901-73-9			No	No	No
79-20-9	Methyl acetate		No	No	No
CAS #	Hazardous Com	ponents (Chemical Name)	Other US EPA o	r State Lists	
101901-73-9	12-OAHSA		CAA HAP,ODC: PROP.65: No	No; CWA NPDES	: No; TSCA: No; CA
79-20-9	Methyl acetate			No; CWA NPDES IR; CA PROP.65:	
Regulatory Inf	ormation	This SDS was prepared in acc No.1272/2008.	ordance with 29 CFF	R 1910.1200 and R	egulation (EC)
		Section 16. Ot	her Information	on	
Revision Date:	:	09/04/2018			
Additional Info This Product:	ormation About	No data available.			
Company Polic	cy or Disclaimer:	DISCLAIMER: This information currently available to us. Howe express or implied, with respec- use. Users should make their their particular purposes.	ver, we make no wa t to such informatior	rranty of merchanta n, and we assume r	ability or any other warrant no liability resulting from its