

Printing date 12/16/2021

Revision date 12/16/2021

Page 1/11

1 Identification

- · Product identifier
- · Trade name: lloprost
- · Article number: 18215
- Application of the substance / the mixture This product is for research use - Not for human or veterinary diagnostic or therapeutic use. It is the responsibility of the purchaser to determine suitability for other applications.
- · Details of the supplier of the safety data sheet Manufacturer/Supplier: Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA
- · Information department: Product safety department
- Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CĂNADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

2 Hazard(s) Identification	
Classification of the substance or mixture	
GHS02 Flame	
Flam. Liq. 2 H225 Highly flammable liquid and vapor.	
GHS06 Skull and crossbones	
Acute Tox. 3 H301 Toxic if swallowed.	
Acute Tox. 3 H311 Toxic in contact with skin.	
Acute Tox. 3 H331 Toxic if inhaled.	
GHS08 Health hazard	
Repr. 2 H361 Suspected of damaging fertility or the unborn child.	(Contd. on page 2)

Printing date 12/16/2021

Revision date 12/16/2021

Trade name: lloprost

	(Contd. from page 1)
^	
GHS07	
•	9 Causes serious eye irritation.
STOT SE 3 H336	6 May cause drowsiness or dizziness.
· Label elements	
· GHS label elemen	nts
	ssified and labeled according to the Globally Harmonized System (GHS).
Hazard pictogram	IS
<u>E3</u> 285	
GHS02 GHS06	GHS07 GHS08
· Signal word Dang	ier
	ng components of labeling:
Methyl acetate Iloprost	
· Hazard statement	te
H225	Highly flammable liquid and vapor.
	Toxic if swallowed, in contact with skin or if inhaled.
H319	Causes serious eye irritation.
H361	Suspected of damaging fertility or the unborn child.
H336	May cause drowsiness or dizziness.
 Precautionary sta 	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210 P240	Keep away from heat/sparks/open flames/hot surfaces No smoking. Ground/bond container and receiving equipment.
P240 P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing dust/fume/gas/mist/vapors/spray
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310 P321	If swallowed: Immediately call a poison center/doctor. Specific treatment (see on this label).
P330	Rinse mouth.
	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with
	water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P312	Call a poison center/doctor if you feel unwell.
P361+P364	Take off immediately all contaminated clothing and wash it before reuse.
P337+P313 P370+P378	If eye irritation persists: Get medical advice/attention. In case of fire: Use CO2, powder or water spray to extinguish.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
. 100 1 200	(Contd on page 3)

(Contd. on page 3)

Printing date 12/16/2021

Revision date 12/16/2021

Trade name: lloprost

	(Contd. from page 2)
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
 Classification sy 	stem:
NFPA ratings (so	
Heal Fire	th = 2 = 3
2 0 Rea	ctivity = 0
 HMIS-ratings (sc 	ale 0 - 4)
FIRE 3 Fire	alth = 2 = 3 activity = 0
• Other hazards • Results of PBT a • PBT: Not applicat • vPvB: Not applica	

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

Dangerous compon	ents:	
CAS: 79-20-9 RTECS: AI9100000	Methyl acetate	99.5%
CAS: 78919-13-8 RTECS: SA3695000	lloprost	0.5%

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed. In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: Do not induce vomiting; immediately call for medical help.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed

May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects. No further relevant information available.

(Contd. on page 4)

U

Printing date 12/16/2021

Revision date 12/16/2021

(Contd. from page 3)

Trade name: lloprost

• Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

- Reference to other sections
- See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

- See Section 13 for disposal information.
- Protective Action Criteria for Chemicals

· PAC-1:	
79-20-9 Methyl acetate	250 ppm
PAC-2:	
79-20-9 Methyl acetate	1,700 ppm
· PAC-3:	
79-20-9 Methyl acetate	10000* ppm

7 Handling and storage

- · Handling:
- Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Open and handle receptacle with care.
- Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
 Protect against electrostatic charges.
 Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:

• Requirements to be met by storerooms and receptacles: Store in a cool location.

· Information about storage in one common storage facility: Not required.

⁻ US

Printing date 12/16/2021

Revision date 12/16/2021

Trade name: lloprost

Keep rec Store in c	information about storage conditions: ceptacle tightly sealed. cool, dry conditions in well sealed receptacles. e end use(s) No further relevant information available.
8 Expos	ure controls/personal protection
	nal information about design of technical systems: No further data; see item 7.
 Control Compor The follor recommon 	parameters nents with limit values that require monitoring at the workplace: owing constituent is the only constituent of the product which has a PEL, TLV or other ended exposure limit. ne, the remaining constituent has no known exposure limits.
79-20-9	Methyl acetate
REL Sha Lor TLV Sha	ng-term value: 610 mg/m³, 200 ppm ort-term value: 760 mg/m³, 250 ppm ng-term value: 610 mg/m³, 200 ppm ort-term value: 250 ppm
	ng-term value: 200 ppm nal information: The lists that were valid during the creation were used as basis.
 Exposur Persona General Keep aw Immedia Wash ha Store pro Avoid co Avoid co Breathin In case of exposure 	re controls Il protective equipment: protective and hygienic measures: ray from foodstuffs, beverages and feed. tely remove all soiled and contaminated clothing. ands before breaks and at the end of work. betective clothing separately. ntact with the eyes. ntact with the eyes and skin. ng equipment: of brief exposure or low pollution use respiratory filter device. In case of intensive or longer e use respiratory protective device that is independent of circulating air. on of hands:
Due to r preparati Selection degradat • Material The sele	Protective gloves re material has to be impermeable and resistant to the product/ the substance/ the preparation. missing tests no recommendation to the glove material can be given for the product/ the ion/ the chemical mixture. In of the glove material on consideration of the penetration times, rates of diffusion and the tion of gloves ection of the suitable gloves does not only depend on the material, but also on further marks of and varies from manufacturer to manufacturer. As the product is a preparation of several

be checked prior to the application.

• Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

substances, the resistance of the glove material can not be calculated in advance and has therefore to

(Contd. on page 6)

Printing date 12/16/2021

Revision date 12/16/2021

(Contd. from page 5)

US

Trade name: lloprost

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties · Information on basic physical and chemical properties General Information · Appearance: Form: Liquid Color: Colorless · Odor: Pleasant · Structural Formula C22H32O4 · Molecular Weight 360.5 g/mol · Odor threshold: Not determined. · Formulation A solution in methyl acetate · pH-value: Not determined. · Change in condition Melting point/Melting range: -98.05 °C (-144.5 °F) **Boiling point/Boiling range:** 57 °C (134.6 °F) · Flash point: -13 °C (8.6 °F) · Flammability (solid, gaseous): Not applicable. 455 °C (851 °F) · Ignition temperature: · Decomposition temperature: Not determined. · Auto igniting: Product is not selfigniting. • Danger of explosion: Product is not explosive. However, formation of explosive air/ vapor mixtures are possible. · Explosion limits: 3.1 Vol % Lower: 16 Vol % Upper: · Vapor pressure at 20 °C (68 °F): 220 hPa (165 mm Hg) Density at 20 °C (68 °F): 0.93 g/cm3 (7.76085 lbs/gal) · Bulk density: 1 kg/m³ · Relative density Not determined. · Vapor density Not determined. · Evaporation rate Not determined. · Solubility in / Miscibility with Water at 20 °C (68 °F): 330 g/l · Partition coefficient (n-octanol/water): Not determined. · Viscosity: **Dynamic:** Not determined. (Contd. on page 7)

Printing date 12/16/2021

Revision date 12/16/2021

Trade name: lloprost

(Contd. from page 6)
Not determined. DMF: 30 mg/ml; DMSO: 25 mg/ml; Ethanol: 30 mg/ml; PBS (pH 7.2): 1 mg/ml
99.5 %
0.00 %
0.0 g/l / 0.00 lb/gal
0.5 %
No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: strong oxidizing agents
- · Hazardous decomposition products: carbon dioxide, carbon monoxide

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

AIE (Acute To)	xicity Estimate)		
Oral	LD50	20,000 mg/kg (rabbit)	
Dermal	LD50	60,000 mg/kg	
Inhalative	LC50/4 h	600 mg/l	

79-20-9 Methyl	acetate	
Oral	LD50	>5,000 mg/kg (rat)
		3,705 mg/kg (rabbit)
Dermal	LD50	>5,000 mg/kg (rabbit)
Inhalative	TCLO	15,000 mg/m³ (hmn)
Irritation of skin	Irritation	500 mg/24h (rabbit)
	Irritation	40 mg/kg/24h (rabbit)
Irritation of eyes	Irritation	100 mg/24h (rabbit)
	Intraperitoneal LD50	70 mg/kg (mouse)
78919-13-8 llop	rost	
Oral	LD50	>100 mg/kg (rat)
· Primary irritant		·
• on the skin: No	irritant effect.	

• on the eye: Irritating effect.

· Sensitization: No sensitizing effects known.

(Contd. on page 8)

⁻ US

Printing date 12/16/2021

Revision date 12/16/2021

Trade name: lloprost

• Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Toxic Irritant

· Carcinogenic categories

IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• **Recommendation:** Disposal must be made according to official regulations.

UN-Number	
DOT, IMDG, IATA	UN1993
UN proper shipping name	
DOT	Flammable liquids, n.o.s. (Methyl acetate)
IMDG	FLAMMABLE LIQUID, N.O.S. (METHYL ACETATE)

(Contd. from page 7)

Printing date 12/16/2021

Revision date 12/16/2021

Trade name: lloprost

	(Contd. from page
	Flammable liquid, n.o.s. (METHYL ACETATE)
Transport hazard class(es)	
DOT	
FLAMABLE LOUD	
· Class · Label	3 Flammable liquids 3
IMDG, IATA	•
3	
	3 Flammable liquids
Label	3
Packing group	
DOT, IMDG, IATA	
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Flammable liquids
 Hazard identification number (Kemler code) EMS Number: 	: 33 F-E,S-E
Stowage Category	В
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
IMD0	
· IMDG · Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
IATA	Maximum net quantity per outer packaging. 500 mi
· IATA · Remarks:	When sold in quantities of less than or equal to 1 m
-	or 1 g, with an Excepted Quantity Code of
	E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10.
	Therefore packaging does not have to be labeled a
	Dangerous Goods/Excepted Quantity.
UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (METHY
	ACETATE), 3, II

(Contd. on page 10)

Printing date 12/16/2021

Revision date 12/16/2021

Trade name: lloprost

(Contd. from page 9)

5 Regulatory information	
· Safety, health and environmental regulations/legislation specific for the sub	stance or mixture
No further relevant information available.	
· Sara	
 Section 355 (extremely hazardous substances): 	
None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	
· TSCA (Toxic Substances Control Act):	
79-20-9 Methyl acetate	ACTIVE
· Hazardous Air Pollutants	
None of the ingredients is listed.	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
· TLV (Threshold Limit Value)	
None of the ingredients is listed.	
 NIOSH-Ca (National Institute for Occupational Safety and Health) 	
None of the ingredients is listed.	
· Chemical safety assessment: A Chemical Safety Assessment has not been carr	ried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- · Date of preparation / last revision 12/16/2021 / -
- **Abbreviations and acronyms:** IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation

Printing date 12/16/2021

Revision date 12/16/2021

(Contd. from page 10)

US

Trade name: lloprost

ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent DSD: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 3: Acute toxicity – Category 3 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A Repr. 2: Reproductive toxicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
