

| | C | Jontification of the Culture MILL Control Culture | ha Campany//// | | | | | |
|---|--|---|--|--|--|--|--|--|
| | Section 1. Ic | dentification of the Substance/Mixture and of the | he Company/Undertaking | | | | | |
| | Product Code: | 18274 | | | | | | |
| | Product Name: | Naloxone-d5 (CRM) | | | | | | |
| | Synonyms: | (5.alpha.)-4,5-epoxy-3,14-dihydroxy-17-(2-pro | ppen-1-yl-1,1,2,3,3-d5)-morphinan-6-one; | | | | | |
| | | N-Allyldihydro-14-hydroxynormorphinone-d5; | | | | | | |
| 2 | Relevant identified uses of the substance or mixture and uses advised against: | | | | | | | |
| | Relevant identified uses: | For research use only, not for human or veteri | inary use. | | | | | |
| 5 | Details of the Supplier of the Safety Data Sheet: | | | | | | | |
| | Company Name: | Cayman Chemical Company | | | | | | |
| | | 1180 E. Ellsworth Rd. | | | | | | |
| | | Ann Arbor, MI 48108 | | | | | | |
| | Web site address: | www.caymanchem.com | | | | | | |
| | Information: | Cayman Chemical Company | +1 (734)971-3335 | | | | | |
| 1 | Emergency telephone num | | | | | | | |
| | Emergency Contact: | CHEMTREC Within USA and Canada: | +1 (800)424-9300 | | | | | |
| | | CHEMTREC Outside USA and Canada: | +1 (703)527-3887 | | | | | |
| | | Section 2. Hazards Identific | ation | | | | | |
| | Classification of the Substa | ance or Mixture: | | | | | | |
| | | | | | | | | |
| | Flammable Liquids, Category 2 | | | | | | | |
| | Acute Toxicity: Inhalation, Category 3 | | | | | | | |
| | Acute Toxicity: Inhalatior | | | | | | | |
| | Acute Toxicity: Inhalation Acute Toxicity: Oral, Cate | n, Category 3 | | | | | | |
| | - | a, Category 3 egory 3 | | | | | | |
| | Acute Toxicity: Oral, Cate Acute Toxicity: Skin, Cate | a, Category 3 egory 3 | | | | | | |
| 2 | Acute Toxicity: Oral, Cate Acute Toxicity: Skin, Cate | a, Category 3 egory 3 egory 3 | | | | | | |
| 1 | Acute Toxicity: Oral, Cate Acute Toxicity: Skin, Cate Specific Target Organ To | a, Category 3 egory 3 egory 3 | | | | | | |
| 2 | Acute Toxicity: Oral, Cate Acute Toxicity: Skin, Cate Specific Target Organ To | a, Category 3 egory 3 egory 3 | | | | | | |
| | Acute Toxicity: Oral, Cate Acute Toxicity: Skin, Cate Specific Target Organ To | a, Category 3 egory 3 egory 3 | | | | | | |
| | Acute Toxicity: Oral, Cate Acute Toxicity: Skin, Cate Specific Target Organ To | a, Category 3 egory 3 egory 3 | | | | | | |
| | Acute Toxicity: Oral, Cate Acute Toxicity: Skin, Cate Specific Target Organ To | a, Category 3 egory 3 egory 3 | | | | | | |
| | Acute Toxicity: Oral, Cate Acute Toxicity: Skin, Cate Specific Target Organ To Label Elements: | a, Category 3 egory 3 egory 3 xicity (single exposure), Category 1 | | | | | | |
| 2 | Acute Toxicity: Oral, Cate Acute Toxicity: Skin, Cate Specific Target Organ To Label Elements: Office Signal Word: | a, Category 3 egory 3 egory 3 xicity (single exposure), Category 1 | | | | | | |
| 2 | Acute Toxicity: Oral, Cate Acute Toxicity: Skin, Cate Specific Target Organ To Label Elements: GHS Signal Word: GHS Hazard Phrases: | a, Category 3 egory 3 egory 3 xicity (single exposure), Category 1 | | | | | | |
| 2 | Acute Toxicity: Oral, Cate Acute Toxicity: Skin, Cate Specific Target Organ To Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable liq | a, Category 3 egory 3 egory 3 xicity (single exposure), Category 1 Contemposities Danger uid and vapor. | | | | | | |
| 2 | Acute Toxicity: Oral, Cate Acute Toxicity: Skin, Cate Specific Target Organ To Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable liq H301: Toxic if swallowed. | a, Category 3 egory 3 egory 3 xicity (single exposure), Category 1 Contemposities Danger uid and vapor. | | | | | | |
| 2 | Acute Toxicity: Oral, Cate Acute Toxicity: Skin, Cate Specific Target Organ To Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable liq H301: Toxic if swallowed. H311: Toxic in contact with H331: Toxic if inhaled. | a, Category 3 egory 3 egory 3 xicity (single exposure), Category 1 Danger uid and vapor. | | | | | | |
| 2 | Acute Toxicity: Oral, Cate Acute Toxicity: Skin, Cate Specific Target Organ To Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable liq H301: Toxic if swallowed. H311: Toxic in contact with H331: Toxic if inhaled. H370: Causes damage to c | agory 3 egory 3 egory 3 xicity (single exposure), Category 1 Danger uid and vapor. skin. | | | | | | |
| | Acute Toxicity: Oral, Cate Acute Toxicity: Skin, Cate Specific Target Organ To Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable liq H301: Toxic if swallowed. H311: Toxic in contact with H331: Toxic if inhaled. H370: Causes damage to co GHS Precaution Phrases | a, Category 3 egory 3 egory 3 xicity (single exposure), Category 1 Danger uid and vapor. skin. | 7 | | | | | |
| 2 | Acute Toxicity: Oral, Cate Acute Toxicity: Skin, Cate Specific Target Organ To Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable liq H301: Toxic if swallowed. H311: Toxic in contact with H331: Toxic if inhaled. H370: Causes damage to co GHS Precaution Phrases: P210: Keep away from {he | a, Category 3 egory 3 egory 3 xicity (single exposure), Category 1 Danger uid and vapor. skin. organs. | g. | | | | | |
| | Acute Toxicity: Oral, Cate Acute Toxicity: Skin, Cate Specific Target Organ To Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable liq H301: Toxic if swallowed. H311: Toxic in contact with H311: Toxic in contact with H311: Toxic if inhaled. H370: Causes damage to co GHS Precaution Phrases: P210: Keep away from {he P260: Do not breathe {dust | agory 3 egory 3 egory 3 xicity (single exposure), Category 1 Danger uid and vapor. skin. organs. the strip of the surfaces | g. | | | | | |
| 2 | Acute Toxicity: Oral, Cate Acute Toxicity: Skin, Cate Specific Target Organ To Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable liq H301: Toxic if swallowed. H311: Toxic in contact with H331: Toxic if inhaled. H370: Causes damage to co GHS Precaution Phrases: P210: Keep away from {he P260: Do not breathe {dust P264: Wash {hands} thorow | a category 3 egory 3 egory 3 xicity (single exposure), Category 1 Danger uid and vapor. skin. organs. at/sparks/open flames/hot surfaces} No smoking t/fume/gas/mist/vapors/spray}. ughly after handling. | - | | | | | |
| 2 | Acute Toxicity: Oral, Cate Acute Toxicity: Skin, Cate Specific Target Organ To Label Elements: | agory 3 egory 3 egory 3 xicity (single exposure), Category 1 Danger uid and vapor. skin. organs. the strip of the surfaces | - | | | | | |
| 2 | Acute Toxicity: Oral, Cate Acute Toxicity: Skin, Cate Specific Target Organ To Label Elements: | A, Category 3 egory 3 egory 3 xicity (single exposure), Category 1 | ion}. | | | | | |
| 2 | Acute Toxicity: Oral, Cate Acute Toxicity: Skin, Cate Specific Target Organ To Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable liq H301: Toxic if swallowed. H311: Toxic if swallowed. H311: Toxic in contact with H331: Toxic if inhaled. H370: Causes damage to co GHS Precaution Phrases: P210: Keep away from {he P260: Do not breathe {dust P264: Wash {hands} thorou P280: Wear {protective glot GHS Response Phrases: P301+310: IF SWALLOWE | A, Category 3 egory 3 egory 3 xicity (single exposure), Category 1 Danger uid and vapor. skin. organs. tat/sparks/open flames/hot surfaces} No smoking t/fume/gas/mist/vapors/spray}. ughly after handling. ves/protective clothing/eye protection/face protection | ion}. | | | | | |
| 2 | Acute Toxicity: Oral, Cate Acute Toxicity: Skin, Cate Specific Target Organ To Label Elements: | A, Category 3 agory 3 egory 3 xicity (single exposure), Category 1 | ion}. r doctor/physician. | | | | | |
| 2 | Acute Toxicity: Oral, Cate Acute Toxicity: Skin, Cate Specific Target Organ To Label Elements: | A, Category 3 egory 3 egory 3 xicity (single exposure), Category 1 Danger uid and vapor. skin. organs. tat/sparks/open flames/hot surfaces} No smoking t/fume/gas/mist/vapors/spray}. ughly after handling. ves/protective clothing/eye protection/face protection | ion}. r doctor/physician. | | | | | |
| : | Acute Toxicity: Oral, Cate Acute Toxicity: Skin, Cate Specific Target Organ To Label Elements: | A, Category 3 agory 3 egory 3 xicity (single exposure), Category 1 | ion}. r doctor/physician. | | | | | |



Revision: 04/30/2019

Multi-region format

| | P321: | • | concerned: Call a {POISON C {see on this label}. | CENTER/Doctor/}. | | | | | |
|------------|------------------------------|--|---|--------------------------------|---|--|--|--|--|
| | | | ediately all contaminated clothi | ing and wash it befor | e reuse. | | | | |
| | | Storage and Dispo | - | | | | | | |
| | | | for Storage and Section 13 for | Disposal information | ٦. | | | | |
| 2.3 | | e Human Health | Causes damage to organs { | - | | | | | |
| | | and Symptoms: | Material may be irritating to t | | nes and upper res | spiratory tract. | | | |
| | Lilooto | und cymptomo. | May be fatal or cause blindn | | | | | | |
| | | | May cause eye, skin, or resp | | on. | | | | |
| | | | Toxic if inhaled, swallowed, o | or in contact with skir | ۱. | | | | |
| | | | To the best of our knowledge | e, the toxicological pr | operties have not | t been thoroughly investigated. | | | |
| | | Sect | tion 3. Composition | /Information | on Ingredie | nts | | | |
| CAS RTE | ; # / CS # | Hazardous Com REACH Registra | ponents (Chemical Name)/ tion No. | Concentration | EC No./ EC Index No. | GHS Classification | | | |
| 1261 NA | 079-38-2 | Naloxone-d5 | | 0.1 % | NA NA | Acute Tox.(O) 4: H302 Eye Damage 1: H318 | | | |
| | 7-56-1 400000 | Methanol 01-2119392409-28 | | 99.9 % | 200-659-6 603-001-00-X | Flam. Liq. 2: H225 Acute Tox.(O) 3: H301 Acute Tox.(D) 3: H311 Acute Tox.(I) 3: H331 STOT (SE) 1: H370 | | | |
| | | • | Section 4. Fi | rst Aid Measu | iras | • | | | |
| 4.1 | Measur In Case In Case | e of Inhalation: e of Skin Contact: | Get immediate medical atten Immediately wash skin with s clothing. Get medical attentic | tion. coap and plenty of wa | ater for at least 15 Wash clothing b | | | | |
| | In Case | e of Eye Contact: | Hold eyelids apart and flush of and tested by medical person | | ater for at least 1 | 5 minutes. Have eyes examined | | | |
| | In Case | of Ingestion: | Wash out mouth with water p unconscious person. Get me medical personnel. | - | - | ive anything by mouth to an ng unless directed to do so by | | | |
| 4.2 | Importa | ant Symptoms and | d Overexposure may cause: co | onfusion, dermatitis, l | neadache, drowsi | iness, dizziness, gastrointestinal | | | |
| | Effects | , Both Acute and | disturbance, optic nerve damage (blindness), nausea, unconsciousness, vomiting, visual | | | | | | |
| | Delaye | d: | disturbance, weakness. | | | | | | |
| | | | May cause convulsions. | | | | | | |
| | | | Once methanol is absorbed i | nto the body, it is ver | y slowly eliminate | ed. | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |



| | | S | Section 5. Fire Fi | ghting Measures | | | | | |
|---------|---|--------------------|------------------------------|---|----------------------|--|--|--|--|
| 5.1 | Suitable Extinguishing | Use al | cohol-resistant foam, carb | on dioxide, water, or dry chemical spray. | | | | | |
| | Media: | Use wa | ater spray to cool fire-expo | osed containers. | | | | | |
| | Unsuitable Extinguishing | A solid | water stream may be ine | ficient. | | | | | |
| | Media: | | | | | | | | |
| 5.2 | Flammable Properties an | d Can re | lease vapors that form exp | plosive mixtures at temperatures at or above the | e flashpoint. | | | | |
| | Hazards: | | ner explosion may occur u | | | | | | |
| | | | toxic fumes under fire con | ditions. | | | | | |
| | | | ve to static discharge. | | | | | | |
| | | - | s can travel to a source of | ignition and flash back. | | | | | |
| | | No data available. | | | | | | | |
| | Flash Pt: | | C Method Used: Close | • | | | | | |
| | Explosive Limits: | LEL: | 6.0% at 25.0 C | UEL: 36.0% at 25.0 C | | | | | |
| | Autoignition Pt: | 385.00 |) C | | | | | | |
| 5.3 | Fire Fighting Instructions | :As in a | ny fire, wear self-containe | d breathing apparatus pressure-demand (NIOS | H approved or | | | | |
| | | - | | ear to prevent contact with skin and eyes. | | | | | |
| | | Note: F | Flammable as diluted in m | ethanol. | | | | | |
| | | Sect | ion 6. Accidenta | Release Measures | | | | | |
| 6.1 | Protective Precautions, | Avoid | breathing vapors and prov | vide adequate ventilation. | | | | | |
| | Protective Equipment and | d As cor | nditions warrant, wear a N | IOSH approved self-contained breathing appara | atus, or respirator, | | | | |
| | Emergency Procedures: | and a | opropriate personal protec | tion (rubber boots, safety goggles, and heavy ru | ubber gloves). | | | | |
| 6.2 | Environmental | Take s | steps to avoid release into | the environment, if safe to do so. | | | | | |
| | Precautions: | | | | | | | | |
| 6.3 | Methods and Material For | · Conta | in spill and collect, as app | ropriate. | | | | | |
| | Containment and Cleanin | gTranst | fer to a chemical waste co | ntainer for disposal in accordance with local reg | julations. | | | | |
| | Up: | | | | | | | | |
| | | | Section 7. Handl | ing and Storage | | | | | |
| 7.1 | Precautions To Be Taken Avoid breathing dust/fume/gas/mist/vapours/spray. | | | | | | | | |
| | in Handling: | | prolonged or repeated exp | | | | | | |
| | U U | - | away from sources of igniti | | | | | | |
| | | Take p | precautionary measures ac | gainst static discharge. | | | | | |
| 7.2 | Precautions To Be Taken | Keep a | away from heat, sparks, ar | nd flame. | | | | | |
| | in Storing: | Keep o | container tightly closed. | | | | | | |
| | | Store i | n accordance with informa | tion listed on the product insert. | | | | | |
| | Sec | tion 8 | . Exposure Cont | trols/Personal Protection | | | | | |
| 8.1 | Exposure Parameters: | | | | | | | | |
| CAS # | Chemical Name | | Jurisdiction | Recommended Exposure Limits | Notations | | | | |
| 67-56- | 1 Methanol | | ACGIH TLV | TLV: 200 ppm | | | | | |
| | | | | STEL: 250 ppm | | | | | |
| | | | Europe | TWA: 260 mg/m3 (200 ppm) | Skin Absorption | | | | |
| | | | France VL | TWA: 260 mg/m3 (200 ppm) | | | | | |
| | | | | STEL: 1300 mg/m3 (1000 ppm) | | | | | |
| | | | OSHA PELs | PEL: 200 ppm | Skin Absorption | | | | |
| | | | Britain EH40 | TWA: 266 mg/m3 (200 ppm) STEL: 333 mg/m3 (250 ppm) | Skin Absorption | | | | |
| | | | | | I | | | | |
| | | | | | Multi-region format | | | | |



Revision: 04/30/2019

| 8.2.1 | Exposure Controls: | | | | | | | | |
|---|---|---|--|--|--|--|--|--|--|
| J.Z.I | Engineering Controls Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne | | | | | | | | |
| (Ventilation etc.): levels below recommended exposure limits. | | | | | | | | | |
| 8.2.2 | | | | | | | | | |
| | Eye Protection: Safety glasses | | | | | | | | |
| | Protective Gloves: Compatible chemical-resistant gloves | | | | | | | | |
| | Other Protective Clothing:Lab coat | | | | | | | | |
| | Respiratory Equipment NIOSH approved respirator, as conditions warrant. | | | | | | | | |
| | (Specify Type): | | | | | | | | |
| | Work/Hygienic/Maintenan Do not take internally. | | | | | | | | |
| | | Facilities storing or utilizing this material should be equipped with an eyewash and a safety showe | | | | | | | |
| | , | Wash thoroughly after handling. | | | | | | | |
| | | No data available. | | | | | | | |
| | Se | ection 9. Physical and Chemical Properties | | | | | | | |
| 9.1 | | cal and Chemical Properties | | | | | | | |
| | Physical States: | []Gas [X]Liquid []Solid | | | | | | | |
| | Appearance and Odor: | A 1 mg/ml solution in methanol | | | | | | | |
| | pH: | No data. | | | | | | | |
| | Melting Point: | No data. | | | | | | | |
| | Boiling Point: | No data. | | | | | | | |
| | Flash Pt: | 11.00 C Method Used: Closed Cup | | | | | | | |
| | Evaporation Rate: | No data. | | | | | | | |
| | Flammability (solid, gas): | No data available. | | | | | | | |
| | Explosive Limits: | LEL: 6.0% at 25.0 C UEL: 36.0% at 25.0 C | | | | | | | |
| | Vapor Pressure (vs. Air or | mm 96 MM_HG at 20.0 C | | | | | | | |
| | Hg): | | | | | | | | |
| | Vapor Density (vs. Air = 1): | No data. | | | | | | | |
| | Specific Gravity (Water = 1 |): No data. | | | | | | | |
| | Solubility in Water: | No data. | | | | | | | |
| | Octanol/Water Partition | No data. | | | | | | | |
| | Coefficient: | | | | | | | | |
| | Autoignition Pt: | 385.00 C | | | | | | | |
| | Decomposition Temperatu | re: No data. | | | | | | | |
| | Viscosity: | No data. | | | | | | | |
| | Other Information | | | | | | | | |
|) .2 | | | | | | | | | |
| 9.2 | Percent Volatile: | No data. | | | | | | | |

Multi-region format



| | | | Secti | on 10. Stability an | d Reacti | vity | | | | |
|----------------------|--|-----------------------------------|--|---------------------------------|--------------------|-----------------|----------------------------|----------------|--|--|
| 10.1 | Reactivity | : | No data available. | | | | | | | |
| 10.2 | Stability: | | Unstable [] Stable [X] | | | | | | | |
| 10.3 | Stability N | lote(s): | Stable if stor | red in accordance with inforr | mation listed | on the product | insert. | | | |
| Polymerization: | | | Will occur [|] Will not occur [X] | | | | | | |
| 10.4 | Condition | s To Avoid: | Fo Avoid: heat, flames, and sparks | | | | | | | |
| 10.5 | Incompat | bility - Materials | acids | | | | | | | |
| | To Avoid: | | acid anhydri | des | | | | | | |
| | | | acid chloride | | | | | | | |
| | | | alkali metals | | | | | | | |
| | | | oxidizing age | | | | | | | |
| | | | reducing age | | | | | | | |
| 10.6 | Hazardou | | carbon dioxi | | | | | | | |
| | Decompo | | carbon mone | UXIGE | | | | | | |
| | Byproduc | 15: | | | | | | | | |
| | | | Sectio | n 11. Toxicologica | al Informa | ation | | | | |
| 11.1 | Informatio | on on | The toxicolo | gical effects of this product I | nave not beer | n thoroughly st | udied. | | | |
| | Toxicolog | ical Effects: | | Toxicity Data: Oral LD50 (rat | - | - | | mg/kg; Oral | | |
| | | | | : 6422 mg/kg; Intraperitonea | - | | + | | | |
| | | | | C50 (rat): 64,000 ppm (4h); | | | 1,100 ppm (13 [,] | 4 m); Skin LD5 | | |
| | | | | 300 mg/kg; Oral LDLO (hum | , 0 | • | - (rehhit), 40 m | | | |
| | | | Methanol - Irritation Data: Skin (rabbit): 20 mg (24h) moderate; Eyes (rabbit): 40 mg moderate; Eyes (rabbit): 100 mg (24h) moderate; Methanol - Investigated as a drug, mutagen, primer virritent, reproductive effector, and tymericen | | | | | | | |
| | Chronic T | ovicological | | | | | | | | |
| | Chronic Toxicological Effects: | | Methanol - Investigated as a drug, mutagen, primary irritant, reproductive effector, and tumorigen. Only select Registry of Toxic Effects of Chemical Substances (RTECS) data is presented here. | | | | | | | |
| Enoug. | | - | entry in RTECS for complete | | | | | | | |
| | | | Methanol RTECS Number: PC1400000 | | | | | | | |
| Carcir | nogenicity: | | NTP? No | IARC Monographs? No | OSHA Regulated? No | | | | | |
| CAS # | # | Hazardous Com | ponents (Ch | emical Name) | NTP | IARC | ACGIH | OSHA | | |
| 12610 |)79-38-2 | Valoxone-d5 | | | n.a. | n.a. | n.a. | n.a. | | |
| 67 | -56-1 | Vethanol | | | n.a. | n.a. | n.a. | n.a. | | |
| | | | Secti | ion 12. Ecological | Informat | ion | · | · | | |
| 12.1 | Toxicity: | | Avoid release into the environment. | | | | | | | |
| | · | | Runoff from fire control or dilution water may cause pollution. | | | | | | | |
| 12.2 | 2 Persistence and | | No data available. | | | | | | | |
| | – | ility: | | | | | | | | |
| | Degradab | | | | | | | | | |
| 12.3 | Degradab Bioaccum | ulative | No data ava | ilable. | | | | | | |
| | - | | No data ava | ilable. | | | | | | |
| | Bioaccum | | No data ava No data ava | | | | | | | |
| 12.3 | Bioaccum Potential: Mobility in | | No data ava | ilable. | | | | | | |
| 12.3 12.4 | Bioaccum Potential: Mobility in | n Soil: f PBT and vPvB | No data ava | ilable. | | | | | | |
| 12.3 12.4 | Bioaccum Potential: Mobility in Results o assessme | n Soil: f PBT and vPvB | No data ava | ilable. ilable. | | | | | | |
| 12.3 12.4 12.5 | Bioaccum Potential: Mobility in Results o assessme | n Soil: f PBT and vPvB ent: | No data ava No data ava | ilable. ilable. | | | | | | |



| | | Section 13. | Disposal (| Considerat | ions | | |
|--------------------------|------------------|--|--|----------------------------|----------------|----------------------|--|
| 13.1 Waste D | Disposal Method: | Dispose in accordance | with local, sta | te, and federal r | egulations. | | |
| | | Section 14 | . Transpo | rt Informat | ion | | |
| 14.1 LAND 1 | RANSPORT (US | DOT): | | | | | |
| DOT Prope | er Shipping Name | : Methanol Solution | | | | | |
| DOT Hazard Class: | | 3 (6.1) | FLAMMABLE I | LIQUID, POISON | N | | |
| UN/NA Nui | mber: | UN1230 | UN1230 Packing Group: | | | | |
| | | FLIMMÜBLE LIQUID | POISON 6 | | | | |
| | RANSPORT (Eur | | | | | | |
| | hipping Name: | Methanol Solution | | | | | |
| UN Numbe | | 1230 | | Packing Grou | ıp: | II | |
| Hazard Cla | ISS: | 3 (6.1) - FLAMMAI POISON | BLE LIQUID, | | | | |
| 14.3 AIR TR | ANSPORT (ICAO/ | IATA): | | | | | |
| ICAO/IATA Shipping Name: | | Methanol Solution | | | | | |
| UN Number: | | 1230 | | Packing Grou | ıp: | II | |
| Hazard Cla | ISS: | 3 (6.1) - FLAMMABLE LIQUID, IATA Classification: 3, 6.1 POISON | | | | | |
| Additional Tra | nsport | Transport in accordance | ce with local, s | tate, and federal | l regulations. | | |
| Information: | | When sold in quantities of less than or equal to 1 mL, or 1 g, with an Excepted Quantity Code of | | | | | |
| | | E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. | | | | | |
| | | Therefore packaging d | does not have t | o be labeled as | Dangerous Good | s/Excepted Quantity. | |
| | | Section 15. | Regulato | ry Informat | tion | | |
| EPA SARA (Sı | uperfund Amendn | nents and Reauthorizat | tion Act of 19 | 86) Lists | | | |
| CAS # | Hazardous Com | ponents (Chemical Na | me) S. | 302 (EHS) | S. 304 RQ | S. 313 (TRI) | |
| 1261079-38-2 | Naloxone-d5 | | No | | No | No | |
| 67-56-1 | Methanol | | Nc | | Yes 5000 LB | Yes | |
| CAS # | Hazardous Com | ponents (Chemical Na | , | ner US EPA or S | | | |
| 1261079-38-2 | Naloxone-d5 | | | A HAP,ODC: No OP.65: No | o; CWA NPDES: | No; TSCA: No; CA | |
| 67-56-1 Methanol | | | CAA HAP,ODC: HAP: VHAP; CWA NPDES: No; TSCA: Yes Inventory; CA PROP.65: Yes: RDTox. | | | | |



Page: 7 of 7

| Regulatory Information Statement: | This SDS was prepared in accordance with 29 CFR 1910.1200 and Regulation (EC) No.1272/2008. |
|--|--|
| | Section 16. Other Information |
| Revision Date: | 04/30/2019 |
| Additional Information About This Product: | No data available. |
| This Product: Company Policy or Disclaimer: | DISCLAIMER: This information is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. |
| | |
| | |