

Revision: 06/04/2018

	Section 1 In	lentification of the Substance/Mixture and of th	e Company/Undertaking				
1			ie company/endertaking				
	Product Code: Product Name:	18751	N4)				
	Synonyms:	O-Desmethyl-cis-tramadol (hydrochloride) (CR rel-3-[(1R,2R)-2-[(dimethylamino)methyl]-1-hyd					
	Synonyms.	O-Desmethyltramadol;					
2	Relevant identified uses of the substance or mixture and uses advised against:						
	Relevant identified uses:	For research use only, not for human or vetering	hary use.				
.3	Details of the Supplier of th	e Safety Data Sheet:					
	Company Name:	Cayman Chemical Company					
		1180 E. Ellsworth Rd.					
	Web site address:	Ann Arbor, MI 48108					
	Information:	www.caymanchem.com Cayman Chemical Company	1 (724)071 2225				
			+1 (734)971-3335				
4	Emergency telephone num Emergency Contact:	Der: CHEMTREC Within USA and Canada:	+1 (800)424-9300				
	Emergency Contact.	CHEMTREC Outside USA and Canada:	+1 (703)527-3887				
		Section 2. Hazards Identification	· · ·				
1	Classification of the Substa						
	Flammable Liquids, Cate	gory 2					
	Acute Toxicity: Inhalation, Category 3						
	Acute Toxicity: Inhalation	a, Category 3					
	Acute Toxicity: Inhalation Acute Toxicity: Oral, Cate						
	-	egory 3					
	Acute Toxicity: Oral, Cate Acute Toxicity: Skin, Cate	egory 3					
2	Acute Toxicity: Oral, Cate Acute Toxicity: Skin, Cate	egory 3					
2	Acute Toxicity: Oral, Cate Acute Toxicity: Skin, Cate Specific Target Organ To	egory 3					
2	Acute Toxicity: Oral, Cate Acute Toxicity: Skin, Cate Specific Target Organ To	egory 3					
2	Acute Toxicity: Oral, Cate Acute Toxicity: Skin, Cate Specific Target Organ To	egory 3					
2	Acute Toxicity: Oral, Cate Acute Toxicity: Skin, Cate Specific Target Organ To	egory 3					
2	Acute Toxicity: Oral, Cate Acute Toxicity: Skin, Cate Specific Target Organ To	egory 3					
2	Acute Toxicity: Oral, Cate Acute Toxicity: Skin, Cate Specific Target Organ To Label Elements:	egory 3 egory 3 xicity (single exposure), Category 1					
2	Acute Toxicity: Oral, Cate Acute Toxicity: Skin, Cate Specific Target Organ To Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable liq	egory 3 egory 3 xicity (single exposure), Category 1					
2	Acute Toxicity: Oral, Cate Acute Toxicity: Skin, Cate Specific Target Organ To Label Elements: GHS Signal Word: GHS Hazard Phrases:	egory 3 egory 3 xicity (single exposure), Category 1					
2	Acute Toxicity: Oral, Cate Acute Toxicity: Skin, Cate Specific Target Organ To Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable liq	egory 3 egory 3 xicity (single exposure), Category 1 Oanger uid and vapor.					
2	Acute Toxicity: Oral, Cate Acute Toxicity: Skin, Cate Specific Target Organ To Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable liq H301: Toxic if swallowed.	egory 3 egory 3 xicity (single exposure), Category 1 Oanger uid and vapor.					
2	Acute Toxicity: Oral, Cate Acute Toxicity: Skin, Cate Specific Target Organ To Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable liq H301: Toxic if swallowed. H311: Toxic in contact with	egory 3 egory 3 xicity (single exposure), Category 1 Danger uid and vapor. skin.					
2	Acute Toxicity: Oral, Cate Acute Toxicity: Skin, Cate Specific Target Organ To Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable liq H301: Toxic if swallowed. H311: Toxic in contact with H331: Toxic if inhaled.	egory 3 egory 3 xicity (single exposure), Category 1 Danger uid and vapor. skin.					
2	Acute Toxicity: Oral, Cate Acute Toxicity: Skin, Cate Specific Target Organ To Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable liq H301: Toxic if swallowed. H311: Toxic in contact with H331: Toxic if inhaled. H370: Causes damage to co GHS Precaution Phrases:	egory 3 egory 3 xicity (single exposure), Category 1 Danger uid and vapor. skin.					
2	Acute Toxicity: Oral, Cate Acute Toxicity: Skin, Cate Specific Target Organ Tox Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable liq H301: Toxic if swallowed. H311: Toxic in contact with H331: Toxic if inhaled. H370: Causes damage to co GHS Precaution Phrases: P210: Keep away from {heat	egory 3 egory 3 xicity (single exposure), Category 1 Danger uid and vapor. skin.	·				
2	Acute Toxicity: Oral, Cate Acute Toxicity: Skin, Cate Specific Target Organ Tox Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable liq H301: Toxic if swallowed. H311: Toxic in contact with H331: Toxic if inhaled. H370: Causes damage to co GHS Precaution Phrases: P210: Keep away from {heat	egory 3 egory 3 xicity (single exposure), Category 1 Danger uid and vapor. skin. organs.	·				
2	Acute Toxicity: Oral, Cate Acute Toxicity: Skin, Cate Specific Target Organ To Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable liq H301: Toxic if swallowed. H311: Toxic in contact with H331: Toxic if inhaled. H370: Causes damage to co GHS Precaution Phrases: P210: Keep away from {hea P260: Do not breathe {dust P264: Wash {hands} thorous	egory 3 egory 3 xicity (single exposure), Category 1 Danger uid and vapor. skin. organs.					
2	Acute Toxicity: Oral, Cate Acute Toxicity: Skin, Cate Specific Target Organ To Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable liq H301: Toxic if swallowed. H311: Toxic in contact with H331: Toxic if inhaled. H370: Causes damage to co GHS Precaution Phrases: P210: Keep away from {hea P260: Do not breathe {dust P264: Wash {hands} thorous	egory 3 egory 3 xicity (single exposure), Category 1 Danger uid and vapor. skin. organs. at/sparks/open flames/hot surfaces} No smoking /fume/gas/mist/vapors/spray}.					
2	Acute Toxicity: Oral, Cate Acute Toxicity: Skin, Cate Specific Target Organ To Label Elements:	egory 3 egory 3 xicity (single exposure), Category 1 Danger uid and vapor. skin. organs. at/sparks/open flames/hot surfaces} No smoking /fume/gas/mist/vapors/spray}. ughly after handling. ves/protective clothing/eye protection/face protection	on}.				
2	Acute Toxicity: Oral, Cate Acute Toxicity: Skin, Cate Specific Target Organ To Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable liq H301: Toxic if swallowed. H311: Toxic in contact with H331: Toxic if inhaled. H370: Causes damage to co GHS Precaution Phrases: P210: Keep away from {hea P260: Do not breathe {dust P264: Wash {hands} thorou P280: Wear {protective glow GHS Response Phrases: P301+310: IF SWALLOWE	egory 3 egory 3 xicity (single exposure), Category 1 Danger uid and vapor. skin. organs. : at/sparks/open flames/hot surfaces} No smoking /fume/gas/mist/vapors/spray}. ughly after handling. ves/protective clothing/eye protection/face protection	on}.				
2	Acute Toxicity: Oral, Cate Acute Toxicity: Skin, Cate Specific Target Organ To Label Elements:	egory 3 egory 3 xicity (single exposure), Category 1	on}. /physician.				
2	Acute Toxicity: Oral, Cate Acute Toxicity: Skin, Cate Specific Target Organ To Label Elements:	egory 3 egory 3 xicity (single exposure), Category 1 Danger uid and vapor. skin. organs. : at/sparks/open flames/hot surfaces} No smoking /fume/gas/mist/vapors/spray}. ughly after handling. ves/protective clothing/eye protection/face protection	on}. /physician.				



I

Revision: 06/04/2018

P307+311: IF exposed: Call a POISON CENTER or doctor/physician. P311: Call a POISON CENTER or doctor/physician.

P330: Rinse mouth.

P361: Remove/Take off immediately all contaminated clothing.

P363: Wash contaminated clothing before reuse.

GHS Storage and Disposal Phrases:

Please refer to Section 7 for Storage and Section 13 for Disposal information.

2.3 Adverse Human Health Causes damage to organs {eyes}.

Effects and Symptoms:Material may be irritating to the mucous membranes and upper respiratory tract.May be fatal or cause blindness if swallowed.May cause eye, skin, or respiratory system irritation.

Toxic if inhaled, swallowed, or in contact with skin.

To the best of our knowledge, the toxicological properties have not been thoroughly investigated.

Section 3. Composition/Information on Ingredients

CAS # / RTECS #	Hazardous Components (Chemical Name)/ REACH Registration No.	Concentration	EC No./ EC Index No.	GHS Classification
185453-02-5 NA	O-Desmethyl-cis-tramadol (hydrochloride)	0.1 %	NA NA	Acute Tox.(O) 4: H302 Acute Tox.(D) 4: H312 Acute Tox.(I) 4: H332
67-56-1 PC1400000	Methanol	99.9 %	200-659-6 603-001-00-X	Flam. Liq. 2: H225 Acute Tox.(O) 3: H301 Acute Tox.(D) 3: H311 Acute Tox.(I) 3: H331 STOT (SE) 1: H370

Section 4. First Aid Measures

4.1	Description of First Aid Measures:					
	In Case of Inhalation:	Remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Get immediate medical attention.				
	In Case of Skin Contact:	Immediately wash skin with soap and plenty of water for at least 15 minutes. Remove contaminated clothing. Get medical attention if symptoms occur. Wash clothing before reuse.				
	In Case of Eye Contact:	Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Have eyes examined and tested by medical personnel.				
	In Case of Ingestion:	Wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by medical personnel.				
4.2	Important Symptoms and Overexposure may cause: confusion, dermatitis, headache, drowsiness, dizziness, gastrointestina					
	Effects, Both Acute and	disturbance, optic nerve damage (blindness), nausea, unconsciousness, vomiting, visual				
	Delayed:	disturbance, weakness.				
		May cause convulsions.				
		Once methanol is absorbed into the body, it is very slowly eliminated.				



		Section 5. Fire	Fighting Measures			
5.1	Suitable Extinguishing	Use alcohol-resistant foam, c	arbon dioxide, water, or dry chemical spray	/.		
	Media:	Use water spray to cool fire-e	exposed containers.			
	Unsuitable Extinguishin	g A solid water stream may be	inefficient.			
	Media:					
5.2	Flammable Properties a	ndCan release vapors that form	explosive mixtures at temperatures at or a	bove the flashpoint.		
	Hazards:	Container explosion may occ				
		Emits toxic fumes under fire of				
		Sensitive to static discharge.				
		Vapors can travel to a source	e of ignition and flash back.			
		No data available.				
	Flash Pt:	11.00 C Method Used: Clo	osed Cup			
	Explosive Limits:	LEL: 6.0% at 25.0 C	UEL: 36.0% at 25.0 C			
	Autoignition Pt:	385.00 C				
5.3	Fire Fighting Instruction	-	ained breathing apparatus pressure-deman			
			e gear to prevent contact with skin and eye	S.		
		Note: Flammable as diluted in	n methanol.			
		Section 6. Acciden	tal Release Measures			
6.1	Protective Precautions,	Avoid breathing vapors and	provide adequate ventilation.			
	Protective Equipment ar	nd As conditions warrant, wear	a NIOSH approved self-contained breathin	g apparatus, or respirator,		
	Emergency Procedures:	and appropriate personal pro	ptection (rubber boots, safety goggles, and	heavy rubber gloves).		
6.2	Environmental	Take steps to avoid release	into the environment, if safe to do so.			
	Precautions:					
6.3	Methods and Material Fo	or Contain spill and collect, as a	appropriate.			
	Containment and Cleani	ingTransfer to a chemical waste	e container for disposal in accordance with	local regulations.		
	Up:					
		Section 7 Har	ndling and Storage			
	Dracautiona To Do Toka					
7.1		 Avoid breathing dust/fume/ga Avoid prolonged or repeated 				
	in Handling:	Avoid prolonged or repeated exposure. Keep away from sources of ignition.				
		Take precautionary measure	5			
7.2	Precautions To Be Taken Keep away from heat, sparks, and flame.					
	in Storing: Keep container tightly closed.					
	J		rmation listed on the product insert.			
	Soc	tion 9 Exposure C	antrole/Parconal Protection			
			ontrols/Personal Protection			
8.1	Exposure Parameters:					
CAS		Jurisdiction	Recommended Exposure Limits	Notations		
67-56	5-1 Methanol	ACGIH TLV	TLV: 200 ppm STEL: 250 ppm			
		Europe	TWA: 260 mg/m3 (200 ppm)	Skin Absorption		
		France VL	TWA: 260 mg/m3 (200 ppm)			
			STEL: 1300 mg/m3 (1000 ppm)			
		OSHA PELs	PEL: 200 ppm			
		Britain EH40	TWA: 266 mg/m3 (200 ppm) STEL: 333 mg/m3 (250 ppm)	Skin Absorption		

Multi-region format



Ventilation etc.):	afety glasses compatible chemical-resistant gloves ab coat IIOSH approved respirator, as conditions warrant.			
Ventilation etc.):	evels below recommended exposure limits. hent: cafety glasses compatible chemical-resistant gloves ab coat IIOSH approved respirator, as conditions warrant.			
Protection: S ye Protection: S rotective Gloves: C other Protective Clothing:Lister S espiratory Equipment N Specify Type): Vork/Hygienic/Maintenan D e Practices: F	nent: Fafety glasses Compatible chemical-resistant gloves ab coat IIOSH approved respirator, as conditions warrant.			
ye Protection: S rotective Gloves: C other Protective Clothing: L espiratory Equipment N Specify Type): /ork/Hygienic/Maintenan D e Practices: F	afety glasses compatible chemical-resistant gloves ab coat IIOSH approved respirator, as conditions warrant.			
rotective Gloves: C other Protective Clothing:L espiratory Equipment N Specify Type): /ork/Hygienic/Maintenan D e Practices: F	compatible chemical-resistant gloves ab coat IIOSH approved respirator, as conditions warrant.			
other Protective Clothing:Li espiratory Equipment N Specify Type): /ork/Hygienic/Maintenan D e Practices: F	ab coat IIOSH approved respirator, as conditions warrant.			
espiratory Equipment N Specify Type): /ork/Hygienic/Maintenan D e Practices: F	IIOSH approved respirator, as conditions warrant.			
Specify Type): /ork/Hygienic/Maintenan D e Practices: F				
/ork/Hygienic/Maintenan D e Practices: F				
e Practices: F				
	-			
	Facilities storing or utilizing this material should be equipped with an eyewash and a safety			
	Vash thoroughly after handling.			
Ν	lo data available.			
Sec	ction 9. Physical and Chemical Properties			
formation on Basic Physic	al and Chemical Properties			
hysical States:	[]Gas [X]Liquid []Solid			
ppearance and Odor:	A 1 mg/ml solution in methanol			
H:	No data.			
lelting Point:	No data.			
oiling Point:	No data.			
lash Pt:	11.00 C Method Used: Closed Cup			
vaporation Rate:	No data.			
lammability (solid, gas):	No data available.			
xplosive Limits:	LEL: 6.0% at 25.0 C UEL: 36.0% at 25.0 C			
apor Pressure (vs. Air or n	nm 96 MM_HG at 20.0 C			
g):				
apor Density (vs. Air = 1):	No data.			
pecific Gravity (Water = 1):	No data.			
olubility in Water:	No data.			
ctanol/Water Partition	No data.			
oefficient:				
utoignition Pt:	385.00 C			
ecomposition Temperature	e: No data.			
iscosity:	No data.			
ther Information				
ercent Volatile:	No data.			
lolecular Formula & Weigh	t: C15H23NO2 • HCI 285.8			
i tl	scosity: her Information ercent Volatile:			

Multi-region format



10.1			Section 10. Stability and	Reactiv	vity				
	Reactivi	ty:	No data available.						
10.2	Stability	:	Unstable [] Stable [X]						
10.3	0.3 Stability Note(s): Stable if stored in accordance with information listed on the product insert.								
	Polymer	ization:	Will occur [] Will not occur [X]						
10.4	Conditio	ons To Avoid:	heat, flames, and sparks						
10.5	Incompa	tibility - Materials	acids						
	To Avoid	d:	acid anhydrides						
			acid chlorides						
			alkali metals						
			oxidizing agents						
			reducing agents						
10.6	Hazardo	us	carbon dioxide						
	Decomp	osition or	carbon monoxide						
	Byprodu	icts:							
			Section 11. Toxicological	Informa	ation				
11.1	Informat	ion on	The toxicological effects of this product ha	ave not beer	n thoroughly st	udied.			
	Toxicolo	gical Effects:	Methanol - Toxicity Data: Oral LD50 (rat):	5,600 mg/k	g; Oral LD50 (rabbit): 14,200	mg/kg;		
		0	Inhalation LC50 (rat): 64,000 ppm (4h); In	halation LC	50 (mouse): 6	1,100 ppm (13-	4 m); Skin LD50		
			(rabbit): 15,800 mg/kg; Oral LDLO (huma	n): 143 mg/k	kg;				
			Methanol - Irritation Data: Skin (rabbit): 20) mg (24h) n	noderate; Eye	s (rabbit): 40 m	ig moderate;		
			Eyes (rabbit): 100 mg (24h) moderate;						
	Chronic	Toxicological	Methanol - Investigated as a mutagen and reproductive effector.						
	Effects:		Only select Registry of Toxic Effects of Cl	nemical Sub	stances (RTE	CS) data is pre	sented here.		
			See actual entry in RTECS for complete i	nformation.					
			Methanol RTECS Number: PC1400000						
Carcin	ogenicity	<i>r</i> :	NTP? No IARC Monographs? No	NTP? No IARC Monographs? No OSHA Regulated? No					
CAS #	ŧ	Hazardous Com	ponents (Chemical Name)	NTP	IARC	ACGIH	OSHA		
18545	53-02-5	O-Desmethyl-cis-	tramadol (hydrochloride)	n.a.	n.a.	n.a.	n.a.		
67-	-56-1	Methanol		n.a.	n.a.	n.a.	n.a.		
			Section 12. Ecological I	nformat	ion	•	·		
12.1	Toxicity	:	Avoid release into the environment.						
			Runoff from fire control or dilution water may cause pollution.						
12.2	Persiste	nce and	No data available.						
	Degrada	bility:							
12.3	Bioaccu	mulative	No data avallable.						
12.3			No data avallable.						
12.3 12.4	Bioaccu Potentia Mobility	l:	No data available.						
12.4	Potentia Mobility	l: in Soil:							
	Potentia Mobility	l: in Soil: of PBT and vPvB	No data available.						
12.4 12.5	Potentia Mobility Results assessm	l: in Soil: of PBT and vPvB nent:	No data available. No data available.						
12.4	Potentia Mobility Results assessm	l: in Soil: of PBT and vPvB	No data available.						
12.4 12.5	Potentia Mobility Results assessm	l: in Soil: of PBT and vPvB nent:	No data available. No data available.						
12.4 12.5	Potentia Mobility Results assessm	l: in Soil: of PBT and vPvB nent:	No data available. No data available.						



Revision: 06/04/2018

		Section 13	<u>3. Dispos</u> a	al Consider	ations	
13.1 Waste I	Disposal Method:	Dispose in accorda	ance with local	, state, and feder	al regulations.	
		Section	14. Trans	port Inform	ation	
14.1 LAND	TRANSPORT (US DO	DT):				
DOT Prop	er Shipping Name:	Methanol Solu	tion			
DOT Haza	rd Class:	3 (6.1)	FLAMMAB	LE LIQUID, POIS	SON	
UN/NA Nu	mber:	1230		Packing G	roup:	II
		FLEMMUBLE LIQUID	Poison 6			
14.1 LAND	TRANSPORT (Europ	ean ADR/RID):				
ADR/RID S	Shipping Name:	Methanol Solu	tion			
UN Number:		1230		Packing G	roup:	II
Hazard Cla	ass:	3 (6.1) - FLAM POISON	3 (6.1) - FLAMMABLE LIQUID, POISON			
14.3 AIR TR	ANSPORT (ICAO/IA	TA):				
ICAO/IATA	A Shipping Name:	Methanol Solu	tion			
UN Number:		1230	1230Packing Group:		roup:	II
Hazard Cla	ass:	3 (6.1) - FLAM POISON	IMABLE LIQUI	D, IATA Class	sification:	3, 6.1
Additional Tra	insport	Fransport in accor	dance with loc	al, state, and fed	eral regulations.	
Information:		-		-	-	xcepted Quantity Code of
					Quantities exemptio	•
		Therefore packagi	ng does not ha	ave to be labeled	as Dangerous Good	s/Excepted Quantity.
		Section 1	5. Regula	atory Inform	nation	
EPA SARA (S	uperfund Amendme	nts and Reautho	rization Act of	f 1986) Lists		
CAS #	Hazardous Compo	onents (Chemica	l Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
185453-02-5	O-Desmethyl-cis-tra	amadol (hydrochlo	oride)	No	No	No
67-56-1	Methanol			No	Yes 5000 LB	Yes
CAS #	Hazardous Comp	onents (Chemica	l Name)	Other US EPA	or State Lists	
185453-02-5	O-Desmethyl-cis-tr	amadol (hydrochlo	oride)	CAA HAP,ODC PROP.65: No	: No; CWA NPDES:	No; TSCA: No; CA
67-56-1	Methanol				HAP; CWA NPDE: PROP.65: Yes: RDT	
	+					



Revision: 06/04/2018

Regulatory Information Statement:	This SDS was prepared in accordance with 29 CFR 1910.1200 and Regulation (EC) No.1272/2008.
	Section 16. Other Information
Revision Date:	06/04/2018
Additional Information About This Product:	No data available.
Company Policy or Disclaimer:	DISCLAIMER: This information is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.

Multi-region format