

	0	coording to Regulation (EC) No. 1007/2006 as amonded by (	(EC) No. 1272/2008				
	according to Regulation (EC) No. 1907/2006 as amended by (EC) No. 1272/2008 Section 1. Identification of the Substance/Mixture and of the Company/Undertaking						
			le company/ondertaking				
1	Product Code:	20065					
	Product Name:	N-Oleoyl Valine					
	Synonyms:	N-[(9Z)-1-oxo-9-octadecen-1-yl]-L-valine;					
	Relevant identified uses	s of the substance or mixture and uses advised aga	ainst:				
	Relevant identified use	es: For research use only, not for human or vetering	nary use.				
6	Details of the Supplier o	of the Safety Data Sheet:					
	Company Name:	Cayman Chemical Company					
		1180 E. Ellsworth Rd.					
		Ann Arbor, MI 48108					
	Web site address:	www.caymanchem.com					
	Information:	Cayman Chemical Company	+1 (734)971-3335				
ŀ	Emergency telephone no						
	Emergency Contact:	CHEMTREC Within USA and Canada:	+1 (800)424-9300				
		CHEMTREC Outside USA and Canada:	+1 (703)527-3887				
		Section 2. Hazards Identifica	ation				
	Classification of the Sub	ostance or Mixture					
2		Eye Irritation, Category 2 Toxicity (single exposure), Category 3					
2	Specific Target Organ						
2	Specific Target Organ						
2	Specific Target Organ						
2	Specific Target Organ Label Elements:	Toxicity (single exposure), Category 3					
!	Specific Target Organ Label Elements:	Toxicity (single exposure), Category 3					
	Specific Target Organ Label Elements: GHS Signal Word: GHS Hazard Phrases:	Toxicity (single exposure), Category 3 Danger					
2	Specific Target Organ Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable	Toxicity (single exposure), Category 3 Danger e liquid and vapor. eye irritation.					
2	Specific Target Organ Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable H319: Causes serious e	Toxicity (single exposure), Category 3 Danger a liquid and vapor. aye irritation. ratory irritation.					
2	Specific Target Organ Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable H319: Causes serious e H335: May cause respir GHS Precaution Phrase	Toxicity (single exposure), Category 3 Danger a liquid and vapor. aye irritation. ratory irritation.					
2	Specific Target Organ Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable H319: Causes serious e H335: May cause respir GHS Precaution Phras	Toxicity (single exposure), Category 3 Danger e liquid and vapor. eye irritation. ratory irritation. ses:					
2	Specific Target Organ Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable H319: Causes serious e H335: May cause respir GHS Precaution Phras	Toxicity (single exposure), Category 3 Danger e liquid and vapor. eye irritation. ratory irritation. ses: {heat/sparks/open flames/hot surfaces} No smoking {dust/fume/gas/mist/vapors/spray}.					
2	Specific Target Organ Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable H319: Causes serious e H335: May cause respir GHS Precaution Phrase P210: Keep away from P P261: Avoid breathing { P264: Wash {hands} the	Toxicity (single exposure), Category 3 Danger e liquid and vapor. eye irritation. ratory irritation. ses: {heat/sparks/open flames/hot surfaces} No smoking {dust/fume/gas/mist/vapors/spray}.					
2	Specific Target Organ Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable H319: Causes serious e H335: May cause respir GHS Precaution Phrase P210: Keep away from P P261: Avoid breathing { P264: Wash {hands} the	Toxicity (single exposure), Category 3 Danger a liquid and vapor. aye irritation. ratory irritation. ses: {heat/sparks/open flames/hot surfaces} No smoking {dust/fume/gas/mist/vapors/spray}. oroughly after handling. gloves/protective clothing/eye protection/face protection					
2	Specific Target Organ Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable H319: Causes serious e H335: May cause respir GHS Precaution Phrase P210: Keep away from P P261: Avoid breathing { P264: Wash {hands} the P280: Wear {protective GHS Response Phrase	Toxicity (single exposure), Category 3 Danger a liquid and vapor. aye irritation. ratory irritation. ses: {heat/sparks/open flames/hot surfaces} No smoking {dust/fume/gas/mist/vapors/spray}. oroughly after handling. gloves/protective clothing/eye protection/face protection	on}.				
2	Specific Target Organ Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable H319: Causes serious e H335: May cause respir GHS Precaution Phrase P210: Keep away from P P261: Avoid breathing { P264: Wash {hands} the P280: Wear {protective GHS Response Phrase	Toxicity (single exposure), Category 3 Danger e liquid and vapor. eye irritation. ratory irritation. ses: {heat/sparks/open flames/hot surfaces} No smoking {dust/fume/gas/mist/vapors/spray}. oroughly after handling. gloves/protective clothing/eye protection/face protection es:	on}.				
2	Specific Target Organ Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable H319: Causes serious e H335: May cause respir GHS Precaution Phrase P210: Keep away from 4 P261: Avoid breathing { P264: Wash {hands} the P280: Wear {protective GHS Response Phrase P303+361+353: IF ON 5 water/shower.	Toxicity (single exposure), Category 3 Danger e liquid and vapor. eye irritation. ratory irritation. ses: {heat/sparks/open flames/hot surfaces} No smoking {dust/fume/gas/mist/vapors/spray}. oroughly after handling. gloves/protective clothing/eye protection/face protection es:	on}. ninated clothing. Rinse skin with				
2	Specific Target Organ Label Elements: Constraints Con	Toxicity (single exposure), Category 3 Danger a liquid and vapor. a e liquid and vapor. a e iquid and vapo	on}. minated clothing. Rinse skin with ition comfortable for breathing.				
2	Specific Target Organ Label Elements: Constraints Con	Toxicity (single exposure), Category 3 Danger a liquid and vapor. a eye irritation. ratory irritation. ses: {heat/sparks/open flames/hot surfaces} No smoking (dust/fume/gas/mist/vapors/spray}. oroughly after handling. gloves/protective clothing/eye protection/face protectio es: SKIN (or hair): Remove/take off immediately all contar D: Remove victim to fresh air and keep at rest in a posi	on}. minated clothing. Rinse skin with ition comfortable for breathing.				
2	Specific Target Organ Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable H319: Causes serious e H335: May cause respir GHS Precaution Phras P210: Keep away from P261: Avoid breathing { P264: Wash {hands} the P280: Wear {protective GHS Response Phrase P303+361+353: IF ON S water/shower. P304+340: IF INHALED P305+351+338: IF IN E to do. Continue rinsing.	Toxicity (single exposure), Category 3 Danger a liquid and vapor. a eye irritation. ratory irritation. ses: {heat/sparks/open flames/hot surfaces} No smoking (dust/fume/gas/mist/vapors/spray}. oroughly after handling. gloves/protective clothing/eye protection/face protectio es: SKIN (or hair): Remove/take off immediately all contar D: Remove victim to fresh air and keep at rest in a posi	on}. minated clothing. Rinse skin with ition comfortable for breathing.				
2	Specific Target Organ Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable H319: Causes serious of H335: May cause respire GHS Precaution Phrase P210: Keep away from P261: Avoid breathing { P264: Wash {hands} the P264: Wash {hands} the P280: Wear {protective GHS Response Phrase P303+361+353: IF ON S water/shower. P304+340: IF INHALED P305+351+338: IF IN E to do. Continue rinsing. P312: Call a POISON O	Toxicity (single exposure), Category 3 Danger a liquid and vapor. a liquid and vapor. a verification. beye irritation. beye irritatirritatirri	on}. minated clothing. Rinse skin with ition comfortable for breathing.				
2	Specific Target Organ Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable H319: Causes serious of H335: May cause respire GHS Precaution Phrase P210: Keep away from P261: Avoid breathing { P264: Wash {hands} the P264: Wash {hands} the P280: Wear {protective GHS Response Phrase P303+361+353: IF ON S water/shower. P304+340: IF INHALED P305+351+338: IF IN E to do. Continue rinsing. P312: Call a POISON O	Toxicity (single exposure), Category 3 Danger a liquid and vapor. a liquid and vapor. a verification. b aratory irritation. b arator	on}. minated clothing. Rinse skin with ition comfortable for breathing.				



Revision: 05/29/2017

3       Adverse Human Health Effects and Symptoms:       Causes serious eye infritation.         Effects and Symptoms:       Material may be infritation, ingestion, or skin absorption. May cause draw infrastion. Repeated exposure may cause skin dryness or cracking. To the best of our knowledge, the toxicological properties have not been thoroughly investigated Section 3. Composition/Information on Ingredients         CAS # / RECS #       Hazardous Components (Chemical Name// PACH Registration No.       Concentration       GHS Classification EC No/ EC No/ EC No/ EC No/ BC Index No.       GHS Classification EC No/ EC Index No.         00374-1-6 Wathow       No. Pacuba       97.5 %       NA       No data available. NA         7*3cb-6 Wathow       Materyl acetate       97.5 %       Soft (36.2 kg) (27.1 Kg) (	Cay	man			·	Ş	Revision: 05/29/2017 Supersedes Revision: 04/06/2017		
AS # / RTECS #         Hazardous Components (Chemical Name/ REACH Registration No.         Concentration         EC N/ EC Index No.         GHS Classification           00374-11-6 N         N-Olecyl Valine         2.5 %         NA         No data available.           79-20-9 Vali000000         Methyl acetate         97.5 %         201-185-2 607-021-00-X         Flam. Liq. 2: H225 Eye Damage 2: H319 STOT (ES) 3: H335 H336 EUH066           Section 4. First Aid Measures           In Case of Inhalation: In Case of Inhalation: In Case of Inhalation: In Case of Skin Contact: Immediate medical attention. In Case of Eye Contact: Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Remove contamine clothing. Get medical personnel.           In Case of Ingestion: Vash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by medical personnel.           10         Sutlable Extinguishing Media: Use alcohol-resistant foam, carbon dioxide, water, or dry chemical spray. Use water spray to cool fire-exposed containers. Unsuitable Extinguishing A solid water stream may be inefficient. Media:           Container explosion may occur ouf rife conditions. Emits toxic fumes under fire conditions. Emits toxic fumes under fire conditions. Emits toxic fumes under fire conditions. Emits toxic discharge. Vapors can travel to a source of ignition and flash back. No data available. No data available. Flash Pt: Explosive Limits: EL: 3.1% at 25.0 C	2.3	Adverse Human Health		Causes serious eye irritation. Material may be irritating to the mucous membranes and upper respiratory tract. May be harmful by inhalation, ingestion, or skin absorption. May cause drowsiness or dizziness. May cause skin or respiratory system irritation.					
REACH Registration No.         EC Index No.           00374-18 M- Ma         N-Olecyl Valine         2.5 %         NA         No           79-20-9 M9100000         Methyl acetate         97.5 %         201-185-2 607-021-00-X         Flam. Liq. 2: H225 Eye Damage 2: H319 STOT (SE) 3: H335 H336 EUH066           Section 4. First Aid Measures           In Case of Inhalation:         Remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personn Get immediate medical attention.           In Case of Skin Contact:           Index of Skin Contact:           In Case of Eye Contact:           In Case of Ingestion:           Wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by medical personnel.           Important Symptoms and Exposure may cause: coughing, dizziness, drowsiness, headache, narcosis, optic nerve atrophy Effects, Bo				•	1		1		
MA       NA         79-20-9 N9100000       Methyl acetate       97.5 %       201-185-2 607-021-00-X       Flam, Liq, 2: H225 Eye Damage 2: H319 STOT (SE) 3: H335 H336 EUH066         Section 4. First Aid Measures         In Case of Inhalation: Remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained persone Get immediate medical attention.         In Case of Skin Contact: Immediately wash skin with soap and plenty of water for at least 15 minutes. Remove contamina clothing. Get medical attention if symptoms occur. Wash clothing before reuse.       In Case of Eye Contact:         In Case of Eye Contact:       Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Have eyes examin and tested by medical personnel.         In Case of Ingestion:       Wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by medical personnel.         21       Important Symptoms and Exposure may cause: coughing, dizziness, drowsiness, headache, narcosis, optic nerve atrophy Effects, Both Acute and belayed:         Section 5. Fire Fighting Measures         Unsuitable Extinguishing Media:         22       Inportant Symptoms and Can release vapors that form explosive mixtures at temperatures at or above the flash point.         Hazards:       Container explosion may occur under fire conditions. Emits toxic furmes under fire conditions. Sensitive to static discharge. Vapors can travel to a source o			-	· · · ·	Concentration		GHS Classification		
100000       607-021-00-X       Eye Damage 2: H319 STOT (SE) 3: H335 H336         200000       Section 4. First Aid Measures         1       Description of First Aid Measures:       In Case of Inhalation:       Remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personning of timmediate medical attention.         In Case of Skin Contact:       Immediate medical attention.       In Case of Skin Contact:       Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Remove contamina clothing. Get medical attention if symptoms occur. Wash clothing before reuse.         In Case of Skin Contact:       Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Have eyes examin and tested by medical personnel.         In Case of Ingestion:       Wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by medical personnel.         2.1       Important Symptoms and Exposure may cause: coughing, dizziness, drowsiness, headache, narcosis, optic nerve atrophy Effects, Both Acute and chest tightness.         Delayed:       Suitable Extinguishing       Use alcohol-resistant foam, carbon dioxide, water, or dry chemical spray.         Media:       Use water spray to cool fire-exposed containers.       Unsuitable Extinguishing A solid water stream may be inefficient.         Media:       Container explosion may occur under fire conditions.       Sensitive to static discharge.       Vapors can t	6037 NA	74-41-6 I	N-Oleoyl Valine		2.5 %		No data available.		
1.       Description of First Aid Measures: In Case of Inhalation: Get immediate medical attention.         In Case of Skin Contact: In Case of Skin Contact: In Case of Skin Contact: In Case of Skin Contact: In Case of Eye Contact: In Case of Eye Contact: In Case of Ingestion: Cet medical attention if symptoms occur. Wash clothing before reuse. In Case of Ingestion: Vash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by medical personnel.         11       Case of Ingestion: Wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by medical personnel.         2.1       Important Symptoms and Exposure may cause: coughing, dizziness, drowsiness, headache, narcosis, optic nerve atrophy Effects, Both Acute and chest tightness.         Delayed:       Section 5. Fire Fighting Measures         2.1       Suitable Extinguishing Media: Use water spray to cool fire-exposed containers. Unsuitable Extinguishing A solid water stream may be inefficient. Media: 2.2         2.3       Flammable Properties andCan release vapors that form explosive mixtures at temperatures at or above the flash point. Hazards: Container explosion may occur under fire conditions. Emits toxic fumes un			Methyl acetate		97.5 %		Eye Damage 2: H319 STOT (SE) 3: H335 H336		
Measures:       In Case of Inhalation:       Remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personned Get immediate medical attention.         In Case of Skin Contact:       Immediate medical attention.         In Case of Skin Contact:       Immediately wash skin with soap and plenty of water for at least 15 minutes. Remove contamina clothing. Get medical personnel.         In Case of Eye Contact:       Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Have eyes examine and tested by medical personnel.         In Case of Ingestion:       Wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by medical personnel.         2.1       Important Symptoms and Exposure may cause: coughing, dizziness, drowsiness, headache, narcosis, optic nerve atrophy Effects, Both Acute and chest tightness.         Delayed:       Section 5. Fire Fighting Measures         Section 5. Fire Fighting Measures         Media:       Use water spray to cool fire-exposed containers.         Unsuitable Extinguishing       Use water stream may be inefficient.         Media:       Container explosion may occur under fire conditions.         Emits toxic fumes under fire conditions.       Emits toxic fumes under fire conditions.         Sensitive to static discharge.       Vapors can travel to a source of ignition and flash back.         No data available.				Section 4. Fi	rst Aid Measu	ires			
<ul> <li>clothing. Get medical attention if symptoms occur. Wash clothing before reuse.</li> <li>In Case of Eye Contact: Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Have eyes examine and tested by medical personnel.</li> <li>In Case of Ingestion: Wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by medical personnel.</li> <li>Important Symptoms and Exposure may cause: coughing, dizziness, drowsiness, headache, narcosis, optic nerve atrophy Effects, Both Acute and chest tightness. Delayed:</li> <li>Section 5. Fire Fighting Measures</li> <li>Suitable Extinguishing Use alcohol-resistant foam, carbon dioxide, water, or dry chemical spray. Use water spray to cool fire-exposed containers. Unsuitable Extinguishing A solid water stream may be inefficient. Media:</li> <li>Flammable Properties andCan release vapors that form explosive mixtures at temperatures at or above the flash point. Hazards: Container explosion may occur under fire conditions. Sensitive to static discharge. Vapors can travel to a source of ignition and flash back. No data available.</li> <li>Flash Pt: -10.00 C Method Used: Closed Cup</li> <li>Explosive Limits: LEL: 3.1% at 25.0 C UEL: 16.0% at 25.0 C</li> </ul>	4.1	Measure	s:			respiration or giv	e oxygen by trained personnel		
and tested by medical personnel. In Case of Ingestion: Wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by medical personnel. 2 Important Symptoms and Exposure may cause: coughing, dizziness, drowsiness, headache, narcosis, optic nerve atrophy Effects, Both Acute and chest tightness. Delayed: Section 5. Fire Fighting Measures 1 Suitable Extinguishing Use alcohol-resistant foam, carbon dioxide, water, or dry chemical spray. Use water spray to cool fire-exposed containers. Unsuitable Extinguishing A solid water stream may be inefficient. Media: 2 Flammable Properties andCan release vapors that form explosive mixtures at temperatures at or above the flash point. Hazards: Container explosion may occur under fire conditions. Sensitive to static discharge. Vapors can travel to a source of ignition and flash back. No data available. Flash Pt: -10.00 C Method Used: Closed Cup Explosive Limits: LEL: 3.1% at 25.0 C UEL: 16.0% at 25.0 C		In Case of	of Skin Contact:	nmediately wash skin with soap and plenty of water for at least 15 minutes. Remove contaminated lothing. Get medical attention if symptoms occur. Wash clothing before reuse.					
<ul> <li>unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by medical personnel.</li> <li>Important Symptoms and Exposure may cause: coughing, dizziness, drowsiness, headache, narcosis, optic nerve atrophy Effects, Both Acute and chest tightness. Delayed:</li> <li>Section 5. Fire Fighting Measures</li> <li>Suitable Extinguishing Use alcohol-resistant foam, carbon dioxide, water, or dry chemical spray. Use water spray to cool fire-exposed containers. Unsuitable Extinguishing A solid water stream may be inefficient. Media:</li> <li>Flammable Properties and Can release vapors that form explosive mixtures at temperatures at or above the flash point. Hazards: Container explosion may occur under fire conditions. Emits toxic fumes under fire conditions. Sensitive to static discharge. Vapors can travel to a source of ignition and flash back. No data available.</li> <li>Flash Pt: -10.00 C Method Used: Closed Cup Explosive Limits: LEL: 3.1% at 25.0 C UEL: 16.0% at 25.0 C</li> </ul>		In Case o	of Eye Contact:						
Effects, Both Acute and Delayed:       Chest tightness.         Section 5. Fire Fighting Measures         1 Suitable Extinguishing Use alcohol-resistant foam, carbon dioxide, water, or dry chemical spray.         Media:       Use water spray to cool fire-exposed containers.         Unsuitable Extinguishing A solid water stream may be inefficient.       Media:         Media:       Container explosion may occur under fire conditions.         Emits toxic fumes under fire conditions.       Emits toxic fumes under fire conditions.         Sensitive to static discharge.       Vapors can travel to a source of ignition and flash back.         No data available.       Flash Pt:       -10.00 C Method Used: Closed Cup         Explosive Limits:       LEL: 3.1% at 25.0 C       UEL: 16.0% at 25.0 C		In Case o	of Ingestion:	unconscious person. Get med	-	-			
.1       Suitable Extinguishing       Use alcohol-resistant foam, carbon dioxide, water, or dry chemical spray.         Media:       Use water spray to cool fire-exposed containers.         Unsuitable Extinguishing       A solid water stream may be inefficient.         Media:       Image: Media:         .2       Flammable Properties andCan release vapors that form explosive mixtures at temperatures at or above the flash point.         Hazards:       Container explosion may occur under fire conditions.         Emits toxic fumes under fire conditions.       Sensitive to static discharge.         Vapors can travel to a source of ignition and flash back.       No data available.         Flash Pt:       -10.00 C       Method Used: Closed Cup         Explosive Limits:       LEL: 3.1% at 25.0 C       UEL: 16.0% at 25.0 C	4.2	Effects, I	Both Acute and		ng, dizziness, drowsi	iness, headache,	narcosis, optic nerve atrophy,		
Media:       Use water spray to cool fire-exposed containers.         Unsuitable Extinguishing       A solid water stream may be inefficient.         Media:				Section 5. Fire	Fighting Mea	asures			
.2       Flammable Properties and Can release vapors that form explosive mixtures at temperatures at or above the flash point.         Hazards:       Container explosion may occur under fire conditions.         Emits toxic fumes under fire conditions.       Emits toxic fumes under fire conditions.         Sensitive to static discharge.       Vapors can travel to a source of ignition and flash back.         No data available.       No data available.         Flash Pt:       -10.00 C       Method Used: Closed Cup         Explosive Limits:       LEL: 3.1% at 25.0 C       UEL: 16.0% at 25.0 C         Autoignition Pt:       455.00 C	5.1	Media: Unsuitat		Use water spray to cool fire-e	exposed containers.	, or dry chemical	spray.		
Sensitive to static discharge. Vapors can travel to a source of ignition and flash back. No data available.Flash Pt:-10.00 CMethod Used: Closed CupExplosive Limits:LEL: 3.1%at 25.0 CUEL: 16.0%at 25.0 CAutoignition Pt:455.00 C	5.2	Flammat	-	-	-	-	t or above the flash point.		
Explosive Limits:         LEL: 3.1%         at 25.0 C         UEL: 16.0%         at 25.0 C           Autoignition Pt:         455.00 C				Sensitive to static discharge. Vapors can travel to a source		back.			
-		Explosiv	e Limits:	LEL: 3.1% at 25.0 C		at 25.0 C			
	5.3	-			ained breathing appa	aratus pressure-d	emand (NIOSH approved or		



		equivalent), and Note: Flammab		ear to prevent contact with skin and eyes. nethyl acetate.			
		Section 6.	Accidenta	I Release Measures			
6.1	Protective Precautions, Protective Equipment an Emergency Procedures:	d As conditions w	varrant, wear a N	it, and provide adequate ventilation. IIOSH approved self-contained breathing a ction (rubber boots, safety goggles, and he			
6.2	Environmental Precautions:	Take steps to a	void release into	the environment, if safe to do so.			
6.3	Methods and Material Fo Containment and Cleanir Up:	-		propriate. ontainer for disposal in accordance with loo	cal regulations.		
		Sectio	n 7. Hand	ling and Storage			
7.1	Precautions To Be Taken in Handling:	Avoid prolonged Keep away from	d or repeated exp a sources of ignit	posure.			
7.2	Precautions To Be Taken in Storing: Other Precautions:	Keep away from Keep container	h heat, flames, a tightly closed. ance with inform				
	Sec	tion 8. Exp	osure Con	trols/Personal Protection			
8.1	Exposure Parameters:	· · · ·					
CAS	# Chemical Name	Jurisdic	tion	Recommended Exposure Limits	Notations		
79-20	0-9 Methyl acetate	ACGIH	ΓLV	TLV: 200 ppm STEL: 250 ppm			
		France \	/L	TWA: 610 mg/m3 (200 ppm) STEL: 760 mg/m3 (250 ppm)			
		OSHA P		PEL: 200 ppm			
		Britain E	Π40	TWA: 616 mg/m3 (200 ppm) STEL: 770 mg/m3 (250 ppm)			
8.2	Exposure Controls:	·		-			
8.2.1	Engineering Controls (Ventilation etc.):	-	closures, local e commended exp	xhaust ventilation, or other engineering co osure limits.	ontrols to control airborne		
8.2.2							
	Eye Protection:	Safety glasses		devee			
	Protective Gloves: Other Protective Clothing	Compatible chemical-resistant gloves					
	Respiratory Equipment (Specify Type):	NIOSH approved respirator, as conditions warrant.					
	Work/Hygienic/Maintena	an Do not take internally.					
	ce Practices:	Facilities storing or utilizing this material should be equipped with an eyewash and a safety sho Wash thoroughly after handling.					
		No data availab	le.				
					Multi-region forma		



on on Basic Physic States: nce and Odor: Point: Point:	ction 9. Physical and Chemical Properties cal and Chemical Properties []Gas [X] Liquid []Solid A solution in methyl acetate No data.				
States: nce and Odor: Point: Point:	[ ] Gas [ X ] Liquid [ ] Solid A solution in methyl acetate				
nce and Odor: Point: Point:	A solution in methyl acetate				
Point: Point:					
Point:	No data.				
Point:					
	No data.				
	No data.				
	-10.00 C Method Used: Closed Cup				
tion Rate:	No data.				
oility (solid, gas):	No data available.				
e Limits:	LEL: 3.1% at 25.0 C UEL: 16.0% at 25.0 C				
essure (vs. Air or n	mm 173 MM_HG at 20.0 C				
ensity (vs. Air = 1):	No data.				
Gravity (Water = 1):	: No data.				
y in Water:	No data.				
Water Partition	No data.				
ent:					
tion Pt:	455.00 C				
osition Temperature	No data.				
/:	No data.				
ormation					
Volatile:	No data.				
r Formula & Weigh	nt: C23H43NO3 381.6				
	Section 10. Stability and Reactivity				
y: N	No data available.				
	Jnstable [ ] Stable [ X ]				
	Stable if stored in accordance with information listed on the product insert.				
	Nill occur [ ] Will not occur [ X ]				
	neat, flames and sparks				
tibility - Materials a					
-	alkalis				
	nitrates				
	ng oxidizing agents				
	carbon dioxide				
	carbon monoxide				
osmon or Ca					
l: us	a r s				



	CHEMICAL		Section 11. Toxico	logical Informa		upersedes Revis	NUN. 04/00/20		
11.1	Informatio	on on	The toxicological effects of this	8		ludied			
11.1		jical Effects:	Methyl Acetate - Toxicity Data:	-			3.705 ma/ka		
			Skin LD50 (rabbit): >5,000 mg/		0.0		-, 5.5		
			Methyl Acetate - Irritation Data:	-	-	-	) mg (24h)		
			moderate;						
	Chronic Toxicological Effects:		Only select Registry of Toxic Effects of Chemical Substances (RTECS) data is presented here.						
			See actual entry in RTECS for complete information.						
			Methyl Acetate RTECS Numbe	r: Al9100000					
CAS # Hazardous Com			ponents (Chemical Name)	NTP	IARC	ACGIH	OSHA		
603	74-41-6	N-Oleoyl Valine		n.a.	n.a.	n.a.	n.a.		
79	)-20-9 I	Methyl acetate		n.a.	n.a.	n.a.	n.a.		
			Section 12. Ecolo	ogical Informati	on				
12.1	Toxicity:		Avoid release into the environment.						
			Runoff from fire control or dilution water may cause pollution.						
12.2	Persisten	ce and	No data available.						
	Degradab	ility:							
12.3	Bioaccum	nulative	No data available.						
	Potential:								
12.4	Mobility i	n Soil:	No data available.						
12.5	Results o	of PBT and vPvB No data available.							
	assessme	ent:							
12.6	Other adv	erse effects:	No data available.						
			Section 13. Dispos	sal Considerati	ons				
13.1	Waste Dis	sposal Method:	Dispose in accordance with loc	al, state, and federal re	gulations.				
			Section 14. Tran	sport Informati	on				
14.1	LAND TR	ANSPORT (US I	DOT):						
D	OT Proper	Shipping Name:	Methyl acetate solution						
D	OT Hazard	Class:	3 FLAMMAE	BLE LIQUID					
U	N/NA Num	ber:	UN1231	Packing Group	<b>)</b> :	II			
			•						
			3						
14.1	LAND TR	ANSPORT (Euro	opean ADR/RID):						
		ipping Name:	Methyl acetate solution						
-	N Number:		1231	Packing Group	<b>)</b> :	II			
н	lazard Class	s:	3 - FLAMMABLE LIQUID						



Revision: 05/29/2017 Supersedes Revision: 04/06/2017

### 14.3 AIR TRANSPORT (ICAO/IATA): ICAO/IATA Shipping Name: Methyl acetate solution **UN Number:** Packing Group: Ш 1231 Hazard Class: 3 - FLAMMABLE LIQUID IATA Classification: 3 Transport in accordance with local, state, and federal regulations. Additional Transport Information: When sold in quantities of less than or equal to 1 mL, or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity. Section 15. Regulatory Information EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists CAS # Hazardous Components (Chemical Name) S. 302 (EHS) S. 304 RQ S. 313 (TRI) 60374-41-6 N-Oleoyl Valine No No No 79-20-9 Methyl acetate No No No CAS # Hazardous Components (Chemical Name) Other US EPA or State Lists

 60374-41-6
 N-Oleoyl Valine
 CAA HAP,ODC: No; CWA NPDES: No; TSCA: No; CA PROP.65: No

 79-20-9
 Methyl acetate
 CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory, 8A PAIR; CA PROP.65: No

Regulatory Information

This SDS was prepared in accordance with 29 CFR 1910.1200 and Regulation (EC) No.1272/2008.

Statement: No.1

Section 16. Other Information

**Revision Date:** 05/29/2017

Additional Information About No data available.

This Product:

Company Policy or Disclaimer:

DISCLAIMER: This information is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.