

	Revision:	10/31/2018
Supersedes	Revision:	01/20/2015

	accordir	ng to Regulation (EC) No. 1907/2006 as amended by (EC) No. 2015/83	0 and US OSHA HCS 2015				
	Section 1.	Identification of the Substance/Mixture and of th	e Company/Undertaking				
1	Product Code:		o company, endertailing				
'	Product Code: Product Name:	20115 Leukotriene B4 dimethyl amide					
	Synonyms:	N,N-dimethyl-5S,12R-dihydroxy-6Z,8E,10E,14	Z-eicosatetraenamide: I TB4 dimethyl amide				
2	Relevant identified uses o	f the substance or mixture and uses advised aga					
		,	lary use.				
3	Details of the Supplier of the Safety Data Sheet:						
	Company Name:	Cayman Chemical Company 1180 E. Ellsworth Rd.					
		Ann Arbor, MI 48108					
	Web site address:	www.caymanchem.com					
	Information:	Cayman Chemical Company	+1 (734)971-3335				
4	Emergency telephone nur						
•	Emergency Contact:	CHEMTREC Within USA and Canada:	+1 (800)424-9300				
	Line geney contact	CHEMTREC Outside USA and Canada:	+1 (703)527-3887				
		Section 2. Hazards Identifica					
1	Classification of the Subs	tance or Mixture:					
	Acute Toxicity: Oral, Ca	tegory 3					
.2	Acute Toxicity: Skin, Ca						
2	Acute Toxicity: Skin, Ca Specific Target Organ T Label Elements:	tegory 3					
2	Acute Toxicity: Skin, Ca Specific Target Organ T Label Elements: GHS Signal Word:	tegory 3					
2	Acute Toxicity: Skin, Ca Specific Target Organ T Label Elements: GHS Signal Word: GHS Hazard Phrases:	tegory 3 oxicity (single exposure), Category 1					
2	Acute Toxicity: Skin, Ca Specific Target Organ T Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable li	tegory 3 oxicity (single exposure), Category 1					
2	Acute Toxicity: Skin, Ca Specific Target Organ T Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable li H301: Toxic if swallowed.	tegory 3 oxicity (single exposure), Category 1 Category 1 Danger quid and vapor.					
2	Acute Toxicity: Skin, Ca Specific Target Organ T Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable li H301: Toxic if swallowed. H311: Toxic in contact with	tegory 3 oxicity (single exposure), Category 1 Category 1 Danger quid and vapor.					
2	Acute Toxicity: Skin, Ca Specific Target Organ T Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable li H301: Toxic if swallowed. H311: Toxic in contact wit H331: Toxic if inhaled.	tegory 3 oxicity (single exposure), Category 1 Danger quid and vapor.					
2	Acute Toxicity: Skin, Ca Specific Target Organ T Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable li H301: Toxic if swallowed. H311: Toxic in contact wit H331: Toxic if inhaled. H370: Causes damage to	tegory 3 oxicity (single exposure), Category 1 Danger quid and vapor. th skin. organs {eyes}.					
2	Acute Toxicity: Skin, Ca Specific Target Organ T Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable li H301: Toxic if swallowed. H311: Toxic in contact wit H331: Toxic if inhaled. H370: Causes damage to GHS Precaution Phrases	tegory 3 oxicity (single exposure), Category 1 Danger quid and vapor. th skin. organs {eyes}. s:					
2	Acute Toxicity: Skin, Ca Specific Target Organ T Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable li H301: Toxic if swallowed. H311: Toxic in contact wit H331: Toxic if inhaled. H370: Causes damage to GHS Precaution Phrases P210: Keep away from {h	tegory 3 oxicity (single exposure), Category 1 Danger quid and vapor. th skin. organs {eyes}. s: eat/sparks/open flames/hot surfaces} No smoking					
2	Acute Toxicity: Skin, Ca Specific Target Organ T Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable li H301: Toxic if swallowed. H311: Toxic if swallowed. H311: Toxic if inhaled. H370: Causes damage to GHS Precaution Phrases: P210: Keep away from {h P260: Do not breathe {dust}	tegory 3 oxicity (single exposure), Category 1 Danger quid and vapor. h skin. organs {eyes}. s: eat/sparks/open flames/hot surfaces} No smoking st/fume/gas/mist/vapours/spray}.					
2	Acute Toxicity: Skin, Ca Specific Target Organ T Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable li H301: Toxic if swallowed. H311: Toxic if swallowed. H311: Toxic if inhaled. H311: Toxic if inhaled. H311: Toxic if inhaled. H310: Causes damage to GHS Precaution Phrases P210: Keep away from {h P260: Do not breathe {dua P264: Wash {hands} thore	tegory 3 oxicity (single exposure), Category 1 Danger quid and vapor. th skin. organs {eyes}. s: eat/sparks/open flames/hot surfaces} No smoking st/fume/gas/mist/vapours/spray}. pughly after handling.					
2	Acute Toxicity: Skin, Ca Specific Target Organ T Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable li H301: Toxic if swallowed. H311: Toxic if swallowed. H311: Toxic if nhaled. H311: Toxic if inhaled. H370: Causes damage to GHS Precaution Phrases P210: Keep away from {h P260: Do not breathe {dus P264: Wash {hands} thord P280: Wear {protective glages}	tegory 3 oxicity (single exposure), Category 1 Danger quid and vapor. th skin. organs {eyes}. s: eat/sparks/open flames/hot surfaces} No smoking st/fume/gas/mist/vapours/spray}. oughly after handling. oves/protective clothing/eye protection/face protection					
2	Acute Toxicity: Skin, Ca Specific Target Organ T Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable li H301: Toxic if swallowed. H311: Toxic if swallowed. H311: Toxic if inhaled. H311: Toxic if inhaled. H311: Toxic if inhaled. H311: Toxic if inhaled. H310: Causes damage to GHS Precaution Phrases P210: Keep away from {h P260: Do not breathe {dus P264: Wash {hands} thoro P280: Wear {protective gl	tegory 3 oxicity (single exposure), Category 1 Danger quid and vapor. th skin. organs {eyes}. s: eat/sparks/open flames/hot surfaces} No smoking st/fume/gas/mist/vapours/spray}. oughly after handling. oves/protective clothing/eye protection/face protection	on}.				
2	Acute Toxicity: Skin, Ca Specific Target Organ T Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable li H301: Toxic if swallowed. H311: Toxic if swallowed. H311: Toxic if nhaled. H311: Toxic if inhaled. H310: Causes damage to GHS Precaution Phrases P210: Keep away from {h P260: Do not breathe {du P264: Wash {hands} thoro P280: Wear {protective gl GHS Response Phrases P301+310: IF SWALLOW	tegory 3 oxicity (single exposure), Category 1 Danger quid and vapor. th skin. organs {eyes}. s: eat/sparks/open flames/hot surfaces} No smoking st/fume/gas/mist/vapours/spray}. pughly after handling. oves/protective clothing/eye protection/face protection face protection : 'ED: Immediately P311: Call a POISON CENTER or	on}.				
2	Acute Toxicity: Skin, Ca Specific Target Organ T Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable li H301: Toxic if swallowed. H311: Toxic if swallowed. H311: Toxic if ontact wit H331: Toxic if inhaled. H370: Causes damage to GHS Precaution Phrases P210: Keep away from {h P260: Do not breathe {du P264: Wash {hands} thoro P280: Wear {protective gl GHS Response Phrases P301+310: IF SWALLOW P302+352: IF ON SKIN: W	tegory 3 oxicity (single exposure), Category 1 Danger quid and vapor. th skin. organs {eyes}. s: eat/sparks/open flames/hot surfaces} No smoking st/fume/gas/mist/vapours/spray}. pughly after handling. oves/protective clothing/eye protection/face protection : ED: Immediately P311: Call a POISON CENTER or Wash with plenty of soap and water.	on}. doctor/physician.				
2	Acute Toxicity: Skin, Ca Specific Target Organ T Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable li H301: Toxic if swallowed. H311: Toxic if swallowed. H311: Toxic if ontact wit H331: Toxic if inhaled. H370: Causes damage to GHS Precaution Phrases P210: Keep away from {h P260: Do not breathe {du P264: Wash {hands} thoro P280: Wear {protective gl GHS Response Phrases P301+310: IF SWALLOW P302+352: IF ON SKIN: V	tegory 3 oxicity (single exposure), Category 1 Danger quid and vapor. th skin. organs {eyes}. s: eat/sparks/open flames/hot surfaces} No smoking st/fume/gas/mist/vapours/spray}. pughly after handling. oves/protective clothing/eye protection/face protection face protection : 'ED: Immediately P311: Call a POISON CENTER or	on}. doctor/physician.				
2	Acute Toxicity: Skin, Ca Specific Target Organ T Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable li H301: Toxic if swallowed. H311: Toxic if swallowed. H311: Toxic in contact wit H331: Toxic if inhaled. H370: Causes damage to GHS Precaution Phrases P210: Keep away from {h P260: Do not breathe {du P264: Wash {hands} thord P280: Wear {protective gl GHS Response Phrases P301+310: IF SWALLOW P302+352: IF ON SKIN: W P303+361+353: IF ON Ski	tegory 3 oxicity (single exposure), Category 1 Danger quid and vapor. th skin. organs {eyes}. s: eat/sparks/open flames/hot surfaces} No smoking st/fume/gas/mist/vapours/spray}. pughly after handling. oves/protective clothing/eye protection/face protection : ED: Immediately P311: Call a POISON CENTER or Wash with plenty of soap and water.	on}. doctor/physician. ninated clothing. Rinse skin with				



Revision: 10/31/2018 Supersedes Revision: 01/20/2015

P321: Specific treatment {see ... on this label}. P330: Rinse mouth. P361+364: Take off immediately all contaminated clothing and wash it before reuse. **GHS Storage and Disposal Phrases:** Please refer to Section 7 for Storage and Section 13 for Disposal information. Adverse Human Health 2.3 Causes damage to organs {eyes}. Material may be irritating to the mucous membranes and upper respiratory tract. Effects and Symptoms: May be fatal or cause blindness if swallowed. May cause eye, skin, or respiratory system irritation. Toxic if swallowed, inhaled, or absorbed through the skin. To the best of our knowledge, the toxicological properties have not been thoroughly investigated. Section 3. Composition/Information on Ingredients CAS #/ Hazardous Components (Chemical Name)/ Concentration EC No./ **GHS Classification RTECS # REACH Registration No.** EC Index No. 83024-92-4 Leukotriene B4 dimethyl amide 0.01 % NA No data available. NA NA 67-56-1 Methanol 200-659-6 99.99 % Flam. Liq. 2: H225 PC1400000 01-2119392409-28 603-001-00-X Acute Tox.(O) 3: H301 Acute Tox.(D) 3: H311 Acute Tox.(I) 3: H331 STOT (SE) 1: H370 Section 4. First Aid Measures 4.1 **Description of First Aid** Measures: In Case of Inhalation: Remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Get immediate medical attention. In Case of Skin Contact: Immediately wash skin with soap and plenty of water for at least 15 minutes. Remove contaminated clothing. Get medical attention if symptoms occur. Wash clothing before reuse. In Case of Eye Contact: Hold evelids apart and flush eves with plenty of water for at least 15 minutes. Have eves examined and tested by medical personnel. In Case of Ingestion: Wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by medical personnel. 4.2 Important Symptoms and Overexposure may cause: confusion, dermatitis, headache, drowsiness, dizziness, gastrointestinal disturbance, optic nerve damage (blindness), nausea, unconsciousness, vomiting, visual Effects, Both Acute and disturbance, weakness. **Delayed:** May cause convulsions. Once methanol is absorbed into the body, it is very slowly eliminated.



Rev	ision:	10/31/2018
Supersedes Rev	ision:	01/20/2015

		Section 5. Fire I	i ignung measures	
5.1	Suitable Extinguishing		urbon dioxide, water, or dry chemical spray.	
	Media:	Use water spray to cool fire-ex	posed containers.	
	Unsuitable Extinguishing	g A solid water stream may be ir	nefficient.	
	Media:			
5.2	Flammable Properties an	IdCan release vapors that form of	explosive mixtures at temperatures at or above	ve the flashpoint.
	Hazards:	Container explosion may occu		
		Emits toxic fumes under fire co	onditions.	
		Sensitive to static discharge.	of institute and floods book	
		Vapors can travel to a source No data available.	or ignition and hash back.	
	Flash Pt:	11.00 C Method Used: Clos		
		LEL: 6.0% at 25.0 C	UEL: 36.0% at 25.0 C	
	Explosive Limits: Autoignition Pt:	385.00 C	0EL. 36.0% at 25.0 C	
	-		nod broathing apparatus propurs domand (
5.3	Fire Fighting instructions	-	ned breathing apparatus pressure-demand (gear to prevent contact with skin and eyes.	NIOSH approved of
		Note: Flammable as diluted in		
		Section 6 Accident	al Release Measures	
5.1	Protective Precautions,	Avoid breathing vapors and p		
			NIOSH approved self-contained breathing a	pparatus, or respirator
	Emergency Procedures:	and appropriate personal prot	ection (rubber boots, safety goggles, and hea	avy lubbel gloves).
6.2	Emergency Procedures: Environmental			avy rubber gloves).
6.2			ection (rubber boots, safety goggles, and nea	avy rubber gioves).
	Environmental Precautions:		nto the environment, if safe to do so.	avy fubber gloves).
	Environmental Precautions: Methods and Material Fo	Take steps to avoid release in or Contain spill and collect, as ap	nto the environment, if safe to do so.	
	Environmental Precautions: Methods and Material Fo	Take steps to avoid release in or Contain spill and collect, as ap	nto the environment, if safe to do so.	
	Environmental Precautions: Methods and Material Fo Containment and Cleanin	Take steps to avoid release in or Contain spill and collect, as an ngTransfer to a chemical waste	nto the environment, if safe to do so. opropriate. container for disposal in accordance with loca	
5.3	Environmental Precautions: Methods and Material Fo Containment and Cleanin Up:	Take steps to avoid release in or Contain spill and collect, as an ngTransfer to a chemical waste	nto the environment, if safe to do so. ppropriate. container for disposal in accordance with loca dling and Storage	
5.3	Environmental Precautions: Methods and Material Fo Containment and Cleanin Up:	Take steps to avoid release in or Contain spill and collect, as an ngTransfer to a chemical waste Section 7. Hand	nto the environment, if safe to do so. ppropriate. container for disposal in accordance with loca dling and Storage s/mist/vapours/spray.	
5.3	Environmental Precautions: Methods and Material Fo Containment and Cleanin Up: Precautions To Be Taker	Take steps to avoid release in or Contain spill and collect, as an ngTransfer to a chemical waste Section 7. Hand n Avoid breathing dust/fume/gas	nto the environment, if safe to do so. opropriate. container for disposal in accordance with loca dling and Storage s/mist/vapours/spray. exposure.	
5.3	Environmental Precautions: Methods and Material Fo Containment and Cleanin Up: Precautions To Be Taker	Take steps to avoid release in or Contain spill and collect, as an ngTransfer to a chemical waste Section 7. Hand Avoid breathing dust/fume/gas Avoid prolonged or repeated e	ato the environment, if safe to do so. ppropriate. container for disposal in accordance with loca dling and Storage s/mist/vapours/spray. exposure. nition.	
7.1	Environmental Precautions: Methods and Material Fo Containment and Cleanin Up: Precautions To Be Taker in Handling:	Take steps to avoid release in r Contain spill and collect, as an ngTransfer to a chemical waste Section 7. Hand Avoid breathing dust/fume/gas Avoid prolonged or repeated e Keep away from sources of igr Take precautionary measures h Keep away from heat, sparks,	ato the environment, if safe to do so. ppropriate. container for disposal in accordance with loca dling and Storage s/mist/vapours/spray. exposure. hition. against static discharge.	
7.1	Environmental Precautions: Methods and Material Fo Containment and Cleanin Up: Precautions To Be Taker in Handling:	Take steps to avoid release in or Contain spill and collect, as an ing Transfer to a chemical waste Section 7. Hand Avoid breathing dust/fume/gas Avoid prolonged or repeated e Keep away from sources of igr Take precautionary measures Neep away from heat, sparks, Keep container tightly closed.	anto the environment, if safe to do so. ppropriate. container for disposal in accordance with loca dling and Storage s/mist/vapours/spray. exposure. hition. against static discharge. and flame.	
7.1	Environmental Precautions: Methods and Material Fo Containment and Cleanin Up: Precautions To Be Taker in Handling: Precautions To Be Taker in Storing:	Take steps to avoid release in r Contain spill and collect, as an ngTransfer to a chemical waste Section 7. Hand Avoid breathing dust/fume/gas Avoid prolonged or repeated e Keep away from sources of ign Take precautionary measures Neep away from heat, sparks, Keep container tightly closed. Store in accordance with inform	ato the environment, if safe to do so. ppropriate. container for disposal in accordance with loca dling and Storage s/mist/vapours/spray. exposure. hition. against static discharge.	
7.1	Environmental Precautions: Methods and Material Fo Containment and Cleanin Up: Precautions To Be Taker in Handling: Precautions To Be Taker	Take steps to avoid release in or Contain spill and collect, as an ing Transfer to a chemical waste Section 7. Hand Avoid breathing dust/fume/gas Avoid prolonged or repeated e Keep away from sources of igr Take precautionary measures Neep away from heat, sparks, Keep container tightly closed.	anto the environment, if safe to do so. ppropriate. container for disposal in accordance with loca dling and Storage s/mist/vapours/spray. exposure. hition. against static discharge. and flame.	
7.1	Environmental Precautions: Methods and Material Fo Containment and Cleanin Up: Precautions To Be Taker in Handling: Precautions To Be Taker in Storing: Other Precautions:	Take steps to avoid release in or Contain spill and collect, as an ing Transfer to a chemical waste Section 7. Hand Avoid breathing dust/fume/gas Avoid prolonged or repeated e Keep away from sources of igr Take precautionary measures Keep away from heat, sparks, Keep container tightly closed. Store in accordance with inform Protect from light.	anto the environment, if safe to do so. ppropriate. container for disposal in accordance with loca dling and Storage s/mist/vapours/spray. exposure. hition. against static discharge. and flame.	
5.3 7.1 7.2 3.1	Environmental Precautions: Methods and Material Fo Containment and Cleanin Up: Precautions To Be Taker in Handling: Precautions To Be Taker in Storing: Other Precautions: Sec Exposure Parameters:	Take steps to avoid release in r Contain spill and collect, as an ng Transfer to a chemical waste Section 7. Hand Avoid breathing dust/fume/gas Avoid prolonged or repeated e Keep away from sources of igr Take precautionary measures Neep away from heat, sparks, Keep container tightly closed. Store in accordance with inform Protect from light. tion 8. Exposure Co	nto the environment, if safe to do so. ppropriate. container for disposal in accordance with loca dling and Storage s/mist/vapours/spray. exposure. nition. against static discharge. and flame. mation listed on the product insert. ntrols/Personal Protection	al regulations.
3.3 7.1 7.2 3.1 CAS	Environmental Precautions: Methods and Material Fo Containment and Cleanin Up: Precautions To Be Taker in Handling: Precautions To Be Taker in Storing: Other Precautions: <u>Sec</u> Exposure Parameters: # Chemical Name	Take steps to avoid release in or Contain spill and collect, as an ing Transfer to a chemical waste Section 7. Hand Avoid breathing dust/fume/gas Avoid prolonged or repeated e Keep away from sources of igr Take precautionary measures Neep away from heat, sparks, Keep container tightly closed. Store in accordance with inform Protect from light.	nto the environment, if safe to do so. ppropriate. container for disposal in accordance with location dling and Storage s/mist/vapours/spray. exposure. nition. against static discharge. and flame. mation listed on the product insert. ntrols/Personal Protection Recommended Exposure Limits	
5.3 7.1 7.2 8.1 CAS	Environmental Precautions: Methods and Material Fo Containment and Cleanin Up: Precautions To Be Taker in Handling: Precautions To Be Taker in Storing: Other Precautions: <u>Sec</u> Exposure Parameters: # Chemical Name	Take steps to avoid release in r Contain spill and collect, as an ng Transfer to a chemical waste Section 7. Hand Avoid breathing dust/fume/gas Avoid prolonged or repeated e Keep away from sources of igr Take precautionary measures Neep away from heat, sparks, Keep container tightly closed. Store in accordance with inform Protect from light. tion 8. Exposure Co	nto the environment, if safe to do so. ppropriate. container for disposal in accordance with location dling and Storage s/mist/vapours/spray. exposure. nition. against static discharge. and flame. mation listed on the product insert. ntrols/Personal Protection Recommended Exposure Limits TLV: 200 ppm	al regulations.
5.3 7.1 7.2 8.1 CAS	Environmental Precautions: Methods and Material Fo Containment and Cleanin Up: Precautions To Be Taker in Handling: Precautions To Be Taker in Storing: Other Precautions: <u>Sec</u> Exposure Parameters: # Chemical Name	Take steps to avoid release in r Contain spill and collect, as an ng Transfer to a chemical waste Section 7. Hand Avoid breathing dust/fume/gas Avoid prolonged or repeated e Keep away from sources of ign Take precautionary measures n Keep away from heat, sparks, Keep container tightly closed. Store in accordance with inform Protect from light. tion 8. Exposure Co Jurisdiction ACGIH TLV	Anto the environment, if safe to do so. ppropriate. container for disposal in accordance with loca dling and Storage s/mist/vapours/spray. exposure. nition. against static discharge. and flame. mation listed on the product insert. ntrols/Personal Protection Recommended Exposure Limits TLV: 200 ppm STEL: 250 ppm	al regulations.
5.3 7.1 7.2 8.1 CAS	Environmental Precautions: Methods and Material Fo Containment and Cleanin Up: Precautions To Be Taker in Handling: Precautions To Be Taker in Storing: Other Precautions: <u>Sec</u> Exposure Parameters: # Chemical Name	Take steps to avoid release in or Contain spill and collect, as an ing Transfer to a chemical waste Section 7. Hand Avoid breathing dust/fume/gas Avoid prolonged or repeated e Keep away from sources of igr Take precautionary measures Neep away from heat, sparks, Keep container tightly closed. Store in accordance with inform Protect from light.	nto the environment, if safe to do so. ppropriate. container for disposal in accordance with location dling and Storage s/mist/vapours/spray. exposure. nition. against static discharge. and flame. mation listed on the product insert. ntrols/Personal Protection Recommended Exposure Limits TLV: 200 ppm	al regulations.
6.3 7.1 7.2 8.1 CAS	Environmental Precautions: Methods and Material Fo Containment and Cleanin Up: Precautions To Be Taker in Handling: Precautions To Be Taker in Storing: Other Precautions: <u>Sec</u> Exposure Parameters: # Chemical Name	Take steps to avoid release in r Contain spill and collect, as an ng Transfer to a chemical waste Section 7. Hand Avoid breathing dust/fume/gas Avoid prolonged or repeated e Keep away from sources of igr Take precautionary measures Neep away from heat, sparks, Keep container tightly closed. Store in accordance with inform Protect from light. Stion 8. Exposure Co Jurisdiction ACGIH TLV Europe	Anto the environment, if safe to do so. ppropriate. container for disposal in accordance with locat dling and Storage s/mist/vapours/spray. exposure. nition. against static discharge. and flame. mation listed on the product insert. ntrols/Personal Protection Recommended Exposure Limits TLV: 200 ppm STEL: 250 ppm TWA: 260 mg/m3 (200 ppm)	al regulations.
6.2 6.3 7.1 7.2 8.1 CAS 67-5	Environmental Precautions: Methods and Material Fo Containment and Cleanin Up: Precautions To Be Taker in Handling: Precautions To Be Taker in Storing: Other Precautions: <u>Sec</u> Exposure Parameters: # Chemical Name	Take steps to avoid release in r Contain spill and collect, as an ng Transfer to a chemical waste Section 7. Hand Avoid breathing dust/fume/gas Avoid prolonged or repeated e Keep away from sources of igr Take precautionary measures Neep away from heat, sparks, Keep container tightly closed. Store in accordance with inform Protect from light. Stion 8. Exposure Co Jurisdiction ACGIH TLV Europe	Anto the environment, if safe to do so. ppropriate. container for disposal in accordance with locat dling and Storage s/mist/vapours/spray. exposure. hition. against static discharge. and flame. mation listed on the product insert. ntrols/Personal Protection Recommended Exposure Limits TLV: 200 ppm STEL: 250 ppm TWA: 260 mg/m3 (200 ppm) TWA: 260 mg/m3 (200 ppm)	al regulations.

Multi-region format



Revision: 10/31/2018 Supersedes Revision: 01/20/2015

		STEL: 333 mg/m3 (250 ppm)								
8.2	Exposure Controls:									
8.2.1	Engineering Controls	Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne								
	(Ventilation etc.):	levels below recommended exposure limits.								
8.2.2	Personal protection equipment:									
	ye Protection: Safety glasses									
	Protective Gloves:	Compatible chemical-resistant gloves								
	Other Protective Clothing:Lab coat									
	Respiratory Equipment	-								
	(Specify Type):									
	Work/Hygienic/Maintenan	Do not take internally.								
	ce Practices:	Facilities storing or utilizing this material should be equipped with an eyewash and a safety shower.								
		Wash thoroughly after handling.								
		No data available.								
	Se	ection 9. Physical and Chemical Properties								
9.1	Information on Basic Phys	sical and Chemical Properties								
	Physical States:	[]Gas [X]Liquid []Solid								
	Appearance and Odor:	A solution in methanol								
	pH:	No data.								
	Melting Point:	No data.								
	Boiling Point:	No data.								
	Flash Pt:	11.00 C Method Used: Closed Cup								
	Evaporation Rate:	No data.								
	Flammability (solid, gas):	No data available.								
	Explosive Limits:	LEL: 6.0% at 25.0 C UEL: 36.0% at 25.0 C								
	Vapor Pressure (vs. Air or	r mm 96 MM_HG at 20.0 C								
	Hg):									
	Vapor Density (vs. Air = 1)): No data.								
	Specific Gravity (Water = 7	1): No data.								
	Solubility in Water:	No data.								
	Octanol/Water Partition	No data.								
	Coefficient:									
	Autoignition Pt:	385.00 C								
	Decomposition Temperate	ure: No data.								
	Viscosity:	No data.								
9.2	Other Information									
	Percent Volatile:	No data.								
		ght: C22H37NO3 363.5								



Revision: 10/31/2018 Supersedes Revision: 01/20/2015

	HEMICAL						Su	ipersedes Revis	ion: 01/20/2015
			Sect	ion 10. Stability	and I	Reactivit	y		
10.1	Reactivit	Reactivity: No data available.							
0.2	Stability	:	Unstable [] Stable [X]					
0.3 Stability Note(s): Stable if stored in accordance with information listed on the product insert.									
	Polymer	ization:	Will occur [] Will not occur [X]]				
10.4	Conditio	ons To Avoid:	heat, flame	s, and sparks					
			light sensiti	/e					
10.5	Incompa	tibility - Materials	acids						
	To Avoid	d:	acid anhydi	ides					
			acid chlorides						
			alkali metal	5					
			oxidizing ag	jents					
			reducing ag	ents					
10.6	Hazardo	us	carbon diox	ide					
	Decomp	osition or	carbon monoxide						
	Byprodu	icts:							
			Section	on 11. Toxicologi	ical I	nformati	on		
11.1	Informat	ion on	The toxicol	pgical effects of this produ	uct have	e not been th	oroughly st	udied.	
	Toxicolo	gical Effects:	Methanol - Toxicity Data: Oral LD50 (rat): 5,600 mg/kg; Oral LD50 (rabbit): 14,200 mg/kg;						
			Inhalation L	C50 (rat): 64,000 ppm (4	h); Inha	alation LC50	(mouse): 61	,100 ppm (134	4 m); Skin LD5
			(rabbit): 15,800 mg/kg; Oral LDLO (human): 143 mg/kg;						
			Methanol - Irritation Data: Skin (rabbit): 20 mg (24h) moderate; Eyes (rabbit): 40 mg moderate;						
			Eyes (rabbit): 100 mg (24h) moderate;						
	Chronic	Toxicological	Methanol - Investigated as a drug, mutagen, primary irritant, reproductive effector, and tumorigen.						
	Effects:		Only select Registry of Toxic Effects of Chemical Substances (RTECS) data is presented here.						
				entry in RTECS for comp		ormation.			
				TECS Number: PC14000					
Carci	nogenicity	/:	NTP? No	IARC Monographs? N	10	OSHA Regu	lated? No		
CAS	AS # Hazardous Com		ponents (Cl	emical Name)		NTP	IARC	ACGIH	OSHA
830	3024-92-4 Leukotriene B4 d		methyl amid	e		n.a.	n.a.	n.a.	n.a.
67	-56-1	Methanol				n.a.	n.a.	n.a.	n.a.
			Sect	ion 12. Ecologic	al Inf	formatio	n		
2.1	Toxicity:	:	Avoid relea	se into the environment.					
			Runoff from	fire control or dilution wa	ater mag	y cause pollu	ition.		
12.2	Persiste	nce and	No data available.						
	Degrada	bility:							
12.3	Bioaccu	mulative	No data ava	ailable.					
	Potentia	I:							
12.4	Mobility in Soil:		No data available.						
12.5	-		B No data available.						
	assessm								
12.6		lverse effects:	No data ava	ailable.					
	uu								



Revision: 10/31/2018 Supersedes Revision: 01/20/2015

		Section 13.	Disposal	Considerat	tions		
3.1 Waste I	Disposal Method:	Dispose in accordanc	e with local, sta	te, and federal	regulations.		
		Section 14	1. Transpo	ort Informa	tion		
14.1 LAND	TRANSPORT (US DO	DT):					
DOT Prop	er Shipping Name:	Methanol Solution	n				
DOT Haza	rd Class:	3 (6.1)					
UN/NA Nu	mber:	UN1230		Packing Gro	up:	II	
		ELSMAUDEE LIQUID	POISON 6				
14.1 LAND	TRANSPORT (Europ	ean ADR/RID):					
ADR/RID S	Shipping Name:	Methanol Solution	n				
UN Numbe	er:	1230		Packing Gro	up:	II	
Hazard Cla	ass:	3 (6.1) - FLAMMABLE LIQUID, POISON					
14.3 AIR TR	ANSPORT (ICAO/IA	TA):					
ICAO/IATA	A Shipping Name:	Methanol Solution					
UN Numbe	er:	1230 Packing Group:			II		
Hazard Class:		3 (6.1) - FLAMMABLE LIQUID, IATA Classification: 3, 6.1 POISON					
Additional Tra	insport	Transport in accordar	nce with local, s	tate, and federa	al regulations.		
Information:				-	-	xcepted Quantity Code of	
		E1, E2, E4, or E5, thi					
		Therefore packaging	does not have	to be labeled as	Dangerous Good	s/Excepted Quantity.	
		Section 15.	Regulato	ry Informa	tion		
EPA SARA (S	uperfund Amendme	nts and Reauthoriza	ation Act of 19	86) Lists			
CAS #	Hazardous Comp	onents (Chemical N	ame) S.	302 (EHS)	S. 304 RQ	S. 313 (TRI)	
83024-92-4	Leukotriene B4 dim	ethyl amide	No)	No	No	
67-56-1	Methanol		No)	Yes 5000 LB	Yes	
CAS #	Hazardous Comp	onents (Chemical N	ame) Otl	Other US EPA or State Lists			
83024-92-4	Leukotriene B4 dim	ethyl amide		AA HAP,ODC: N ROP.65: No	lo; CWA NPDES:	No; TSCA: No; CA	
67-56-1	Methanol			CAA HAP,ODC: HAP: VHAP; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: Yes: RDTox.			

Multi-region format



Revision: 10/31/2018 Supersedes Revision: 01/20/2015

Regulatory Information Statement:	This SDS was prepared in accordance with 29 CFR 1910.1200 and Regulation (EC) No.1272/2008.			
Section 16. Other Information				
Revision Date:	10/31/2018			
Additional Information About This Product:	solution			
Additional Information About This Product: Company Policy or Disclaimer:	solution DISCLAIMER: This information is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.			