

Page 1/10

# Safety Data Sheet acc. to OSHA HCS

Printing date 02/03/2022

Revision date 02/03/2022

### 1 Identification

- · Product identifier
- · Trade name: N-desmethyl U-47700 (CRM)
- · Article number: 20471
- · Application of the substance / the mixture

This product is for research use - Not for human or veterinary diagnostic or therapeutic use.

- Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108

USA

- · Information department: Product safety department
- · Emergency telephone number:

During normal opening times: +1 (734) 971-3335

US/CANADA: 800-424-9300

Outside US/CANADA: 703-741-5970

## 2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H312 Harmful in contact with skin.

Acute Tox. 4 H332 Harmful if inhaled.

Eye Irrit. 2A H319 Causes serious eye irritation.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 2)

(Contd. from page 1)

## Safety Data Sheet acc. to OSHA HCS

Printing date 02/03/2022 Revision date 02/03/2022

Trade name: N-desmethyl U-47700 (CRM)

### Hazard pictograms





### · Signal word Danger

### · Hazard-determining components of labeling:

Acetonitrile

#### · Hazard statements

H225 Highly flammable liquid and vapor.

H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled.

H319 Causes serious eye irritation.

#### · Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge. P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P321 Specific treatment (see on this label).

P330 Rinse mouth.

Take off contaminated clothing and wash it before reuse. P362+P364 If eye irritation persists: Get medical advice/attention. P337+P313

In case of fire: Use CO2, powder or water spray to extinguish. P370+P378

Store in a well-ventilated place. Keep cool. P403+P235

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

### · Classification system:

#### · NFPA ratings (scale 0 - 4)



Health = 2 Fire = 3Reactivity = 0

#### HMIS-ratings (scale 0 - 4)



Health = 2 Fire = 3Reactivity = 0

(Contd. on page 3)

(Contd. from page 2)

## Safety Data Sheet acc. to OSHA HCS

Printing date 02/03/2022 Revision date 02/03/2022

Trade name: N-desmethyl U-47700 (CRM)

· Other hazards

· Results of PBT and vPvB assessment

· **PBT**: Not applicable. · vPvB: Not applicable.

## 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous compon	ents:
CAS: 75-05-8	Aceto

Acetonitrile

99.9%

RTECS: AL7700000

Other ingredients

67579-73-1 N-desmethyl U-47700

0.1%

### 4 First-aid measures

- Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately rinse with water.
- · After eve contact:

Rinse opened eve for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed

May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects. No further relevant information available.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

### 5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · **Protective equipment:** Mouth respiratory protective device.

Printing date 02/03/2022 Revision date 02/03/2022

Trade name: N-desmethyl U-47700 (CRM)

(Contd. from page 3)

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

PAC-1:		
75-05-8	Acetonitrile	13 ppm
PAC-2:		
75-05-8	Acetonitrile	50 ppm
PAC-3:		
75-05-8	Acetonitrile	150 ppm

## 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data: see item 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:

75-05-8 Acetonitrile

PEL Long-term value: 70 mg/m³, 40 ppm

(Contd. on page 5)

(Contd. from page 4)

## Safety Data Sheet acc. to OSHA HCS

Printing date 02/03/2022 Revision date 02/03/2022

Trade name: N-desmethyl U-47700 (CRM)

REL Long-term value: 34 mg/m³, 20 ppm

TLV Long-term value: 20 ppm

Skin, A4

- · Additional information: The lists that were valid during the creation were used as basis.
- Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

#### · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



#### Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eve protection:



Tightly sealed goggles

### 9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid
Color: Colorless

Odor: Aromatic

Structural Formula C15H20Cl2N2O

Molecular Weight 315.2 g/mol

Odor threshold: Not determined.

(Contd. on page 6)

Printing date 02/03/2022 Revision date 02/03/2022

Trade name: N-desmethyl U-47700 (CRM)

	(Contd. from page
Formulation	A 1 mg/ml solution in acetonitrile
pH-value:	Not determined.
Change in condition Melting point/Melting range: Boiling point/Boiling range:	-46 °C (-50.8 °F) 81 °C (177.8 °F)
· Flash point:	5 °C (41 °F)
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	525 °C (977 °F)
Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive ai vapor mixtures are possible.
· Explosion limits: Lower: Upper:	4.4 Vol % 16 Vol %
· Vapor pressure at 20 °C (68 °F):	97 hPa (72.8 mm Hg)
<ul> <li>Density at 20 °C (68 °F):</li> <li>Relative density</li> <li>Vapor density</li> <li>Evaporation rate</li> </ul>	0.7822 g/cm³ (6.52746 lbs/gal) Not determined. Not determined. Not determined.
· Solubility in / Miscibility with Water:	Fully miscible.
· Partition coefficient (n-octanol/wate	er): Not determined.
· Viscosity: Dynamic at 20 °C (68 °F): Kinematic:	0.39 mPas Not determined.
Solvent content: VOC content:	0.00 % 0.0 g/l / 0.00 lb/gal
Solids content:	0.1 %
Other information	No further relevant information available.

## 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.

(Contd. on page 7)

Printing date 02/03/2022 Revision date 02/03/2022

Trade name: N-desmethyl U-47700 (CRM)

(Contd. from page 6)

· Hazardous decomposition products: No dangerous decomposition products known.

### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:		
ATE (Acute Toxicity Estimate)		
Oral	LD50	2,462 mg/kg (rat)
Dermal	LD50	981 mg/kg (rabbit)
Inhalative	LC50/4 h	11 mg/l

75-05-8 Acetonitrile		
Oral	TDLO	64 ml/kg (man)
	LD50	2,460 mg/kg (rat)
Dermal	LD50	980 mg/kg (rabbit)
Inhalative	LC50/4 h	7,551 mg/m³ (rat)
	LC50	7,551 mg/m³/8h (rat)
	TCLO	160 mg/m³/4h (hmn)
Irritation of eyes	Irritation	100 μl/24 hr (rabbit)
	Irritation	100 ìl/24 hr (rabbit)

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful Irritant

- Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## 12 Ecological information

- Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.

(Contd. on page 8)

Printing date 02/03/2022 Revision date 02/03/2022

Trade name: N-desmethyl U-47700 (CRM)

· Additional ecological information:

(Contd. from page 7)

- O------
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

4 4 7		4 1 . 6 .		
74 I ra	ansnor	TINTO	rmatior	ı
		t IIIIO	IIIIatioi	ш

· UN-Number	
· DOT IMDG IATA	UN1648

· UN proper shipping name

DOT, IATAIMDGAcetonitrile solutionACETONITRILE solution

Transport hazard class(es)

· DOT



· Class	3 Flammable liquids
· Label	3

· IMDG, IATA



Flammable liquids

· Label 3

· Packing group

· DOT, IMDG, IATA

• Environmental hazards: Not applicable.

· Special precautions for user Warning: Flammable liquids

(Contd. on page 9)

Printing date 02/03/2022 Revision date 02/03/2022

Trade name: N-desmethyl U-47700 (CRM)

(Contd. from page 8) · Hazard identification number (Kemler code): 33 · EMS Number: F-E,S-D Stowage Category В · Stowage Code SW2 Clear of living guarters. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · Transport/Additional information: · DOT · Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L · IMDG · Limited quantities (LQ) 1L Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml · IATA · Remarks: When sold in quantities of less than or equal to 1 mL, or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.

### 15 Regulatory information

· UN "Model Regulation":

· Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

UN 1648 ACETONITRILE SOLUTION, 3, II

· Sara

٠	Section 355	(extremely	/ hazardous	substances):	

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

75-05-8 Acetonitrile

· TSCA (Toxic Substances Control Act):

75-05-8 Acetonitrile ACTIVE

· Hazardous Air Pollutants

75-05-8 Acetonitrile

Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

(Contd. on page 10)

Printing date 02/03/2022 Revision date 02/03/2022

Trade name: N-desmethyl U-47700 (CRM)

Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

Carcinogenic categories

EPA (Environmental Protection Agency)

75-05-8 | Acetonitrile | CBD, D

TLV (Threshold Limit Value)

75-05-8 | Acetonitrile | A4

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- · Date of preparation / last revision 02/03/2022 / -
- · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flam. Liq. 2: Flammable liquids – Category 2

Acute Tox. 4: Acute toxicity - Category 4

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A