

Revision: 04/17/2017

ay	man		Aracinuonic Aciu	Mixture		Revision: 04/17/2017		
		acco	ording to Regulation (EC) No. 190	7/2006 as amended b	by (EC) No. 1272/200	8		
		Section 1. I	dentification of the Substar	nce/Mixture and of	f the Company/Ur	ndertaking		
.1	Produc	t Code:	20665					
	Produc	t Name:	Arachidonic Acid CYP45	0 Metabolite LC-MS	S Mixture			
.2	Relevar	nt identified uses of	the substance or mixture a	ind uses advised a	against:			
	Relev	ant identified uses:	For research use only, no	ot for human or vete	erinary use.			
.3	Details	of the Supplier of tl	he Safety Data Sheet:					
	Comp	any Name:	Cayman Chemical Comp	any				
			1180 E. Ellsworth Rd. Ann Arbor, MI 48108					
	Web s	ite address:	www.caymanchem.com					
	Inforn	nation:	Cayman Chemical Comp	any	+1 (734	4)971-3335		
.4	Emerge	ency telephone num	ıber:					
	Emerg	gency Contact:	CHEMTREC Within USA	and Canada:	+1 (80	0)424-9300		
			CHEMTREC Outside US	A and Canada:	+1 (70	3)527-3887		
			Section 2. Ha	zards Identif	ication			
2.1	Classifi	cation of the Subst	ance or Mixture:					
	Flammable Liquids, Category 2							
.2	Label E	lements:						
	GHS Signal Word:DangerGHS Hazard Phrases:H225: Highly flammable liquid and vapor.							
	GHS Precaution Phrases:							
	P210: Keep away from {heat/sparks/open flames/hot surfaces} No smoking.							
	P280: Wear {protective gloves/protective clothing/eye protection/face protection}. GHS Response Phrases:							
	P303+361+353: IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.							
	GHS Storage and Disposal Phrases:							
	Pleas	e refer to Section 7 f	or Storage and Section 13 for	Disposal information	on.			
2.3	Adverse Human Health Material may be irritating to the mucous membranes and upper respiratory tract.							
	Effects and Symptoms: May be harmful by inhalation, ingestion, or skin absorption.							
	May cause eye, skin, or respiratory system irritation. To the best of our knowledge, the toxicological properties have not been thoroughly investigated.							
		Saati		-				
		1	on 3. Composition	1		1		
CAS RTE	#/ CS #	Hazardous Compo REACH Registrati	onents (Chemical Name)/ on No.	Concentration	EC No./ EC Index No.	GHS Classification		
NA NA		(±)14,15-DiHETE		0.001 %	NA NA	No data available.		
8456 NA	673-97-4 5,6-DiHETE			0.001 %	NA NA	No data available.		
7056	51-86-3	20-HETE		0.001 %	NA	No data available.		



Page: 2 of 7

Multi-region format

Revision: 04/17/2017

	a twickt			ivinitur e				
NA					NA			
115461-39-7 19(R)-HETE NA		19(R)-HETE		0.001 %	NA NA	No data available.		
NA NA		(±)14(15)-EET		0.001 %	NA NA	No data available.		
12393 NA	1-40-8	(±)11(12)-EET		0.001 %	NA NA	No data available.		
NA NA		(±)8(9)-EET		0.001 %	NA NA	No data available.		
64- KQ630	17-5 0000	Ethyl alcohol		99.993 %	200-578-6 603-002-00-5	Flam. Liq. 2: H225		
			Section 4. Fir	st Aid Measu	res			
4.1	Descrip	tion of First Aid						
	Measur							
	In Case	of Inhalation:	Remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Get immediate medical attention.					
	In Case	of Skin Contact:	Immediately wash skin with soap and plenty of water for at least 15 minutes. Remove contaminated clothing. Get medical attention if symptoms occur. Wash clothing before reuse.					
	In Case	of Eye Contact:	Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Have eyes examined and tested by medical personnel.					
In Case of Ingestion:		of Ingestion:	Wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by medical personnel.					
4.2	Importa	nt Symptoms and	May cause anemia, cough, Cl	NS depression, drow	siness, headache	e, heart damage, lassitude		
	Effects,	Both Acute and	(weakness, exhaustion), liver	damage, narcosis, re	eproductive effect	ts, teratogenic effects.		
	Delayed	l:						
			Section 5. Fire	Fighting Mea	sures			
5.1	Suitable	e Extinguishing	Use alcohol-resistant foam, c	arbon dioxide, water	, or dry chemical	spray.		
	Media:		Use water spray to cool fire-e					
	Unsuita Media:	<b>ble Extinguishing</b> A solid water stream may be inefficient.						
5.2	Flamma	ble Properties an	dCan release vapors that form	explosive mixtures a	at temperatures a	t or above the flashpoint.		
	Hazards	3:	Container explosion may occ		ns.			
			Emits toxic fumes under fire of	conditions.				
			Sensitive to static discharge.	of ignition and floop	haali			
			Vapors can travel to a source No data available.	or ignition and hash	Dack.			
	Flash P	4.	14.00 C Method Used: Clo					
		ve Limits:	LEL: 3.3% at 25.0 C	UEL: 19.0%	at 25.0 C			
	-	ition Pt:	363.00 C	OLL. 19.078	at 23.00			
5.3	-		: As in any fire, wear self-conta	ined breathing appa	ratus pressure-de	mand (NIOSH approved or		
5.5	The Lig		equivalent), and full protective Note: Flammable as diluted in	e gear to prevent cor	-			



Revision: 04/17/2017

Page: 3 of 7

Mixture

		Section 6.	Accidenta	I Release Measures	
6.1	Protective Precautions,	Avoid breathing	vapors and pro	vide adequate ventilation.	
		-		IIOSH approved self-contained breathing ap	paratus, or respirator,
	Emergency Procedures:			ction (rubber boots, safety goggles, and hea	
6.2	Environmental			the environment, if safe to do so.	
0.2	Precautions:				
6.3	Methods and Material For	Contain shill and	l collect as ann	ropriate	
0.5		-		ntainer for disposal in accordance with loca	l regulations
	Up:	g ransier to a one			regulations.
	ор.				
		Section	7. Hand	ing and Storage	
7.1	Precautions To Be Taken	C C	•		
	in Handling:	Avoid prolonged			
		Keep away from	0		
		-	-	gainst static discharge.	
7.2	Precautions To Be Taken		•	nd flame.	
	in Storing:	Keep container ti		dian lista di su dha musikasi in sud	
			nce with informa	ation listed on the product insert.	
	Other Precautions:	Hygroscopic.			
	Sect	tion 8. Expo	osure Con	trols/Personal Protection	
8.1	Exposure Parameters:				
CAS	# Chemical Name	Jurisdict	ion	Recommended Exposure Limits	Notations
64-17	7-5 Ethyl alcohol	ACGIH TI	_V	TLV: 1000 ppm STEL: 1000 ppm	
		France VI		TWA: 1900 mg/m3 (1000 ppm) STEL: 9500 mg/m3 (5000 ppm)	
		OSHA PE	Ls	PEL: 1000 ppm	
		Britain EF	140	TWA: 1920 mg/m3 (1000 ppm) STEL: ()	
8.2	Exposure Controls:	·		•	·
8.2.1	Engineering Controls	Use process enc	losures, local e	xhaust ventilation, or other engineering cont	rols to control airborne
	(Ventilation etc.):	levels below recommended exposure limits.			
8.2.2	Personal protection equi				
	Eye Protection:	Safety glasses			
	Protective Gloves:	Compatible chem	nical-resistant g	loves	
	Other Protective Clothing	Lab coat			
	Respiratory Equipment		l respirator, as o	conditions warrant.	
	(Specify Type):		I /		
	Work/Hygienic/Maintenar	Do not take inter	nallv.		
	ce Practices:		-	material should be equipped with an eyewas	sh and a safety showe
		Wash thoroughly	after handling.		
		No data available	<b>)</b> .		



Page: 4 of 7

Cai	man	Revision: 04/17/2017					
cuy	man	Mixture					
	S	Section 9. Physical and Chemical Properties					
9.1	Information on Basic Physical and Chemical Properties						
	Physical States:	[] Gas [X] Liquid [] Solid					
	Appearance and Odor:	A solution in ethanol (10 µg/ml each compound)					
	pH:	No data.					
	Melting Point:	No data.					
	Boiling Point:	No data.					
	Flash Pt:	14.00 C Method Used: Closed Cup					
	Evaporation Rate:	No data.					
	Flammability (solid, gas)	: No data available.					
	Explosive Limits:	LEL: 3.3% at 25.0 C UEL: 19.0% at 25.0 C					
	Vapor Pressure (vs. Air o	or mm 43 MM_HG at 20.0 C					
	Hg):						
	Vapor Density (vs. Air = '	1): No data.					
	Specific Gravity (Water =	<b>1):</b> No data.					
	Solubility in Water:	No data.					
	<b>Octanol/Water Partition</b>	No data.					
	Coefficient:						
	Autoignition Pt:	363.00 C					
	Decomposition Tempera	ture: No data.					
	Viscosity:	No data.					
9.2	Other Information						
	Percent Volatile:	No data.					
		Section 10. Stability and Reactivity					
10.1	Reactivity:	No data available.					
10.2	Stability:	Unstable [ ] Stable [ X ]					
10.3	Stability Note(s):	Stable if stored in accordance with information listed on the product insert.					
	Polymerization:	Will occur [ ] Will not occur [ X ]					
10.4	Conditions To Avoid:	heat, flames and sparks					
10.5	Incompatibility - Material						
	To Avoid:	ammonia					
		oxides					
		strong oxidizing agents					
10.6	Hazardous	carbon dioxide					
	Decomposition or	carbon monoxide					
	Byproducts:						



0

Revision: 04/17/2017

Page: 5 of 7

Mixture

Section 11. Toxicological Information The toxicological effects of this product have not been thoroughly studied. 11.1 Information on Ethanol - Toxicity Data: Oral TDLO (man): 1.14 ml/kg; Oral TDLO (man): 650 mg/kg; Oral LD50 **Toxicological Effects:** (rat): 7,060 mg/kg; Oral LD50 (mouse): 3,450 mg/kg; Oral LD50 (mouse): 10.5 ml/kg; Oral LD50 (rabbit): 6,300 mg/kg; Inhalation LC50 (rat): 20,000 ppm (10h); Inhalation TCLO (human): 1,800 ppm (30m); Inhalation TCLO (human): 2,500 mg/m3 (20m); Inhalation LC50 (rat): 5,900 mg/m3 (6h); Inhalation LCLO (mouse): 29,300 ppm (7h); Ethanol - Irritation Data: Eyes (rabbit): 500 mg (24h) mild; Skin (rabbit): 20 mg (24h) moderate; Chronic Toxicological Ethanol - Investigated as a mutagen, reproductive effector, and tumorigen. Only select Registry of Toxic Effects of Chemical Substances (RTECS) data is presented here. Effects: See actual entry in RTECS for complete information. Ethanol RTECS Number: KQ6300000 NTP? No Carcinogenicity: IARC Monographs? No **OSHA Regulated? No** CAS # Hazardous Components (Chemical Name) NTP IARC ACGIH **OSHA** NA (±)14,15-DiHETE n.a. n.a. n.a. n.a. 845673-97-4 5,6-DiHETE n.a. n.a. n.a. n.a. 79551-86-3 20-HETE n.a. n.a. n.a. n.a. 115461-39-7 19(R)-HETE n.a. n.a. n.a. n.a. NA (±)14(15)-EET n.a. n.a. n.a. n.a. 123931-40-8 (±)11(12)-EET n.a. n.a. n.a. n.a. NA (±)8(9)-EET n.a. n.a. n.a. n.a. 64-17-5 Ethyl alcohol n.a. 1 A4 n.a. Section 12. Ecological Information 12.1 Toxicity: Avoid release into the environment. Runoff from fire control or dilution water may cause pollution. 12.2 Persistence and No data available. **Degradability: Bioaccumulative** 12.3 No data available. **Potential:** Mobility in Soil: 12.4 No data available. 12.5 Results of PBT and vPvB No data available. assessment: 12.6 Other adverse effects: No data available. Section 13. Disposal Considerations 13.1 **Waste Disposal Method:** Dispose in accordance with local, state, and federal regulations.

4
Саитап
CHIMICAL

Revision: 04/17/2017

ayman				Mixture		Revision: 04/17/2017
		Sectio	on 14. Trar	nsport Inform	ation	
4.1 LAND TI	RANSPORT (US DO	DT):		•		
DOT Proper	Shipping Name:	Ethyl Alcol	hol Solution			
DOT Hazaro	d Class:	3	FLAMMA	BLE LIQUID		
UN/NA Num	nber:	1170		Packing Gr	oup:	II
		FLAMMABLE LIQUI				
14.1 LAND TI	RANSPORT (Europ	ean ADR/RID	)):			
ADR/RID Sh	nipping Name:	Ethyl Alcol	hol Solution			
UN Number	:	1170		Packing Gr	oup:	II
Hazard Clas	SS:	3 - FLAMN	ABLE LIQUID			
14.3 AIR TRA	NSPORT (ICAO/IA	TA):				
ICAO/IATA	Shipping Name:	Ethyl Alcol	hol Solution			
UN Number		1170		Packing Gr	oup:	II
Hazard Clas	SS:	3 - FLAMN	ABLE LIQUID	IATA Class	ification:	3
Additional Tran	sport	Fransport in a	ccordance with I	ocal, state, and fede	eral regulations.	
Information:			-	-	-	Excepted Quantity Code of
				eets the De Minimis		
	1	Therefore pac	kaging does not	have to be labeled a	as Dangerous Good	ds/Excepted Quantity.
		Sectior	า 15. Regเ	latory Inform	ation	
-	perfund Amendme			-		
CAS #	Hazardous Compo	onents (Chen	nical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
NA	(±)14,15-DiHETE			No	No	No
845673-97-4	5,6-DiHETE			No	No	No
79551-86-3	20-HETE			No	No	No
115461-39-7	19(R)-HETE			No	No	No
NA	(±)14(15)-EET			No	No	No
123931-40-8	(±)11(12)-EET			No	No	No
NA	(±)8(9)-EET			No	No	No
64-17-5	Ethyl alcohol			No	No	No
CAS #	Hazardous Compo	onents (Chen	nical Name)	Other US EPA o	or State Lists	
NA	(±)14,15-DiHETE			CAA HAP,ODC: No; CWA NPDES: No; TSCA: No; CA PROP.65: No		
845673-97-4	5,6-DiHETE			CAA HAP,ODC: No; CWA NPDES: No; TSCA: No; CA PROP.65: No		
79551-86-3	20-HETE		CAA HAP,ODC: No; CWA NPDES: No; TSCA: No; C PROP.65: No			
115461-39-7	19(R)-HETE			CAA HAP,ODC: PROP.65: No	: No; TSCA: No; CA	
NA	(±)14(15)-EET			CAA HAP,ODC: No; CWA NPDES: No; TSCA: No; CA PROP.65: No		
123931-40-8	(±)11(12)-EET			CAA HAP,ODC:	No; CWA NPDES	: No; TSCA: No; CA
						Multi-region for
						0

-
Calman
Caynan

Page: 7 of 7

Cayman		Mixture Revision: 04/17/2017			
	1	PROP.65: No			
NA	(±)8(9)-EET	CAA HAP,ODC: No; CWA NPDES: No; TSCA: No; CA PROP.65: No			
64-17-5	Ethyl alcohol	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No			
Regulatory Information Statement:		This SDS was prepared in accordance with 29 CFR 1910.1200 and Regulation (EC) No.1272/2008.			
		Section 16. Other Information			
Revision Date:		04/17/2017			
Additional Information About		No data available.			
This Product:					
Company Policy or Disclaimer:		DISCLAIMER: This information is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.			