

	Contian 1 Id	ontification of the Substance/Mixture and of th	o Company/Undortal/ind			
	Section 1. Ide	entification of the Substance/Mixture and of th	ie Company/Undertaking			
.1	Product Code:	21320				
	Product Name:	Desalkylflurazepam-d4 (CRM)				
	Synonyms:	7-chloro-5-(2-fluorophenyl-d4)-1,3-dihydro-2H-	•			
		N-Desalkylflurazepam-d4; N-Desalkyl-2-oxoqu	azepam-d4; nor-Flurazepam-d4;			
2	Relevant identified uses of the substance or mixture and uses advised against:					
	Relevant identified uses: For research use only, not for human or veterinary use.					
3	Details of the Supplier of the	e Safety Data Sheet:				
	Company Name:	Cayman Chemical Company				
		1180 E. Ellsworth Rd.				
	Wab alto address	Ann Arbor, MI 48108				
	Web site address:	www.caymanchem.com	4 (704)074 0005			
	Information:	Cayman Chemical Company	+1 (734)971-3335			
4	Emergency telephone numb					
	Emergency Contact:	CHEMTREC Within USA and Canada:	+1 (800)424-9300			
		CHEMTREC Outside USA and Canada:	+1 (703)527-3887			
		Section 2. Hazards Identifica	ation			
	Flammable Liquids, Categ Acute Toxicity: Inhalation, Acute Toxicity: Oral, Categ Acute Toxicity: Skin, Categ Specific Target Organ Tox Label Elements:	Category 3 gory 3				
2	Acute Toxicity: Inhalation, Acute Toxicity: Oral, Categ Acute Toxicity: Skin, Categ Specific Target Organ Tox	Category 3 gory 3 gory 3				
2	Acute Toxicity: Inhalation, Acute Toxicity: Oral, Catego Acute Toxicity: Skin, Catego Specific Target Organ Tox Label Elements:	Category 3 gory 3 gory 3 icity (single exposure), Category 1				
	Acute Toxicity: Inhalation, Acute Toxicity: Oral, Catego Acute Toxicity: Skin, Catego Specific Target Organ Tox Label Elements:	Category 3 gory 3 gory 3				
	Acute Toxicity: Inhalation, Acute Toxicity: Oral, Catego Acute Toxicity: Skin, Catego Specific Target Organ Tox Label Elements:	Category 3 gory 3 gory 3 icity (single exposure), Category 1				
	Acute Toxicity: Inhalation, Acute Toxicity: Oral, Catego Acute Toxicity: Skin, Catego Specific Target Organ Tox Label Elements: GHS Signal Word: GHS Hazard Phrases:	Category 3 gory 3 gory 3 icity (single exposure), Category 1				
	Acute Toxicity: Inhalation, Acute Toxicity: Oral, Catego Acute Toxicity: Skin, Catego Specific Target Organ Tox Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable liqu	Category 3 gory 3 jory 3 icity (single exposure), Category 1 Danger id and vapor.				
	Acute Toxicity: Inhalation, Acute Toxicity: Oral, Catego Acute Toxicity: Skin, Catego Specific Target Organ Tox Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable lique H301: Toxic if swallowed.	Category 3 gory 3 jory 3 icity (single exposure), Category 1 Danger id and vapor.				
	Acute Toxicity: Inhalation, Acute Toxicity: Oral, Catego Acute Toxicity: Skin, Catego Specific Target Organ Tox Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable liquu H301: Toxic if swallowed. H311: Toxic in contact with s	Category 3 gory 3 jicity (single exposure), Category 1 Danger id and vapor.				
	Acute Toxicity: Inhalation, Acute Toxicity: Oral, Catego Acute Toxicity: Skin, Catego Specific Target Organ Tox Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable liquo H301: Toxic if swallowed. H311: Toxic in contact with so H331: Toxic if inhaled.	Category 3 gory 3 jicity (single exposure), Category 1 Danger id and vapor.				
	Acute Toxicity: Inhalation, Acute Toxicity: Oral, Catego Acute Toxicity: Skin, Catego Specific Target Organ Tox Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable lique H301: Toxic if swallowed. H311: Toxic in contact with so H331: Toxic if inhaled. H370: Causes damage to or GHS Precaution Phrases:	Category 3 gory 3 jicity (single exposure), Category 1 Danger id and vapor.				
	Acute Toxicity: Inhalation, Acute Toxicity: Oral, Catego Acute Toxicity: Skin, Catego Specific Target Organ Tox Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable liquu H301: Toxic if swallowed. H311: Toxic if swallowed. H311: Toxic if inhaled. H370: Causes damage to or GHS Precaution Phrases: P210: Keep away from {heal	Category 3 gory 3 jicity (single exposure), Category 1 Danger id and vapor. skin.				
	Acute Toxicity: Inhalation, Acute Toxicity: Oral, Catego Acute Toxicity: Skin, Catego Specific Target Organ Tox Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable liquu H301: Toxic if swallowed. H311: Toxic if swallowed. H311: Toxic if inhaled. H370: Causes damage to or GHS Precaution Phrases: P210: Keep away from {heal	Category 3 gory 3 jory 3 icity (single exposure), Category 1 Danger id and vapor. skin. rgans. t/sparks/open flames/hot surfaces} No smoking fume/gas/mist/vapors/spray}.				
	Acute Toxicity: Inhalation, Acute Toxicity: Oral, Catego Acute Toxicity: Skin, Catego Specific Target Organ Tox Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable lique H301: Toxic if swallowed. H311: Toxic if swallowed. H311: Toxic if nhaled. H370: Causes damage to or GHS Precaution Phrases: P210: Keep away from {hea P260: Do not breathe {dust/fi P264: Wash {hands} thorouge	Category 3 gory 3 jory 3 icity (single exposure), Category 1 Danger id and vapor. skin. rgans. t/sparks/open flames/hot surfaces} No smoking fume/gas/mist/vapors/spray}.				
	Acute Toxicity: Inhalation, Acute Toxicity: Oral, Catego Acute Toxicity: Skin, Catego Specific Target Organ Tox Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable lique H301: Toxic if swallowed. H311: Toxic if swallowed. H311: Toxic if nhaled. H370: Causes damage to or GHS Precaution Phrases: P210: Keep away from {hea P260: Do not breathe {dust/fi P264: Wash {hands} thorouge	Category 3 gory 3 jory 3 icity (single exposure), Category 1 Danger id and vapor. skin. gans. t/sparks/open flames/hot surfaces} No smoking fume/gas/mist/vapors/spray}. ghly after handling.				
:	Acute Toxicity: Inhalation, Acute Toxicity: Oral, Catego Acute Toxicity: Skin, Catego Specific Target Organ Tox Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable lique H301: Toxic if swallowed. H311: Toxic if swallowed. H311: Toxic if nhaled. H370: Causes damage to or GHS Precaution Phrases: P210: Keep away from {heat P260: Do not breathe {dust/fi P264: Wash {hands} thoroug P280: Wear {protective glowed GHS Response Phrases:	Category 3 gory 3 jory 3 icity (single exposure), Category 1 Danger id and vapor. skin. gans. t/sparks/open flames/hot surfaces} No smoking fume/gas/mist/vapors/spray}. ghly after handling.	on}.			
2	Acute Toxicity: Inhalation, Acute Toxicity: Oral, Categ Acute Toxicity: Skin, Categ Specific Target Organ Tox Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable liqu H301: Toxic if swallowed. H311: Toxic if swallowed. H311: Toxic if nhaled. H370: Causes damage to or GHS Precaution Phrases: P210: Keep away from {hea P260: Do not breathe {dust/t P264: Wash {hands} thoroug P280: Wear {protective glove GHS Response Phrases: P301+310: IF SWALLOWED P302+352: IF ON SKIN: Wa	Category 3 gory 3 jory 3 icity (single exposure), Category 1 Danger id and vapor. skin. gans. t/sparks/open flames/hot surfaces} No smoking fume/gas/mist/vapors/spray}. ghly after handling. es/protective clothing/eye protection/face protection C: Immediately call a POISON CENTER or doctor sh with plenty of soap and water.	on}. /physician.			
2	Acute Toxicity: Inhalation, Acute Toxicity: Oral, Categ Acute Toxicity: Skin, Categ Specific Target Organ Tox Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable liqu H301: Toxic if swallowed. H311: Toxic if swallowed. H311: Toxic if nhaled. H370: Causes damage to or GHS Precaution Phrases: P210: Keep away from {hea P260: Do not breathe {dust/t P264: Wash {hands} thoroug P280: Wear {protective glove GHS Response Phrases: P301+310: IF SWALLOWED P302+352: IF ON SKIN: Wa	Category 3 gory 3 jory 3 icity (single exposure), Category 1 Danger id and vapor. skin. rgans. t/sparks/open flames/hot surfaces} No smoking fume/gas/mist/vapors/spray}. ghly after handling. es/protective clothing/eye protection/face protection f2: Immediately call a POISON CENTER or doctor	on}. /physician.			



Revision: 05/08/2019

P307+311: IF exposed: Call a POISON CENTER or doctor/physician. P311: Call a POISON CENTER or doctor/physician.

P330: Rinse mouth.

P361: Remove/Take off immediately all contaminated clothing.

P363: Wash contaminated clothing before reuse.

GHS Storage and Disposal Phrases:

Please refer to Section 7 for Storage and Section 13 for Disposal information.

2.3 Adverse Human Health Causes damage to organs {eyes}.

Effects and Symptoms:Material may be irritating to the mucous membranes and upper respiratory tract.May be fatal or cause blindness if swallowed.May cause eye, skin, or respiratory system irritation.

Toxic if inhaled, swallowed, or in contact with skin.

To the best of our knowledge, the toxicological properties have not been thoroughly investigated.

Section 3. Composition/Information on Ingredients

CAS # / RTECS #	Hazardous Components (Chemical Name)/ REACH Registration No.	Concentration	EC No./ EC Index No.	GHS Classification
1286430-01-0 NA	Desalkylflurazepam-d4	0.01 -0.1 %	NA NA	No data available.
67-56-1 PC1400000	Methanol 01-2119392409-28	99.9 -99.99 %	200-659-6 603-001-00-X	Flam. Liq. 2: H225 Acute Tox.(O) 3: H301 Acute Tox.(D) 3: H311 Acute Tox.(I) 3: H331 STOT (SE) 1: H370

Section 4. First Aid Measures

4.1 **Description of First Aid** Measures: In Case of Inhalation: Remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Get immediate medical attention. In Case of Skin Contact: Immediately wash skin with soap and plenty of water for at least 15 minutes. Remove contaminated clothing. Get medical attention if symptoms occur. Wash clothing before reuse. Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Have eyes examined In Case of Eye Contact: and tested by medical personnel. In Case of Ingestion: Wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by medical personnel. 4.2 Important Symptoms and Overexposure may cause: confusion, dermatitis, headache, drowsiness, dizziness, gastrointestinal Effects, Both Acute and disturbance, optic nerve damage (blindness), nausea, unconsciousness, vomiting, visual **Delayed:** disturbance, weakness. May cause convulsions. Once methanol is absorbed into the body, it is very slowly eliminated.

Multi-region format



		Section 5. F	Fire Fighting Measures	
5.1	Suitable Extinguishing	Use alcohol-resistant for	am, carbon dioxide, water, or dry chemical spray.	
	Media:	Use water spray to cool	fire-exposed containers.	
	Unsuitable Extinguishing	A solid water stream ma	y be inefficient.	
	Media:			
5.2	Flammable Properties an	-	form explosive mixtures at temperatures at or abov	e the flashpoint.
	Hazards:		y occur under fire conditions.	
		Emits toxic fumes under		
		Sensitive to static discha	•	
		•	ource of ignition and flash back.	
		No data available.		
	Flash Pt:	11.00 C Method Used:		
	Explosive Limits:	LEL: 6.0% at 25	.0 C UEL: 36.0% at 25.0 C	
	Autoignition Pt:	385.00 C		
5.3	Fire Fighting Instructions	-	contained breathing apparatus pressure-demand (N	IIOSH approved or
			ective gear to prevent contact with skin and eyes.	
		Note: Flammable as dilu	ited in methanol.	
		Section 6. Accid	dental Release Measures	
6.1	Protective Precautions,	Avoid breathing vapors	and provide adequate ventilation.	
	Protective Equipment and	d As conditions warrant, w	wear a NIOSH approved self-contained breathing ap	paratus, or respirator,
	Emergency Procedures:	and appropriate person	al protection (rubber boots, safety goggles, and hea	vy rubber gloves).
6.2	Environmental	Take steps to avoid rele	ease into the environment, if safe to do so.	
	Precautions:			
6.3	Methods and Material For	Contain spill and collect	t, as appropriate.	
	Containment and Cleanin	gTransfer to a chemical v	waste container for disposal in accordance with loca	l regulations.
	Up:			
		Section 7	Handling and Storage	
	Pressutions To Po Tokon		. .	
7.1	Precautions To Be Taken in Handling:	Avoid breathing dustruin Avoid prolonged or repe		
	in nanuling.	Keep away from sources		
			isures against static discharge.	
7.2	Precautions To Be Taken			
	in Storing:	Keep container tightly cl		
	in etering.		n information listed on the product insert.	
<u> </u>				
		aon 8. Exposure	e Controls/Personal Protection	
8.1	Exposure Parameters:			
CAS #		Jurisdiction	Recommended Exposure Limits	Notations
67-56	-1 Methanol	ACGIH TLV	TLV: 200 ppm STEL: 250 ppm	
		Europe	TWA: 260 mg/m3 (200 ppm)	Skin Absorption
		France VL	TWA: 260 mg/m3 (200 ppm)	
			STEL: 1300 mg/m3 (1000 ppm)	
ļ		OSHA PELs	PEL: 200 ppm	
		Britain EH40	TWA: 266 mg/m3 (200 ppm)	Skin Absorption
I			STEL: 333 mg/m3 (250 ppm)	



Exposure Controls: 1 Engineering Controls Use process enclosures, local exhaust ventilation, or other engineering controls to control airborr						
(Ventilation etc.): levels below recommended exposure limits. Personal protection equipment:						
Personal protection equipment: Eye Protection: Safety glasses						
Protective Gloves: Compatible chemical-resistant gloves Other Protective Clothing:Lab coat						
Respiratory Equipment NIOSH approved respirator, as conditions warrant.						
(Specify Type): Work/Hygienic/Maintenan Do not take internally.						
tilizing this material should be equipped with an eyewash ar	d a safety shower					
n thoroughly after handling.						
ata available.						
sical and Chemical Properties						
roperties						
X] Liquid [] Solid						
or 1 mg/ml solution in methanol						
No data.						
ethod Used: Closed Cup						
able.						
at 25.0 C UEL: 36.0% at 25.0 C						
at 20.0 C						
N2O 292.7						
'N2O 292.7						

Multi-region format



10.2 Si 10.3 Si 10.4 Ci 10.5 In To 10.6 Hi	Stability Note(s): Polymerization: Conditions To Avoid: ncompatibility - Materials To Avoid: Hazardous	Will occur [] heat, flames, an	Stable [X] in accordance with informa Will not occur [X] nd sparks	ation listed on	the product	insert.	
10.3 Si Po 10.4 Co 10.5 In To 10.6 Hi Do	Stability Note(s): Polymerization: Conditions To Avoid: ncompatibility - Materials To Avoid: Hazardous	Stable if stored Will occur [] heat, flames, ar acids acid anhydrides acid chlorides alkali metals oxidizing agents reducing agents	in accordance with informa Will not occur [X] nd sparks	ation listed on	the product	insert.	
Po 10.4 C 10.5 In To 10.6 H	Polymerization: Conditions To Avoid: ncompatibility - Materials To Avoid: Hazardous	Will occur [] heat, flames, ar acids acid anhydrides acid chlorides alkali metals oxidizing agents reducing agents	Will not occur [X] nd sparks s	ation listed on	the product	insert.	
10.4 C 10.5 In To 10.6 H	Conditions To Avoid: ncompatibility - Materials To Avoid: Hazardous Decomposition or	heat, flames, ar acids acid anhydrides acid chlorides alkali metals oxidizing agents reducing agents	nd sparks s				
10.5 In To 10.6 H	ncompatibility - Materials ⁻ o Avoid: lazardous Decomposition or	acids acid anhydrides acid chlorides alkali metals oxidizing agents reducing agents	S				
Te 10.6 H	o Avoid: Hazardous Decomposition or	acid anhydrides acid chlorides alkali metals oxidizing agents reducing agents	s				
10.6 H	lazardous Decomposition or	acid chlorides alkali metals oxidizing agents reducing agents	s				
D	Decomposition or	alkali metals oxidizing agents reducing agents					
D	Decomposition or	oxidizing agents reducing agents					
D	Decomposition or	reducing agents					
D	Decomposition or		S				
D	Decomposition or	carbon dioxide					
	-		da				
B		carbon monoxid	de				
	Byproducts:						
		Section	11. Toxicological	Informat	ion		
11.1 In	nformation on	The toxicologic	al effects of this product ha	ve not been t	horoughly st	udied.	
Т	oxicological Effects:	Methanol - Toxicity Data: Oral LD50 (rat): 5,600 mg/kg; Oral LD50 (rabbit): 14,200 mg/kg; Oral					
		LDLO (man): 6422 mg/kg; Intraperitoneal LD50 (mouse): 10765 mg/kg;					
		Inhalation LC50 (rat): 64,000 ppm (4h); Inhalation LC50 (mouse): 61,100 ppm (134 m); Skin LD50					
		(rabbit): 15,800 mg/kg; Oral LDLO (human): 143 mg/kg;					
		 Methanol - Irritation Data: Skin (rabbit): 20 mg (24h) moderate; Eyes (rabbit): 40 mg moderate; Eyes (rabbit): 100 mg (24h) moderate; Methanol - Investigated as a drug, mutagen, primary irritant, reproductive effector, and tumorigen. Only select Registry of Toxic Effects of Chemical Substances (RTECS) data is presented here. 					
C	Shrania Taviaalagiaal						
	Chronic Toxicological						
Effects:		See actual entry in RTECS for complete information.					
		Methanol RTECS Number: PC1400000					
Carcinogenicity:		NTP? No IARC Monographs? No OSHA Regulated? No					
CAS #	Hazardous Com	oonents (Chem	ical Name)	NTP	IARC	ACGIH	OSHA
1286430	0-01-0 Desalkylflurazepa	m-d4		n.a.	n.a.	n.a.	n.a.
67-56	6-1 Methanol			n.a.	n.a.	n.a.	n.a.
		Sectior	n 12. Ecological Ir	formatic	<u></u> n	.	
12.1 To	oxicity:		nto the environment.				
		Runoff from fire	e control or dilution water m	ay cause poll	ution.		
12.2 Po	Persistence and	No data availab	ble.				
D	Degradability:						
12.3 B	Bioaccumulative	No data availab	ble.				
P	Potential:						
12.4 M	Iobility in Soil:	No data availab	ble.				
12.5 R	Results of PBT and vPvB	No data availat	ble.				
	ssessment:						
12.6 O	Other adverse effects:	No data availat	ole.				



		Section 13. Disp	<u>posal</u> C	Considerat	ions	
13.1 Waste I	Disposal Method:	Dispose in accordance with	local, stat	e, and federal r	egulations.	
		Section 14. Tr	anspo	rt Informat	ion	
14.1 LAND	FRANSPORT (US D	от):				
DOT Prope	er Shipping Name:	Methanol Solution				
DOT Hazaı	rd Class:	3 (6.1) FLAN	IMABLE L	IQUID, POISON	N	
UN/NA Nu	mber:	UN1230		Packing Grou	ıp:	Ш
		FLAMMAGEE LOUID 3 6	• \/			
14.1 LAND 1	TRANSPORT (Europ	pean ADR/RID):				
ADR/RID S	Shipping Name:	Methanol Solution				
UN Numbe	er:	1230		Packing Grou	ıp:	II
Hazard Cla	355:	3 (6.1) - FLAMMABLE LIQUID, POISON				
14.3 AIR TR	ANSPORT (ICAO/IA	TA):				
ΙCΑΟ/ΙΑΤΑ	A Shipping Name:	Methanol Solution				
UN Numbe	er:	1230 Packing Group:		II		
Hazard Cla	ass:	3 (6.1) - FLAMMABLE LIQUID, IATA Classification: 3, 6.1 POISON			3, 6.1	
Additional Tra	insport	Transport in accordance wi	th local, st	ate, and federal	regulations.	
Information:		When sold in quantities of less than or equal to 1 mL, or 1 g, with an Excepted Quantity Code of				
		E1, E2, E4, or E5, this item	meets the	e De Minimis Qu	antities exemption	, per IATA 2.6.10.
		Therefore packaging does	not have to	o be labeled as	Dangerous Goods	/Excepted Quantity.
		Section 15. Reg	gulator	ry Informat	tion	
EPA SARA (Si	uperfund Amendme	ents and Reauthorization	Act of 198	86) Lists		
CAS #	Hazardous Comp	onents (Chemical Name)	S. :	302 (EHS)	S. 304 RQ	S. 313 (TRI)
1286430-01-0	Desalkylflurazepar	n-d4	No		No	No
67-56-1	Methanol		No		Yes 5000 LB	Yes
CAS #	Hazardous Comp	onents (Chemical Name)	Oth	er US EPA or S	State Lists	
1286430-01-0	Desalkylflurazepar	n-d4		A HAP,ODC: No OP.65: No	D; CWA NPDES: N	No; TSCA: No; CA
67-56-1	Methanol				AP: VHAP; CWA N DP.65: Yes: RDTo	NPDES: No; TSCA: Yes - ĸ.
	+		•			



Revision: 05/08/2019

Regulatory Information	This SDS was prepared in accordance with 29 CFR 1910.1200 and Regulation (EC)			
Statement:	No.1272/2008.			
Section 16. Other Information				
Revision Date:	05/08/2019			
Additional Information About	No data available.			
This Product:				
Company Policy or Disclaimer:	DISCLAIMER: This information is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.			

Multi-region format