

Printing date 09/01/2021

Revision date 09/01/2021

Page 1/11

### **1** Identification

- · Product identifier
- · Trade name: Boldenone Undecylenate
- · Article number: 21632
- Application of the substance / the mixture This product is for research use - Not for human or veterinary diagnostic or therapeutic use. It is the responsibility of the purchaser to determine suitability for other applications.
- Details of the supplier of the safety data sheet
   Manufacturer/Supplier: Cayman Chemical Co.
   1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA
- · Information department: Product safety department
- Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

## 2 Hazard(s) identification

- Classificat	tion of the substance or mixture	
G	HS02 Flame	
Flam. Liq. 2	2 H225 Highly flammable liquid and vapor.	
G	HS08 Health hazard	
Carc. 2	H351 Suspected of causing cancer.	
G	SHS07	
Acute Tox.	4 H312 Harmful in contact with skin.	
Acute Tox.	4 H332 Harmful if inhaled.	
Eye Irrit. 2A	A H319 Causes serious eye irritation.	(Contd. on page

Printing date 09/01/2021

Revision date 09/01/2021

## Trade name: Boldenone Undecylenate

	(Contd. from page 1	)
· Label elements		
· GHS label eleme	nts	
	ssified and labeled according to the Globally Harmonized System (GHS).	
Hazard pictogram		
A A		
<u> </u>		
GHS02 GHS07	GHS08	
<b>0</b> '		
• Signal word Dang	ger	
	ing components of labeling:	
Acetonitrile		
Boldenone undecy		
· Hazard statemen		
	y flammable liquid and vapor. ful in contact with skin or if inhaled.	
	es serious eye irritation.	
	ected of causing cancer.	
· Precautionary st		
P201	Obtain special instructions before use.	
P202	Do not handle until all safety precautions have been read and understood.	
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.	
P233	Keep container tightly closed.	
P240	Ground/bond container and receiving equipment.	
P241	Use explosion-proof electrical/ventilating/lighting/equipment.	
P242	Use only non-sparking tools.	
P243 P261	Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapors/spray	
P264	Wash thoroughly after handling.	
P271	Use only outdoors or in a well-ventilated area.	
P280	Wear protective gloves/protective clothing/eye protection/face protection.	
	f on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with المانة المانة ا	ı
	water/shower.	
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, i	f
D000. D040	present and easy to do. Continue rinsing.	
P308+P313	IF exposed or concerned: Get medical advice/attention.	
P312 P321	Call a poison center/doctor if you feel unwell. Specific treatment (see on this label).	
P362+P364	Take off contaminated clothing and wash it before reuse.	
P337+P313	If eye irritation persists: Get medical advice/attention.	
P370+P378	In case of fire: Use CO2, powder or water spray to extinguish.	
P403+P235	Store in a well-ventilated place. Keep cool.	
P405	Store locked up.	
P501	Dispose of contents/container in accordance with local/regional/national/international	I
	regulations.	
Classification sy		
<ul> <li>NFPA ratings (sc</li> </ul>	ale 0 - 4)	
Heal	th = 2	
Fire		
	stivity = 0	
▼ ∨		`
	(Contd. on page 3	)

Printing date 09/01/2021

Revision date 09/01/2021

#### Trade name: Boldenone Undecylenate

(Contd. from page 2)

· HMIS-ratings (scale 0 - 4)



· Other hazards

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- vPvB: Not applicable.

### **3 Composition/information on ingredients**

- · Chemical characterization: Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 75-05-8 RTECS: AL7700000	Acetonitrile	99.0%
CAS: 13103-34-9 RTECS: BV8000500	Boldenone undecylenate	1.0%

#### **4 First-aid measures**

#### · Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately rinse with water.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed

May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects. No further relevant information available.

• Indication of any immediate medical attention and special treatment needed No further relevant information available.

## **5 Fire-fighting measures**

- Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

• Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 4)

Printing date 09/01/2021

#### Revision date 09/01/2021

#### Trade name: Boldenone Undecylenate

#### · Advice for firefighters

· Protective equipment: Mouth respiratory protective device.

### 6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures
   Wear protective equipment. Keep unprotected persons away.
   Environmental precautions:
- Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

- Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
   Reference to other sections
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. • Protective Action Criteria for Chemicals

PAC-1:	
75-05-8 Acetonitrile	13 ppm
· PAC-2:	
75-05-8 Acetonitrile	50 ppm
· PAC-3:	
75-05-8 Acetonitrile	150 ppm

## 7 Handling and storage

#### · Handling:

- Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.
- Prevent formation of aerosols.

### Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 5)

(Contd. from page 3)

US

Printing date 09/01/2021

## Revision date 09/01/2021

	(Contd. from page
· Con	trol parameters
	nponents with limit values that require monitoring at the workplace:
	following constituent is the only constituent of the product which has a PEL, TLV or oth
	ommended exposure limit.
	his time, the remaining constituent has no known exposure limits.
	05-8 Acetonitrile
	Long-term value: 70 mg/m³, 40 ppm
	Long-term value: 34 mg/m³, 20 ppm
TLV	Long-term value: 20 ppm
	Skin, A4
· Add	litional information: The lists that were valid during the creation were used as basis.
	osure controls
	sonal protective equipment:
	neral protective and hygienic measures:
	p away from foodstuffs, beverages and feed. nediately remove all soiled and contaminated clothing.
	sh hands before breaks and at the end of work.
	e protective clothing separately.
	id contact with the eyes.
	id contact with the eyes and skin.
	<b>athing equipment:</b> ase of brief exposure or low pollution use respiratory filter device. In case of intensive or long
	osure use respiratory protective device that is independent of circulating air.
	tection of hands:
111	Protective gloves
	Protective gloves
	glove material has to be impermeable and resistant to the product/ the substance/ the preparation
	e to missing tests no recommendation to the glove material can be given for the product/ the product the chemical mixture.
	ection of the glove material on consideration of the penetration times, rates of diffusion and the
	radation
	erial of gloves
	selection of the suitable gloves does not only depend on the material, but also on further marks
	lity and varies from manufacturer to manufacturer. As the product is a preparation of sever stances, the resistance of the glove material can not be calculated in advance and has therefore
	shecked prior to the application.
	etration time of glove material
The	exact break through time has to be found out by the manufacturer of the protective gloves and has
	e observed.
· Eye	protection:
C D	Tightly sealed goggles
	(Contd. on page

Printing date 09/01/2021

Revision date 09/01/2021

## Trade name: Boldenone Undecylenate

(Contd. from page 5)

9 Physical and chemical prope	rties
<ul> <li>Information on basic physical and one of the second second</li></ul>	chemical properties
· Appearance:	
Form:	Liquid
Color:	Not determined.
Odor:	Aromatic
· Structural Formula	C30H44O3
<ul> <li>Molecular Weight</li> <li>Odor threshold:</li> </ul>	452.7 g/mol Not determined.
· pH-value:	Not determined.
•	Not dotoffilliod.
<ul> <li>Change in condition Melting point/Melting range:</li> </ul>	-46 °C (-50.8 °F)
Boiling point/Boiling range:	81 °C (177.8 °F)
· Flash point:	5 °C (41 °F)
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	525 °C (977 °F)
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air vapor mixtures are possible.
· Explosion limits:	
Lower:	4.4 Vol %
Upper:	16 Vol %
· Vapor pressure at 20 °C (68 °F):	97 hPa (72.8 mm Hg)
· Density at 20 °C (68 °F):	0.7822 g/cm³ (6.52746 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
· Evaporation rate	Not determined.
<ul> <li>Solubility in / Miscibility with</li> </ul>	
Water:	Fully miscible.
· Partition coefficient (n-octanol/wate	er): Not determined.
· Viscosity:	
Dynamic at 20 °C (68 °F):	0.39 mPas
Kinematic:	Not determined.
SOLUBILITY	DMF: 25 mg/ml; DMSO: 5 mg/ml;Ethanol: 15 mg/ml;Ethanol PBS (pH 7.2)(1:2): 0.3 mg/ml
· Solvent content:	
VOC content:	0.00 %
	0.0 g/l / 0.00 lb/gal
Solids content:	1.0 %
	(Contd. on page 3

Printing date 09/01/2021

Revision date 09/01/2021

#### Trade name: Boldenone Undecylenate

(Contd. from page 6)

• Other information

No further relevant information available.

### **10 Stability and reactivity**

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- · Incompatible materials: Oxidizing agents, Strong oxidizing agents
- Hazardous decomposition products: Nitrogen oxides (NOx); Carbon oxides

### 11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

LD/LC50 values that are relevant for classification:
--

ATE (Acute Toxicity Estimate)			
Oral	LD50	2,367 mg/kg	
Dermal	LD50	981 mg/kg	
Inhalative	LC50/4 h	11.1 mg/l	
75-05-8 Acetoni	trile		
Oral	TDLO	64 ml/kg (man)	
	LD50	2,460 mg/kg (rat)	
Dermal	LD50	980 mg/kg (rabbit)	
Inhalative	LC50/4 h	7,551 mg/m³ (rat)	
	LC50	7,551 mg/m³/8h (rat)	
	TCLO	160 mg/m³/4h (hmn)	
Irritation of eyes	Irritation	100 μl/24 hr (rabbit)	
	Irritation	100 ìl/24 hr (rabbit)	
· Primary irritant	offoct:	·	

#### Primary irritant effect:

• on the skin: No irritant effect.

• on the eye: Irritating effect.

• Sensitization: No sensitizing effects known.

• Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

## NTP (National Toxicology Program)

None of the ingredients is listed.

(Contd. on page 8)

US

Printing date 09/01/2021

Revision date 09/01/2021

Trade name: Boldenone Undecylenate

(Contd. from page 7)

## · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## **12 Ecological information**

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

## **13 Disposal considerations**

- · Waste treatment methods
- Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number		
DOT, IMDG, IATA	UN1648	
· UN proper shipping name		
DOT, IATA	Acetonitrile solution	
·IMDG	ACETONITRILE solution	
<ul> <li>Transport hazard class(es)</li> </ul>		
DOT		
RAMMABE LOUD		
Class	3 Flammable liquids	

Printing date 09/01/2021

Revision date 09/01/2021

Trade name: Boldenone Undecylenate

	(Contd. from page
<sup>.</sup> Label	3
· IMDG, IATA	
· Class	3 Flammable liquids
	3
<ul> <li>Packing group</li> <li>DOT, IMDG, IATA</li> </ul>	II
· Environmental hazards:	Not applicable.
	Warning: Flammable liquids
Hazard identification number (Kemler code):	
	F-E,S-D B
<ul> <li>Stowage Category</li> <li>Stowage Code</li> </ul>	SW2 Clear of living quarters.
<ul> <li>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</li> </ul>	Not applicable.
· Transport/Additional information:	
· DOT	
· Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
·IMDG	
Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 50 ml
· IATA	
· Remarks:	When sold in quantities of less than or equal to 1 ml
	or 1 g, with an Excepted Quantity Code of
	E1, E2, E4, or E5, this item meets the De Minimi Quantities exemption, per IATA 2.6.10.
	Therefore packaging does not have to be labeled a
	Dangerous Goods/Excepted Quantity.
· UN "Model Regulation":	UN 1648 ACETONITRILE SOLUTION, 3, II

## **15 Regulatory information**

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

## · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

### • Section 313 (Specific toxic chemical listings):

75-05-8 Acetonitrile

(Contd. on page 10)

US

Printing date 09/01/2021

Revision date 09/01/2021

## Trade name: Boldenone Undecylenate

	(Contd. from page
TSCA (Toxic Substances Control Act):	
75-05-8 Acetonitrile	ACTIVE
Hazardous Air Pollutants	
75-05-8 Acetonitrile	
Proposition 65	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
Carcinogenic categories	
EPA (Environmental Protection Agency)	
75-05-8 Acetonitrile	CBD, I
TLV (Threshold Limit Value)	
75-05-8 Acetonitrile	A
NIOSH-Ca (National Institute for Occupational Safety and Healt	h)
None of the ingredients is listed.	

## **16 Other information**

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

· Department issuing SDS: Environment protection department.

· Contact: -

· Date of preparation / last revision 09/01/2021 / -· Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health

Printing date 09/01/2021

Revision date 09/01/2021

#### Trade name: Boldenone Undecylenate

TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 4: Acute toxicity – Category 4 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A Carc. 2: Carcinogenicity – Category 2 (Contd. from page 10)

US