

Printing date 02/24/2022

Revision date 02/24/2022


Page 1/11

US

1 Identification

- · Product identifier
- · Trade name: Norcarfentanil (hydrochloride) (CRM)
- Article number: 22182
- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- · Details of the supplier of the safety data sheet
- **Manufacturer/Supplier:** Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA
- Information department: Product safety department
 Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification



Printing date 02/24/2022

Revision date 02/24/2022

Trade name: Norcarfentanil (hydrochloride) (CRM)

· Hazard pictog	(Contd. from page 1)
GHS02 GHS	606 GHS08
· Signal word D	langer
· Hazard-detern	nining components of labeling:
Methanol	3 • • • • • • • 3
· Hazard statem	nents
H225	Highly flammable liquid and vapor.
H301+H311+H	331 Toxic if swallowed, in contact with skin or if inhaled.
H370	Causes damage to the central nervous system and the visual organs.
 Precautionary 	statements
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310	If swallowed: Immediately call a poison center/doctor.
P321 P330	Specific treatment (see on this label). Rinse mouth.
	353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with
F 303+F 301+F	water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P307+P311	IF exposed: Call a POISON CENTER or doctor/physician.
P312	Call a poison center/doctor if you feel unwell.
P361+P364	Take off immediately all contaminated clothing and wash it before reuse.
P370+P378	In case of fire: Use CO2, powder or water spray to extinguish.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
 Classification 	
 NFPA ratings 	(scale 0 - 4)



· HMIS-ratings (scale 0 - 4)

HEALTH *0	Health = *0
	Fire = 3
REACTIVITY 0	Reactivity = 0

(Contd. on page 3)

US

Printing date 02/24/2022

Revision date 02/24/2022

(Contd. from page 2)

99.9%

0.1%

Trade name: Norcarfentanil (hydrochloride) (CRM)

- · Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 67-56-1 Methanol

RTECS: PC1400000

Other ingredients

61085-87-8 Norcarfentanil (hydrochloride)

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Do not induce vomiting; immediately call for medical help.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed

May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects. No further relevant information available.

• Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • Special hazards arising from the substance or mixture

67-56-1During heating or in case of fire poisonous gases are produced.

- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

(Contd. on page 4)

Printing date 02/24/2022

Revision date 02/24/2022

Trade name: Norcarfentanil (hydrochloride) (CRM)

(Contd. from page 3)

6 Accidental r	elease measures	
 Personal preca Mount respirator Wear protective Environmental Dilute with plent Do not allow to e Methods and m Absorb with liqu Dispose contam Ensure adequat Reference to or See Section 7 for See Section 8 for See Section 13 	autions, protective equipment and emergency procedures ry protective device. equipment. Keep unprotected persons away. precautions: y of water. enter sewers/ surface or ground water. naterial for containment and cleaning up: id-binding material (sand, diatomite, acid binders, universal binders, inated material as waste according to item 13. e ventilation.	sawdust).
· Protective Activ		
67-56-1 Methar	10	530 ppm
PAC-2:		
67-56-1 Methar	lol	2,100 ppm
· PAC-3:		
67-56-1 Methar	10	7200* ppm
Open and handl Prevent formation Information ab Keep ignition so Protect against Keep respiratory	r safe handling ntilation/exhaustion at the workplace. e receptacle with care. on of aerosols. out protection against explosions and fires: urces away - Do not smoke. electrostatic charges. y protective device available.	
· Storage:	safe storage, including any incompatibilities to be met by storerooms and receptacles: Store in a cool location	

• Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 5)

Printing date 02/24/2022

Revision date 02/24/2022

Trade name: Norcarfentanil (hydrochloride) (CRM)

(Contd. from page 4)

Com	ponents with limit values that require monitoring at the workplace:
67-56	-1 Methanol
PEL	Long-term value: 260 mg/m³, 200 ppm
	Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin
	Short-term value: 250 ppm Long-term value: 200 ppm Skin; BEI
Ingre	dients with biological limit values:
-	5-1 Methanol
-	15 mg/L Medium: urine Fime: end of shift Parameter: Methanol (background, nonspecific)
	ional information: The lists that were valid during the creation were used as basis.
Breat In ca expos	contact with the eyes and skin. thing equipment: se of brief exposure or low pollution use respiratory filter device. In case of intensive or long sure use respiratory protective device that is independent of circulating air. ection of hands:
1115 LLL	Protective gloves
Due prepa Selec degra Mate	plove material has to be impermeable and resistant to the product/ the substance/ the preparation to missing tests no recommendation to the glove material can be given for the product/ to aration/ the chemical mixture. Stion of the glove material on consideration of the penetration times, rates of diffusion and to adation rial of gloves selection of the suitable gloves does not only depend on the material, but also on further marks
quali subst	ly and varies from manufacturer to manufacturer. As the product is a preparation of seve ances, the resistance of the glove material can not be calculated in advance and has therefore
	ecked prior to the application. tration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 6)

Printing date 02/24/2022

Revision date 02/24/2022

(Contd. from page 5)

Trade name: Norcarfentanil (hydrochloride) (CRM)

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

 Information on basic physical and on General Information 	chemical properties
 Appearance: Form: Color: Odor: Structural Formula Molecular Weight Odor threshold: Formulation 	Liquid Colorless Alcohol-like C16H22N2O3 • HCl 326.8 g/mol Not determined. A 100 μg/ml or 1 mg/ml solution in methanol
· pH-value:	Not determined.
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	-98 °C (-144.4 °F) 64.7 °C (148.5 °F)
· Flash point:	11 °C (51.8 °F)
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	455 °C (851 °F)
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/ vapor mixtures are possible.
· Explosion limits: Lower: Upper:	5.5 Vol % 44 Vol %
· Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)
 Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate 	0.79 g/cm³ (6.59255 lbs/gal) Not determined. Not determined. Not determined.
 Solubility in / Miscibility with Water: 	Fully miscible.
· Partition coefficient (n-octanol/wate	er): Not determined.
· Viscosity: Dynamic: Kinematic:	Not determined. Not determined.
	(Contd. on page 7) س

Printing date 02/24/2022

Revision date 02/24/2022

Trade name: Norcarfentanil (hydrochloride) (CRM)

	(Contd. from page
 Solvent content: Organic solvents: VOC content: 	99.9 % 99.90 % 999.0 g/l / 8.34 lb/gal
Solids content:	0.0 %
· Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- · **Incompatible materials:** reducing agents, oxidizing agents
- · Hazardous decomposition products: carbon dioxide, carbon monoxide

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

67-56-1 Methanol Oral LDLO 143 mg/kg (hmn) TDLO 5 ml/kg (rat) LD50 5,600 mg/kg (rat) Dermal LD50 15,800 mg/kg (rabbit) Inhalative LC50/4 h 64,000 mg/m³ (rat) LC50 61,100 mg/m³/134 m (mouse) Irritation of skin Irritation 20 mg/24h (rabbit)				
TDLO 5 ml/kg (rat) LD50 5,600 mg/kg (rat) Dermal LD50 15,800 mg/kg (rabbit) Inhalative LC50/4 h 64,000 mg/m³ (rat) LC50 61,100 mg/m³/134 m (mouse)				
LD50 5,600 mg/kg (rat) Dermal LD50 15,800 mg/kg (rabbit) Inhalative LC50/4 h 64,000 mg/m³ (rat) LC50 61,100 mg/m³/134 m (mouse)				
Dermal LD50 15,800 mg/kg (rabbit) Inhalative LC50/4 h 64,000 mg/m³ (rat) LC50 61,100 mg/m³/134 m (mouse)				
Inhalative LC50/4 h 64,000 mg/m³ (rat) LC50 61,100 mg/m³/134 m (mouse)				
LC50 61,100 mg/m³/134 m (mouse)				
Irritation of skin Irritation 20 mg/24h (rabbit)				
Irritation (rabbit)				
Irritation 5.63 mg/kg/exempt preparation (rabbit)				
Irritation of eyes Irritation 40 mg (rabbit)				
Intraperitoneal TDLO 5 mg/kg (rat)				
Intraperitoneal LD50 10,765 mg/kg (mouse)				
Subcutaneous LD50 143 mg/kg/human (mouse)				
Data 20 mg/24h (rabbit)				

• Primary irritant effect:

• on the skin: No irritant effect.

· on the eye: No irritating effect.

· Sensitization: No sensitizing effects known.

• Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

(Contd. on page 8)

US

Printing date 02/24/2022

Revision date 02/24/2022

(Contd. from page 7)

Trade name: Norcarfentanil (hydrochloride) (CRM)

Toxic

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number		
DOT, IMDG, IATA	UN1230	
UN proper shipping name		
DOT, IATA	Methanol solution	
IMDG	METHANOL solution	

Printing date 02/24/2022

Revision date 02/24/2022

Trade name: Norcarfentanil (hydrochloride) (CRM)

	(Contd. from page
Transport hazard class(es)	
DOT	
RAMABLE LOUD TOXIC	
Class Label	3 Flammable liquids 3, 6.1
IMDG	
3 6	
Class	3 Flammable liquids
Label	3/6.1
ΙΑΤΑ	
6	
Class Label	3 Flammable liquids 3 (6.1)
Packing group	
DOT, IMDG, IATA	П
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code): EMS Number:	336 F-E,S-D
Stowage Category	B
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex II of	Net evelopele
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT Quantity limitations	On passenger aircraft/rail: 1 L
	On cargo aircraft only: 60 L
IMDG	
Limited quantities (LQ)	1L Cada: F2
Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
ΙΑΤΑ	
Remarks:	When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of
	E1, E2, E4, or E5, this item meets the De Minim
	Quantities exemption, per IATA 2.6.10.
	(Contd. on page

Printing date 02/24/2022

Revision date 02/24/2022

Trade name: Norcarfentanil (hydrochloride) (CRM)

	(Contd. from page 9)
	Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.
· UN "Model Regulation":	UN 1230 METHANOL SOLUTION, 3 (6.1), II

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

[·] Sara	
· Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings):	
67-56-1 Methanol	
· TSCA (Toxic Substances Control Act):	
67-56-1 Methanol	ACTIVE
· Hazardous Air Pollutants	
67-56-1 Methanol	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
67-56-1 Methanol	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
· TLV (Threshold Limit Value)	
None of the ingredients is listed.	
· NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable. Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

(Contd. on page 11)

US

Printing date 02/24/2022

Revision date 02/24/2022

Trade name: Norcarfentanil (hydrochloride) (CRM)

	(Contd. from page 10)
Department issuing SDS: Environment protection department.	
Contact: -	
Date of preparation / last revision 02/24/2022 / -	
Abbreviations and acronyms:	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
BEI: Biological Exposure Limit	
Flam. Liq. 2: Flammable liquids – Category 2	
Acute Tox. 3: Acute toxicity – Category 3	
STOT SE 1: Specific target organ toxicity (single exposure) – Category 1	
* Data compared to the previous version altered.	