

Dihomo-.gamma.-Linoleic Acid Metabolite LC-MS Mixture

Revision: 06/24/2017

Page: 1 of 7

according to Regulation (EC) No. 1907/2006 as amended by (EC) No. 1272/2008

Section 1. Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product Code: 22281

Product Name: Dihomo-.gamma.-Linoleic Acid Metabolite LC-MS Mixture

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant identified uses: For research use only, not for human or veterinary use.

1.3 Details of the Supplier of the Safety Data Sheet:

Company Name: Cayman Chemical Company

1180 E. Ellsworth Rd. Ann Arbor, MI 48108

Web site address: www.caymanchem.com

Information: Cayman Chemical Company +1 (734)971-3335

1.4 Emergency telephone number:

Emergency Contact: CHEMTREC Within USA and Canada: +1 (800)424-9300

CHEMTREC Outside USA and Canada: +1 (703)527-3887

Section 2. Hazards Identification

2.1 Classification of the Substance or Mixture:

Flammable Liquids, Category 2

2.2 Label Elements:



GHS Signal Word: Danger

GHS Hazard Phrases:

H225: Highly flammable liquid and vapor.

GHS Precaution Phrases:

P210: Keep away from {heat/sparks/open flames/hot surfaces}. - No smoking.

P280: Wear {protective gloves/protective clothing/eye protection/face protection}.

GHS Response Phrases:

P303+361+353: IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.

GHS Storage and Disposal Phrases:

Please refer to Section 7 for Storage and Section 13 for Disposal information.

2.3 Adverse Human Health Material may be irritating to the mucous membranes and upper respiratory tract.

Effects and Symptoms: May be harmful by inhalation, ingestion, or skin absorption.

May cause eye, skin, or respiratory system irritation.

To the best of our knowledge, the toxicological properties have not been thoroughly investigated.

Section 3. Composition/Information on Ingredients

-				
CAS#/ RTECS#	Hazardous Components (Chemical Name)/ REACH Registration No.	Concentration	EC No./ EC Index No.	GHS Classification
745-65-3 GY4569800	Prostaglandin E1	< 0.001 %	212-017-2 NA	Acute Tox.(O) 3: H301 Toxic Repro. 2: H361
22973-19-9 NA	15-keto Prostaglandin E1	< 0.001 %	NA NA	Acute Tox.(O) 3: H301 Toxic Repro. 2: H361
5094-14-4	13,14-dihydro-15-keto Prostaglandin E1	< 0.001 %	NA	No data available.

Multi-region format

Page: 2 of 7

Revision: 06/24/2017

Cauman

SAFETY DATA SHEET

Dihomo-.gamma.-Linoleic Acid Metabolite LC-MS

Mixture

NA			NA	
29044-75-5 NA	13,14-dihydro-15-keto Prostaglandin F1.alpha.	< 0.001 %	NA NA	No data available.
745-62-0 GY4569700	Prostaglandin F1.alpha.	< 0.001 %	NA NA	Acute Tox.(O) 3: H301 Toxic Repro. 2: H361
889573-69-7 NA	8(S)-HETrE	< 0.001 %	NA NA	No data available.
72710-10-2 NA	12(S)-HETrE	< 0.001 %	NA NA	No data available.
92693-02-2 NA	15(S)-HEtrE	< 0.001 %	NA NA	No data available.
64-17-5 KQ6300000	Ethyl alcohol	99.996 %	200-578-6 603-002-00-5	Flam. Liq. 2: H225

Section 4. First Aid Measures

4.1 Description of First Aid

Measures:

In Case of Inhalation: Remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel.

Get immediate medical attention.

In Case of Skin Contact: Immediately wash skin with soap and plenty of water for at least 15 minutes. Remove contaminated

clothing. Get medical attention if symptoms occur. Wash clothing before reuse.

In Case of Eye Contact: Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Have eyes examined

and tested by medical personnel.

In Case of Ingestion: Wash out mouth with water provided person is conscious. Never give anything by mouth to an

unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by

medical personnel.

4.2 Important Symptoms and May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude

Effects, Both Acute and (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects.

Delayed:

Section 5. Fire Fighting Measures

5.1 Suitable Extinguishing Use alcohol-resistant foam, carbon dioxide, water, or dry chemical spray.

Media: Use water spray to cool fire-exposed containers.

Unsuitable Extinguishing A solid water stream may be inefficient.

Media:

5.2 Flammable Properties andCan release vapors that form explosive mixtures at temperatures at or above the flashpoint.

Hazards: Container explosion may occur under fire conditions.

Emits toxic fumes under fire conditions.

Sensitive to static discharge.

Vapors can travel to a source of ignition and flash back.

No data available.

Flash Pt: 14.00 C Method Used: Closed Cup

Explosive Limits: LEL: 3.3% at 25.0 C UEL: 19.0% at 25.0 C

Autoignition Pt: 363.00 C

5.3 Fire Fighting Instructions: As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or

equivalent), and full protective gear to prevent contact with skin and eyes.

Note: Flammable as diluted in ethanol.

Page: 3 of 7

Revision: 06/24/2017

Dihomo-.gamma.-Linoleic Acid Metabolite LC-MS

Mixture

Section 6. Accidental Release Measures

6.1 **Protective Precautions,** Avoid breathing vapors and provide adequate ventilation.

Protective Equipment and As conditions warrant, wear a NIOSH approved self-contained breathing apparatus, or respirator,

and appropriate personal protection (rubber boots, safety goggles, and heavy rubber gloves). **Emergency Procedures:**

6.2 **Environmental** Take steps to avoid release into the environment, if safe to do so.

Precautions:

6.3 Methods and Material For Contain spill and collect, as appropriate.

Containment and Cleaning Transfer to a chemical waste container for disposal in accordance with local regulations.

Up:

Section 7. Handling and Storage

7.1 Precautions To Be Taken Avoid breathing dust/fume/gas/mist/vapours/spray.

in Handling: Avoid prolonged or repeated exposure.

Keep away from sources of ignition.

Take precautionary measures against static discharge.

Precautions To Be Taken Keep away from heat, sparks, and flame. 7.2

Keep container tightly closed. in Storing:

Store in accordance with information listed on the product insert.

Other Precautions: Hygroscopic.

Section 8. Exposure Controls/Personal Protection

8.1 **Exposure Parameters:**

CAS#	Chemical Name	Jurisdiction	Recommended Exposure Limits	Notations
64-17-5	Ethyl alcohol	ACGIH TLV	TLV: 1000 ppm STEL: 1000 ppm	
		France VL	TWA: 1900 mg/m3 (1000 ppm) STEL: 9500 mg/m3 (5000 ppm)	
		OSHA PELs	PEL: 1000 ppm	
		Britain EH40	TWA: 1920 mg/m3 (1000 ppm) STEL: ()	

8.2 **Exposure Controls:**

8.2.1 **Engineering Controls** Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne

(Ventilation etc.): levels below recommended exposure limits.

8.2.2 Personal protection equipment:

Eye Protection: Safety glasses

Protective Gloves: Compatible chemical-resistant gloves

Other Protective Clothing: Lab coat

Respiratory Equipment NIOSH approved respirator, as conditions warrant.

(Specify Type):

Work/Hygienic/Maintenan Do not take internally.

Facilities storing or utilizing this material should be equipped with an eyewash and a safety shower. ce Practices:

Wash thoroughly after handling.

No data available.

Dihomo-.gamma.-Linoleic Acid Metabolite LC-MS

Mixture

Revision: 06/24/2017

Page: 4 of 7

Section 9. Physical and Chemical Properties

9.1 Information on Basic Physical and Chemical Properties

Physical States: [] Gas [X] Liquid [] Solid

Appearance and Odor: A solution in ethanol (1 µg/ml each compound)

pH: No data.Melting Point: No data.Boiling Point: No data.

Flash Pt: 14.00 C Method Used: Closed Cup

Evaporation Rate: No data.

Flammability (solid, gas): No data available.

Explosive Limits: LEL: 3.3% at 25.0 C UEL: 19.0% at 25.0 C

Vapor Pressure (vs. Air or mm 43 MM_HG at 20.0 C

Hq):

Vapor Density (vs. Air = 1):No data.Specific Gravity (Water = 1):No data.Solubility in Water:No data.Octanol/Water PartitionNo data.

Coefficient:

Autoignition Pt:363.00 CDecomposition Temperature:No data.Viscosity:No data.

9.2 Other Information

Percent Volatile: No data.

Section 10. Stability and Reactivity

10.1 Reactivity: No data available.

10.2 Stability: Unstable [] Stable [X]

10.3 Stability Note(s): Stable if stored in accordance with information listed on the product insert.

Polymerization: Will occur [] Will not occur [X]

10.4 Conditions To Avoid: heat, flames and sparks

10.5 Incompatibility - Materials alkali metals

To Avoid: ammonia

peroxides

strong oxidizing agents

10.6 Hazardous carbon dioxide

Decomposition or carbon monoxide

Byproducts:

Page: 5 of 7

Revision: 06/24/2017

Cayman

Dihomo-.gamma.-Linoleic Acid Metabolite LC-MS Mixture

Section 11. Toxicological Information

11.1 Information on The toxicological effects of this product have not been thoroughly studied.

Toxicological Effects: Ethanol - Toxicity Data: Oral TDLO (man): 1.14 ml/kg; Oral TDLO (man): 650 mg/kg; Oral LD50

(rat): 7,060 mg/kg; Oral LD50 (mouse): 3,450 mg/kg; Oral LD50 (mouse): 10.5 ml/kg; Oral LD50 (rabbit): 6,300 mg/kg; Inhalation LC50 (rat): 20,000 ppm (10h); Inhalation TCLO (human): 1,800 ppm (30m); Inhalation TCLO (human): 2,500 mg/m3 (20m); Inhalation LC50 (rat): 5,900 mg/m3

(6h); Inhalation LCLO (mouse): 29,300 ppm (7h);

Ethanol - Irritation Data: Eyes (rabbit): 500 mg (24h) mild; Skin (rabbit): 20 mg (24h) moderate;

Chronic Toxicological

Ethanol - Investigated as a mutagen, reproductive effector, and tumorigen.

Effects:

Only select Registry of Toxic Effects of Chemical Substances (RTECS) data is presented here.

See actual entry in RTECS for complete information.

Ethanol RTECS Number: KQ6300000

Carcinogenicity: NTP? No IARC Monographs? No OSHA Regulated? No

CAS#	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
745-65-3	Prostaglandin E1	n.a.	n.a.	n.a.	n.a.
22973-19-9	15-keto Prostaglandin E1	n.a.	n.a.	n.a.	n.a.
5094-14-4	13,14-dihydro-15-keto Prostaglandin E1	n.a.	n.a.	n.a.	n.a.
29044-75-5	13,14-dihydro-15-keto Prostaglandin F1.alpha.	n.a.	n.a.	n.a.	n.a.
745-62-0	Prostaglandin F1.alpha.	n.a.	n.a.	n.a.	n.a.
889573-69-7	8(S)-HETrE	n.a.	n.a.	n.a.	n.a.
72710-10-2	12(S)-HETrE	n.a.	n.a.	n.a.	n.a.
92693-02-2	15(S)-HEtrE	n.a.	n.a.	n.a.	n.a.
64-17-5	Ethyl alcohol	n.a.	1	A4	n.a.

Section 12. Ecological Information

12.1 Toxicity: Avoid release into the environment.

Runoff from fire control or dilution water may cause pollution.

12.2 Persistence and No data available.

Degradability:

12.3 Bioaccumulative No data available.

Potential:

12.4 Mobility in Soil: No data available.

12.5 Results of PBT and vPvB No data available.

assessment:

12.6 Other adverse effects: No data available.

Section 13. Disposal Considerations

13.1 Waste Disposal Method: Dispose in accordance with local, state, and federal regulations.

Page: 6 of 7

Revision: 06/24/2017



Dihomo-.gamma.-Linoleic Acid Metabolite LC-MS

SAFETY DATA SHEET

Mixture

Section 14. Transport Information

LAND TRANSPORT (US DOT): 14.1

DOT Proper Shipping Name: Ethyl Alcohol Solution

DOT Hazard Class: FLAMMABLE LIQUID

UN/NA Number: 1170 **Packing Group:** Ш



LAND TRANSPORT (European ADR/RID): 14.1

ADR/RID Shipping Name: Ethyl Alcohol Solution

UN Number: 1170 П **Packing Group:**

Hazard Class: 3 - FLAMMABLE LIQUID

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: Ethyl Alcohol Solution

UN Number: 1170 **Packing Group:** Ш **Hazard Class: IATA Classification:** 3 3 - FLAMMABLE LIQUID

Additional Transport Transport in accordance with local, state, and federal regulations.

When sold in quantities of less than or equal to 1 mL, or 1 g, with an Excepted Quantity Code of Information:

> E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.

Section 15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS#	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
745-65-3	Prostaglandin E1	No	No	No
22973-19-9	15-keto Prostaglandin E1	No	No	No
5094-14-4	13,14-dihydro-15-keto Prostaglandin E1	No	No	No
29044-75-5	13,14-dihydro-15-keto Prostaglandin F1.alpha.	No	No	No
745-62-0	Prostaglandin F1.alpha.	No	No	No
889573-69-7	8(S)-HETrE	No	No	No
72710-10-2	12(S)-HETrE	No	No	No
92693-02-2	15(S)-HEtrE	No	No	No
64-17-5	Ethyl alcohol	No	No	No

CAS#	Hazardous Components (Chemical Name)	Other US EPA or State Lists
745-65-3	Prostaglandin E1	CAA HAP,ODC: No; CWA NPDES: No; TSCA: No; CA PROP.65: No
22973-19-9	15-keto Prostaglandin E1	CAA HAP,ODC: No; CWA NPDES: No; TSCA: No; CA PROP.65: No
5094-14-4	13,14-dihydro-15-keto Prostaglandin E1	CAA HAP,ODC: No; CWA NPDES: No; TSCA: No; CA PROP.65: No
29044-75-5	13,14-dihydro-15-keto Prostaglandin F1.alpha.	CAA HAP,ODC: No; CWA NPDES: No; TSCA: No; CA PROP.65: No
745-62-0	Prostaglandin F1.alpha.	CAA HAP,ODC: No; CWA NPDES: No; TSCA: No; CA PROP.65: No



Page: 7 of 7

Revision: 06/24/2017

Dihomo-.gamma.-Linoleic Acid Metabolite LC-MS

Mixture

889573-69-7	8(S)-HETrE	CAA HAP,ODC: No; CWA NPDES: No; TSCA: No; CA PROP.65: No
72710-10-2	12(S)-HETrE	CAA HAP,ODC: No; CWA NPDES: No; TSCA: No; CA PROP.65: No
92693-02-2	15(S)-HEtrE	CAA HAP,ODC: No; CWA NPDES: No; TSCA: No; CA PROP.65: No
64-17-5	Ethyl alcohol	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No

Regulatory Information

This SDS was prepared in accordance with 29 CFR 1910.1200 and Regulation (EC)

Statement:

No.1272/2008.

Section 16. Other Information

Revision Date:

06/24/2017

Additional Information About

No data available.

This Product:

Company Policy or Disclaimer: DI

DISCLAIMER: This information is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty,

express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for

their particular purposes.