

KQ6300000

## SAFETY DATA SHEET 10(Z)-Pentadecenoic Acid

Revision: 10/28/2017

					(20) 11	•				
		acco	rding to Regulation (EC) No. 190	07/2006 as amended by	(EC) No. 1272/200	8				
		Section 1. Ic	dentification of the Substar	nce/Mixture and of t	he Company/Ur	ndertaking				
1.1	Product	t Code:	22362							
	Product	t Name:	10(Z)-Pentadecenoic Aci	d						
	Synony	ms:	10(Z)-Pentadecenoic aci	d;						
1.2	Relevar	nt identified uses of	the substance or mixture a	ind uses advised ac	ainst:					
		ant identified uses:	For research use only, no	_	-					
1.3	Details	of the Supplier of th	e Safety Data Sheet:							
		any Name:	Cayman Chemical Comp	any						
	-	-	1180 E. Ellsworth Rd.							
			Ann Arbor, MI 48108							
	Web s	ite address:	www.caymanchem.com							
	Inform	nation:	Cayman Chemical Comp	pany	+1 (734	4)971-3335				
1.4	Emerge	ncy telephone num	ber:							
	Emerg	gency Contact:	CHEMTREC Within USA	and Canada:	+1 (800	0)424-9300				
			CHEMTREC Outside US	A and Canada:	+1 (703	3)527-3887				
			Section 2. Ha	zards Identific	ation					
2.1	Classifi	cation of the Substa	ance or Mixture:							
	Flamr	nable Liquids, Cate	aorv 2							
2.2		lements:	57 -							
	J.									
		<u>₹</u> 3								
	GHS Signal Word: Danger									
	GHS Hazard Phrases:									
	H225: Highly flammable liquid and vapor.									
	GHS Precaution Phrases:									
	P210: Keep away from {heat/sparks/open flames/hot surfaces} No smoking.									
	P280: Wear {protective gloves/protective clothing/eye protection/face protection}.									
	GHS Response Phrases:									
	P303+361+353: IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.									
	GHS Storage and Disposal Phrases:									
		Please refer to Section 7 for Storage and Section 13 for Disposal information.								
2.3						niratory tract				
2.5	Adverse Human HealthMaterial may be irritating to the mucous membranes and upper respiratory tract.Effects and Symptoms:May be harmful by inhalation, ingestion, or skin absorption.									
	LIIECIS	May be narmini by innalation, ingestion, or skin absorption. May cause eye, skin, or respiratory system irritation.								
						been thoroughly investigated.				
					-					
		1	on 3. Composition	1	-	I				
CAS		Hazardous Components (Chemical Name)/		Concentration	EC No./	GHS Classification				
	CS #	REACH Registration			EC Index No.					
847 NA	43-29-3	10(Z)-Pentadecenoic	Acid	1.0 %	NA	No data available.				
<u> </u>	475				NA					
1 64	4-17-5	Ethyl alcohol		99.0 %	200-578-6	Flam. Liq. 2: H225				

Multi-region format

603-002-00-5



Revision: 10/28/2017

		Section 4. First Aid Measures						
4.1	Description of First Aid							
	Measures:							
	In Case of Inhalation:	Remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Get immediate medical attention.						
	In Case of Skin Contact:	Immediately wash skin with soap and plenty of water for at least 15 minutes. Remove contaminated clothing. Get medical attention if symptoms occur. Wash clothing before reuse.						
	In Case of Eye Contact:	Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Have eyes examined and tested by medical personnel.						
	In Case of Ingestion:	Wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by medical personnel.						
4.2	Important Symptoms and Effects, Both Acute and Delayed:	May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects.						
		Section 5. Fire Fighting Measures						
5.1	Suitable Extinguishing	Use alcohol-resistant foam, carbon dioxide, water, or dry chemical spray.						
	Media:	Use water spray to cool fire-exposed containers.						
	Unsuitable Extinguishing Media:	A solid water stream may be inefficient.						
5.2	Flammable Properties and Can release vapors that form explosive mixtures at temperatures at or above the flashpoint.							
	Hazards:	Container explosion may occur under fire conditions.						
		Emits toxic fumes under fire conditions.						
		Sensitive to static discharge.						
		Vapors can travel to a source of ignition and flash back.						
		No data available.						
	Flash Pt:	14.00 C Method Used: Closed Cup						
	Explosive Limits:	LEL: 3.3% at 25.0 C UEL: 19.0% at 25.0 C						
	Autoignition Pt:	363.00 C						
5.3	Fire Fighting Instructions	As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes. Note: Flammable as diluted in ethanol.						
		Section 6. Accidental Release Measures						
6.1	Protective Precautions,	Avoid breathing vapors and provide adequate ventilation.						
	Protective Equipment and	d As conditions warrant, wear a NIOSH approved self-contained breathing apparatus, or respirator,						
	Emergency Procedures:	and appropriate personal protection (rubber boots, safety goggles, and heavy rubber gloves).						
6.2	Environmental Precautions:	Take steps to avoid release into the environment, if safe to do so.						
6.3		r Contain spill and collect, as appropriate. gTransfer to a chemical waste container for disposal in accordance with local regulations.						

Multi-region format



Revision: 10/28/2017

		Se	ection 7. Hand	lling and Storage				
7.1	Precautions To Be Taken	Avoid bre	athing dust/fume/gas/	/mist/vapours/spray.				
	in Handling:	Avoid pro	longed or repeated ex	kposure.				
		Keep awa	ay from sources of ign	ition.				
		Take pred	cautionary measures	against static discharge.				
7.2	Precautions To Be Taken	Keep awa	ay from heat, sparks, a	and flame.				
	in Storing:	Keep con	tainer tightly closed.					
		Store in a	accordance with inform	nation listed on the product insert.				
	Other Precautions:	Hygrosco	roscopic					
	Sec	tion 8.	Exposure Cor	ntrols/Personal Protection				
8.1	Exposure Parameters:							
CAS	# Chemical Name	Ju	urisdiction	Recommended Exposure Limits	Notations			
64-17	-5 Ethyl alcohol	A	CGIH TLV	TLV: 1000 ppm STEL: 1000 ppm				
		Fr	ance VL	TWA: 1900 mg/m3 (1000 ppm) STEL: 9500 mg/m3 (5000 ppm)				
		0	SHA PELs	PEL: 1000 ppm				
		Br	itain EH40	TWA: 1920 mg/m3 (1000 ppm) STEL: ()				
8.2	Exposure Controls:							
8.2.1	Engineering Controls	Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne						
	(Ventilation etc.):	levels bel	ow recommended exp	posure limits.				
8.2.2	Personal protection equi	pment:						
	Eye Protection:	Safety gla	ety glasses					
	Protective Gloves: Compatible chemical-resistant gloves							
	Other Protective Clothing:Lab coat							
	<b>Respiratory Equipment</b> NIOSH approved respirator, as conditions warrant.							
	(Specify Type):							
	Work/Hygienic/Maintenan Do not take internally.							
	ce Practices:		cilities storing or utilizing this material should be equipped with an eyewash and a safety shower.					
			roughly after handling	l.				
		No data a	available.					
			<u>,</u>	nd Chemical Properties				
9.1	Information on Basic Phys		-					
	Physical States:	-	] Gas [X] Liquid	[ ] Solid				
	Appearance and Odor:		solution in ethanol					
	pH:		o data.					
	Melting Point:		o data.					
	Boiling Point:		o data.					
	Flash Pt:			I: Closed Cup				
	Evaporation Rate:		o data.					
	Flammability (solid, gas):		o data available.					
	Explosive Limits:		EL: 3.3% at 2					
	Vapor Pressure (vs. Air o Hg):	1 111111 2	43 MM_HG at 20.0	0				
	Vapor Density (vs. Air = 1	): N	o data.					
					Multi-region forma			

Multi-region format



Revision: 10/28/2017

	Specific Gravity (Water = 1): Solubility in Water:			No data.						
		Water Partition	No	data.						
	Coeffici									
	Autoignition Pt:			3.00 C						
	-	osition Tempera		data.						
	Viscosi	-	No	data.						
9.2		formation								
		Volatile:		data.						
	Molecul	ar Formula & We	eight: C1	5H28O2	240.4					
			Sec	tion 10	. Stability a	nd Reactiv	/ity			
10.1	Reactiv	ity:	No data av	vailable.						
10.2	Stability	/:	Unstable [	] Sta	ble [ X ]					
10.3	Stability	/ Note(s):	Stable if st	tored in acc	ordance with info	rmation listed c	on the product	insert.		
	Polyme	rization:	Will occur	Will occur [ ] Will not occur [ X ]						
10.4	Conditio	ons To Avoid:	heat, flame	es and spa	rks					
10.5	Incomp	atibility - Materia	Is alkali meta	als						
	To Avoi	d:	ammonia							
			peroxides							
			strong oxidizing agents							
10.6	Hazardous carbo			carbon dioxide						
	Decomp	position or	carbon monoxide							
	Byprod	ucts:								
			Secti	on 11.	Toxicologic	al Informa	ation			
11.1	Informa	tion on			cts of this product			udied.		
		ogical Effects:		Ethanol - Toxicity Data: Oral TDLO (man): 1.14 ml/kg; Oral TDLO (man): 650 mg/kg; Oral LD50						
		- <b>J</b>	(rat): 7,060 mg/kg; Oral LD50 (mouse): 3,450 mg/kg; Oral LD50 (mouse): 10.5 ml/kg; Oral LD50							
			(rabbit): 6,300 mg/kg; Inhalation LC50 (rat): 20,000 ppm (10h); Inhalation TCLO (human): 1,800							
			ppm (30m); Inhalation TCLO (human): 2,500 mg/m3 (20m); Inhalation LC50 (rat): 5,900 mg/m3							
			(6h); Inhalation LCLO (mouse): 29,300 ppm (7h);							
	Chronic Toxicological		Ethanol - Irritation Data: Eyes (rabbit): 500 mg (24h) mild; Skin (rabbit): 20 mg (24h) moderate; Ethanol - Investigated as a mutagen, reproductive effector, and tumorigen.							
Effects:			Only selec	Only select Registry of Toxic Effects of Chemical Substances (RTECS) data is presented here.						
		See a		See actual entry in RTECS for complete information.						
			Ethanol R	Ethanol RTECS Number: KQ6300000						
Carcinogenicity:		NTP? No	IARC	Monographs? No	OSHA Re	gulated? No				
		Hazardous Cor	nponents (C	hemical N	ame)	NTP	IARC	ACGIH	OSHA	
		10(Z)-Pentadec	enoic Acid	cid		n.a.	n.a.	n.a.	n.a.	
8474	13-29-3					n.a.	1			

Multi-region format



Revision: 10/28/2017

			Section	12. Ecolo	gical Informa	tion		
12.1	Toxicity	:	Avoid release into the environment.					
-		Runoff from fire control or dilution water may cause pollution.						
12.2	Persiste	ence and	No data available.					
	Degradability:							
12.3								
	Potentia	al:						
12.4	Mobility	in Soil:	No data available.					
12.5	Results	of PBT and vPvB	No data available					
	assessm	nent:						
12.6	Other ad	dverse effects:	No data available					
			Section 1	3. Dispos	al Considera	tions		
13.1	Waste D	isposal Method:	Dispose in accord	ance with loca	l, state, and federal	regulations.		
			Section	14. Trans	sport Informa	tion		
14.1	LAND T	RANSPORT (US I	DOT):					
D	OT Prope	er Shipping Name:	Ethyl Alcohol	Solution				
D	OT Hazar	d Class:	3	FLAMMABI	_E LIQUID			
U	N/NA Nur	nber:	1170		Packing Gro	up:	II	
<ul> <li>14.1 LAND TRANSPORT (Euro ADR/RID Shipping Name: UN Number: Hazard Class:</li> <li>14.3 AIR TRANSPORT (ICAO/I ICAO/IATA Shipping Name: UN Number: Hazard Class:</li> <li>Additional Transport Information:</li> </ul>			Ethyl Alcohol 1170 3 - FLAMMAE ATA): Ethyl Alcohol 1170 3 - FLAMMAE Transport in acco When sold in qua E1, E2, E4, or E5	BLE LIQUID Solution BLE LIQUID rdance with loo ntities of less t , this item mee	ets the De Minimis Q	up: ication: Il regulations.		
						-		
				<b>v</b>	atory Informa	lion		
	•	Iperfund Amendm	ents and Reautho ponents (Chemica		-	S. 304 RQ	6 212 /TDI\	
CAS #	¥ 3-29-3	10(Z)-Pentadecer	· · ·		S. 302 (EHS) No	No	S. 313 (TRI)	
	-3-29-3	Ethyl alcohol			No	No	No	
	17-5							
CAS #			ponents (Chemica	al Name)	Other US EPA or			
8474	3-29-3	10(Z)-Pentadecer	noic Acid		CAA HAP,ODC: N PROP.65: No	lo; CWA NPDES: No	; TSCA: No; CA	
64-	-17-5	Ethyl alcohol			CAA HAP,ODC: N	lo; CWA NPDES: No	; TSCA: Yes -	
							Multi-region forma	



Revision: 10/28/2017

Page: 6 of 6

		Inventory; CA PROP.65: No					
Regulatory Info	- prmation	This SDS was prepared in accordance with 29 CFR 1910.1200 and Regulation (EC)					
Statement:		No.1272/2008.					
		Section 16. Other Information					
Revision Date:		10/28/2017					
Additional Info	rmation About	No data available.					
This Product:							
This Product:	rmation About cy or Disclaimer:						