

 	o Regulation (EC) No. 1907/2006 as amended by (EC) No. 2015/83				
Section 1 Ide	entification of the Substance/Mixture and of the				
		le company/ondertaking			
Product Code:	22393				
Product Name:	5-fluoro MDMB-PICA metabolite 2				
Synonyms:	methyl (S)-2-(1-(5-hydroxypentyl)-1H-indole-3-	carboxamido)-3,3-dimethylbutanoate;			
	he substance or mixture and uses advised ag				
Relevant identified uses:	For research use only, not for human or vetering	nary use.			
Details of the Supplier of the	e Safety Data Sheet:				
Company Name:	Cayman Chemical Company				
	1180 E. Ellsworth Rd.				
	Ann Arbor, MI 48108				
Web site address:	www.caymanchem.com	. 4 (704)074 0005			
Information:	Cayman Chemical Company	+1 (734)971-3335			
Emergency telephone numb					
Emergency Contact:	CHEMTREC Within USA and Canada:	+1 (800)424-9300			
	CHEMTREC Outside USA and Canada:	+1 (703)527-3887			
	Section 2. Hazards Identific	ation			
Classification of the Substa	nce or Mixture:				
Flammable Liquids, Categ	ory 2				
Acute Toxicity: Inhalation,					
Acute Toxicity: Oral, Category 4					
Acute Toxicity: Skin, Category 4					
Acute Toxicity: Skin, Cate	gory 4				
Acute Toxicity: Skin, Cate Serious Eye Damage/Eye Label Elements:					
Serious Eye Damage/Eye	rritation, Category 2				
Serious Eye Damage/Eye Label Elements:					
Serious Eye Damage/Eye Label Elements:	Irritation, Category 2 Danger				
Serious Eye Damage/Eye Label Elements: GHS Signal Word: GHS Hazard Phrases:	Irritation, Category 2 Danger				
Serious Eye Damage/Eye I Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable liqu	Irritation, Category 2 Danger id and vapor.				
Serious Eye Damage/Eye I Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable liqu H302: Harmful if swallowed.	Irritation, Category 2 Danger id and vapor.				
Serious Eye Damage/Eye I Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable liqu H302: Harmful if swallowed. H312: Harmful in contact with	Irritation, Category 2 Danger id and vapor.				
Serious Eye Damage/Eye I Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable liqu H302: Harmful if swallowed. H312: Harmful in contact wit H319: Causes serious eye in	Irritation, Category 2 Danger id and vapor.				
Serious Eye Damage/Eye I Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable liqu H302: Harmful if swallowed. H312: Harmful in contact with H319: Causes serious eye in H332: Harmful if inhaled. GHS Precaution Phrases:	Irritation, Category 2 Danger id and vapor.				
Serious Eye Damage/Eye I Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable liqu H302: Harmful if swallowed. H312: Harmful if swallowed. H312: Harmful if ncontact wit H319: Causes serious eye if H332: Harmful if inhaled. GHS Precaution Phrases: P210: Keep away from {hea	<b>Danger</b> id and vapor. th skin. rritation.	ŀ			
Serious Eye Damage/Eye I Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable liqu H302: Harmful if swallowed. H312: Harmful if swallowed. H312: Harmful if ncontact wit H319: Causes serious eye if H332: Harmful if inhaled. GHS Precaution Phrases: P210: Keep away from {hea	Irritation, Category 2 Danger id and vapor. th skin. rritation. t/sparks/open flames/hot surfaces} No smoking /fume/gas/mist/vapors/spray}.	ŀ			
Serious Eye Damage/Eye I Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable liqu H302: Harmful if swallowed. H312: Harmful if swallowed. H319: Causes serious eye in H319: Causes serious eye in	Irritation, Category 2 Danger id and vapor. th skin. rritation. t/sparks/open flames/hot surfaces} No smoking /fume/gas/mist/vapors/spray}.				
Serious Eye Damage/Eye I Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable liqu H302: Harmful if swallowed. H312: Harmful if swallowed. H319: Causes serious eye in H319: Causes serious eye in	Irritation, Category 2 Danger id and vapor. th skin. rritation. t/sparks/open flames/hot surfaces} No smoking /fume/gas/mist/vapors/spray}. ghly after handling.				
Serious Eye Damage/Eye I Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable liqu H302: Harmful if swallowed. H312: Harmful if swallowed. H319: Causes serious eye if H319: Causes serious eye if	Irritation, Category 2 Danger id and vapor. th skin. rritation. t/sparks/open flames/hot surfaces} No smoking /fume/gas/mist/vapors/spray}. ghly after handling.	on}.			
Serious Eye Damage/Eye I Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable liqu H302: Harmful if swallowed. H312: Harmful if swallowed. H312: Harmful if swallowed. H312: Harmful if nhaled in H319: Causes serious eye in H332: Harmful if inhaled. GHS Precaution Phrases: P210: Keep away from {hea P261: Avoid breathing {dust P264: Wash {hands} thoroug P280: Wear {protective glov GHS Response Phrases: P301+312: IF SWALLOWER	Irritation, Category 2 Danger id and vapor. th skin. tritation. t/sparks/open flames/hot surfaces} No smoking /fume/gas/mist/vapors/spray}. ghly after handling. es/protective clothing/eye protection/face protecti	on}.			
Serious Eye Damage/Eye I Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable liqu H302: Harmful if swallowed. H312: Harmful if swallowed. H312: Harmful in contact with H319: Causes serious eye in H332: Harmful if inhaled. GHS Precaution Phrases: P210: Keep away from {hea P261: Avoid breathing {dust P264: Wash {hands} thoroug P280: Wear {protective glow GHS Response Phrases: P301+312: IF SWALLOWED P302+352: IF ON SKIN: Wa	Irritation, Category 2 Danger id and vapor. th skin. rritation. t/sparks/open flames/hot surfaces} No smoking /fume/gas/mist/vapors/spray}. ghly after handling. es/protective clothing/eye protection/face protecti D: P312: Call a POISON CENTER or doctor/phys	on}. ician if you feel unwell.			
Serious Eye Damage/Eye I Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable liqu H302: Harmful if swallowed. H312: Harmful if swallowed. H312: Harmful in contact wit H319: Causes serious eye in H332: Harmful if inhaled. GHS Precaution Phrases: P210: Keep away from {hea P261: Avoid breathing {dust P264: Wash {hands} thoroug P280: Wear {protective glow GHS Response Phrases: P301+312: IF SWALLOWED P302+352: IF ON SKIN: Wa P303+361+353: IF ON SKIN	Irritation, Category 2 Danger id and vapor. th skin. tritation. t/sparks/open flames/hot surfaces} No smoking /fume/gas/mist/vapors/spray}. ghly after handling. es/protective clothing/eye protection/face protecti D: P312: Call a POISON CENTER or doctor/phys sh with plenty of soap and water.	on}. ician if you feel unwell. minated clothing. Rinse skin with			



Revision: 08/02/2019

**GHS Classification** 

Acute Tox.(O) 4: H302

Acute Tox.(D) 4: H312 Acute Tox.(I) 4: H332

Acute Tox.(O) 4: H302 Acute Tox.(D) 4: H312 Eye Damage 2: H319 Acute Tox.(I) 4: H332

Flam. Liq. 2: H225

to do. Continue rinsing. P321: Specific treatment {see ... on this label}. P330: Rinse mouth. P337+313: If eye irritation persists, get medical advice/attention. P362+364: Take off contaminated clothing and wash it before reuse. GHS Storage and Disposal Phrases: Please refer to Section 7 for Storage and Section 13 for Disposal information. 2.3 Adverse Human Health Can cause fatal cyanide poisoning. Causes serious eye irritation. Effects and Symptoms: Harmful if swallowed, inhaled, or absorbed through the skin. Material may be irritating to the mucous membranes and upper respiratory tract. May be fatal if swallowed, inhaled, or absorbed through the skin. May cause skin or respiratory system irritation. Several hours may elapse from exposure to onset of symptoms. To the best of our knowledge, the toxicological properties have not been thoroughly investigated. Section 3. Composition/Information on Ingredients CAS #/ Hazardous Components (Chemical Name)/ EC No./ Concentration **RTECS #** EC Index No. **REACH Registration No.** 5-fluoro MDMB-PICA metabolite 2 NA 1.0 % NA NA NA 75-05-8 99.0 % 200-835-2 Acetonitrile AL7700000 01-2119471307-38 608-001-00-3 Section 4. First Aid Measures 4.1 **Description of First Aid** Measures: In Case of Inhalation: Remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Get immediate medical attention. In Case of Skin Contact: Immediately wash skin with soap and plenty of water for at least 15 minutes. Remove contaminated clothing. Get medical attention if symptoms occur. Wash clothing before reuse. In Case of Eye Contact: Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Have eyes examined and tested by medical personnel. Wash out mouth with water provided person is conscious. Never give anything by mouth to an In Case of Ingestion: unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by

medical personnel. 4.2 Important Symptoms and Exposure may cause: asphyxia, cyanosis, depression, diarrhea, dizziness, drowsiness, excitement, Effects, Both Acute and headache, impaired judgement, lack of coordination, nausea, rash, vomiting, stupor, death. Treat as cyanide poisoning. Always have on hand a cyanide first-aid kit, together with proper **Delayed:** instructions. The onset of symptoms is generally delayed pending conversion to cyanide. Acetonitrile is metabolized to cyanide. Patients with significant exposures must be observed for Note for the Doctor: signs of cyanide poisoning and treated accordingly.

Multi-region format



ПĒ

#### **SAFETY DATA SHEET** 5-fluoro MDMB-PICA metabolite 2

Multi-region format

		Section 5. File	e Fighting Measures	
5.1	Suitable Extinguishing	Use alcohol-resistant foam,	carbon dioxide, water, or dry chemical spray.	
	Media:	Use water spray to cool fire-	exposed containers.	
	Unsuitable Extinguishin	g A solid water stream may be	e inefficient.	
	Media:			
5.2	Flammable Properties a	ndCan release vapors that form	n explosive mixtures at temperatures at or abo	ove the flashpoint.
	Hazards:	Container explosion may oc		
		Emits toxic fumes under fire	conditions.	
		Sensitive to static discharge		
		Vapors can travel to a sourc	e of ignition and flash back.	
		No data available.		
	Flash Pt:	2.00 C Method Used: Clo	osed Cup	
	Explosive Limits:	LEL: 3.0% at 25.0 C	UEL: 16.0% at 25.0 C	
	Autoignition Pt:	524.00 C		
5.3	Fire Fighting Instruction	s: As in any fire, wear self-cont	ained breathing apparatus pressure-demand	(NIOSH approved or
			ve gear to prevent contact with skin and eyes.	
		Note: Flammable as diluted	in acetonitrile.	
		Section 6. Accider	ntal Release Measures	
6.1	Protective Precautions,	Avoid raising and breathing	dust, and provide adequate ventilation.	
	Protective Equipment ar	nd As conditions warrant, wear	a NIOSH approved self-contained breathing	apparatus, or respirator,
	Emergency Procedures:	and appropriate personal pr	otection (rubber boots, safety goggles, and he	eavy rubber gloves).
6.2	Environmental	Take steps to avoid release	into the environment, if safe to do so.	
	Precautions:			
6.3	Methods and Material Fo	or Contain spill and collect, as	appropriate.	
Containment and Cleaning Transfer to a chemical waste container for disposal in accordance with local r			cal regulations.	
	Up:			
		Section 7 Ha	ndling and Storage	
			<u> </u>	
7.1		n Avoid breathing dust/fume/g		
	in Handling:	Avoid prolonged or repeated	-	
		Keep away from sources of Take precautionary measure	-	
7.2	Processions To Po Tako	<ul> <li>n Keep away from heat, spark</li> </ul>		
1.2	in Storing:	Keep container tightly closed		
	in Storing.		prmation listed on the product insert.	
<b></b>			· · · · · · · · · · · · · · · · · · ·	
L	Sec	tion 8. Exposure C	ontrols/Personal Protection	
8.1	Exposure Parameters:			
CAS	# Chemical Name	Jurisdiction	Recommended Exposure Limits	Notations
75-05	-8 Acetonitrile	ACGIH TLV	TLV: 20 ppm	
		Europe	TWA: 70 mg/m3 (40 ppm)	Skin Absorption
		France VL	TWA: 70 mg/m3 (40 ppm)	
1			STEL: ()	
┣───		00000		
		OSHA PELs	PEL: 40 ppm	
		OSHA PELs Britain EH40	PEL: 40 ppm TWA: 68 mg/m3 (40 ppm) STEL: 102 mg/m3 (60 ppm)	



	NEMICAL					
8.2	Exposure Controls:					
8.2.1	Engineering Controls	Jse process enclosures, local exhaust ventilation, or other engineering controls to control airborne				
	(Ventilation etc.):	evels below recommended exposure limits.				
8.2.2	Personal protection equipr	nent:				
	Eye Protection:	Safety glasses				
	Protective Gloves:	Compatible chemical-resistant gloves				
	Other Protective Clothing:Lab coat					
	Respiratory Equipment	NIOSH approved respirator, as conditions warrant.				
	(Specify Type):					
	Work/Hygienic/Maintenan	Do not take internally.				
	ce Practices:	Facilities storing or utilizing this material should be equipped with an eyewash and a safety shower				
	١	Nash thoroughly after handling.				
	1	No data available.				
	Se	ction 9. Physical and Chemical Properties				
9.1	-	cal and Chemical Properties				
	Physical States:	[]Gas [X]Liquid []Solid				
	Appearance and Odor:	A solution in acetonitrile				
	pH:	No data.				
	Melting Point:	No data.				
	Boiling Point:	No data.				
	Flash Pt:	2.00 C Method Used: Closed Cup				
	Evaporation Rate:	No data.				
	Flammability (solid, gas):	No data available.				
	Explosive Limits:	LEL: 3.0% at 25.0 C UEL: 16.0% at 25.0 C				
	Vapor Pressure (vs. Air or Hg):	mm 73 MM_HG at 20.0 C				
	Vapor Density (vs. Air = 1):	No data.				
	Specific Gravity (Water = 1)	: No data.				
	Solubility in Water:	No data.				
	Octanol/Water Partition	No data.				
	Coefficient:					
	Autoignition Pt:	524.00 C				
	Decomposition Temperatu	re: No data.				
	Viscosity:	No data.				
9.2	Other Information					
	Percent Volatile:	No data.				
	Molecular Formula & Weigl	ht: C21H30N2O4 374.5				

Multi-region format



			Section 10. Stability	and Reacti	vity		
10.1	Reactivity: No data available.						
10.2	Stability: Unstable [ ] Stable [ X ]						
<b>10.3 Stability Note(s):</b> Stable if stored in accordance with information listed on the product insert.							
	Polymeriz	ation:	Will occur [ ] Will not occur [ >				
10.4	-	s To Avoid:	heat, flames, and sparks,	-			
10.5	Incompati	bility - Materials	· · · ·				
	To Avoid:	-	alkali metals				
			bases				
			oxidizing agents				
			reducing agents				
10.6	Hazardou	s	carbon dioxide				
	Decompo	sition or	carbon monoxide				
	Byproduc	ts:	hydrogen cyanide				
			nitrogen oxides				
			Section 11. Toxicolog	gical Informa	ation		
11.1	Informatio	on on	The toxicological effects of this product have not been thoroughly studied.				
	Toxicolog	ical Effects:	Acetonitrile - Toxicity Data: Oral LD	50 (rat): 2,460 mg	/kg; Oral LD50	) (mouse): 269	mg/kg; Oral
			LD50 (rabbit): 50 mg/kg; Oral TDLO (man): 64 mg/kg; Skin LD50 (rabbit): 980 mg/kg; Inhalation				
			TCLO (human): 160 ppm (4h); Inha	lation LC50 (rat):	7,551 ppm (8h	);	
			Acetonitrile - Irritation Data: Skin (ra	abbit) 500 mg mild	; Eye (rabbit):	100 ìl (24 hr) n	noderate;
	Chronic T	oxicological	Acetonitrile - Investigated as a mutagen, primary irritant, reproductive effector, and tumorigen.				
	Effects:		Only select Registry of Toxic Effects of Chemical Substances (RTECS) data is presented here.				
			See actual entry in RTECS for com	•			
			Acetonitrile RTECS Number: AL77				
CAS		-	ponents (Chemical Name)	NTP	IARC	ACGIH	OSHA
		5-fluoro MDMB-P	ICA metabolite 2	n.a.	n.a.	n.a.	n.a.
75	-05-8	Acetonitrile		n.a.	n.a.	A4	n.a.
			Section 12. Ecologi	cal Informat	ion		
12.1	Toxicity:		Avoid release into the environment.				
			Runoff from fire control or dilution water may cause pollution.				
12.2	Persisten	ce and	No data available.				
	Degradab	ility:					
12.3	Bioaccum	ulative	No data available.				
	Potential:						
12.4	Mobility ir	n Soil:	No data available.				
12.5	Results of	FPBT and vPvB	No data available.				
	assessme	ent:					
12.6	Other adv	erse effects:	No data available.				



		Section 13. Dispo	sal Considera	tions	
13.1 W	aste Disposal Method:	Dispose in accordance with loc	cal, state, and federal	regulations.	
		Section 14. Trar	nsport Informa	ition	
14.1 L/	AND TRANSPORT (US I	DOT):			
DOT	Proper Shipping Name:	Acetonitrile Solution			
DOT	Hazard Class:	3 FLAMMA	BLE LIQUID		
UN/N	A Number:	UN1648	Packing Gro	oup:	II
		FLEMMEBLE LIQUID			
14.1 L	AND TRANSPORT (Euro	opean ADR/RID):			
ADR/	RID Shipping Name:	Acetonitrile Solution			
UN N	lumber:	1648	Packing Gro	oup:	II
Haza	rd Class:	3 - FLAMMABLE LIQUID			
	IR TRANSPORT (ICAO/I	ATA):			
ICAO	/IATA Shipping Name:	Acetonitrile Solution			
	lumber:	1648	Packing Gro	-	II
	rd Class:	3 - FLAMMABLE LIQUID	IATA Classi	fication:	3
	Additional TransportTransport in accordance with local, state, and federal regulations.Information:When sold in quantities of less than or equal to 1 mL, or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.				n, per IATA 2.6.10.
		Section 15. Regu		-	
EPA SAF	RA (Superfund Amendm	ents and Reauthorization Act	•		
CAS #		ponents (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
NA	5-fluoro MDMB-P	ICA metabolite 2	No	No	No
75-05-	-8 Acetonitrile		No	Yes 5000 LB	Yes
CAS #	Hazardous Com	ponents (Chemical Name)	Other US EPA or	State Lists	•
NA	NA         5-fluoro MDMB-PICA metabolite 2         CAA HAP,ODC: No; CWA NPDES: No; TSCA: No; CA           PROP.65: No         PROP.65: No			No; TSCA: No; CA	
75-05-	75-05-8 Acetonitrile CAA HAP,ODC: HAP: VHAP; CWA NPDES: No; TSCA: Yes - Inventory, 8A PAIR; CA PROP.65: No				
Regulato	ry Information	This SDS was prepared in acc	ordance with 29 CFR	1910.1200 and Re	gulation (EC)
Statemen	nt:	No.1272/2008.			
					Multi-region format



Section 16. Other Information			
Revision Date:	08/02/2019		
Additional Information About	No data available.		
This Product:			
Company Policy or Disclaimer:	DISCLAIMER: This information is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.		