

		ng to Regulation (EC) No. 1907/2006 as amended by (EC) No. 2015/83			
	Section 1.	Identification of the Substance/Mixture and of the	ne Company/Undertaking		
.1	Product Code:	22694			
	Product Name:	1-Arachidonoyl-d8-rac-glycerol			
	Synonyms:	5Z,8Z,11Z,14Z-eicosatetraenoic acid, 1-glycer	yl ester-d8; 1-AG-d8;		
2	Relevant identified uses o	f the substance or mixture and uses advised ag	ainst:		
	Relevant identified uses	: For research use only, not for human or vetering	nary use.		
3	Details of the Supplier of the Safety Data Sheet:				
	Company Name:	Cayman Chemical Company			
		1180 E. Ellsworth Rd.			
	Web site address:	Ann Arbor, MI 48108 www.caymanchem.com			
	Information:	Cayman Chemical Company	+1 (734)971-3335		
4	Emergency telephone num		+1 (10+)311-0000		
+	Emergency Contact:	CHEMTREC Within USA and Canada:	+1 (800)424-9300		
	Emergency contact.	CHEMTREC Outside USA and Canada:	+1 (703)527-3887		
		Section 2. Hazards Identific	ation		
	Acute Toxicity: Oral, Ca	on, Category 4 tegory 4			
2	Acute Toxicity: Oral, Ca Acute Toxicity: Skin, Ca Serious Eye Damage/Ey Label Elements:	tegory 4 tegory 4			
2	Acute Toxicity: Skin, Ca Serious Eye Damage/Ey Label Elements:	tegory 4 Itegory 4 re Irritation, Category 2			
2	Acute Toxicity: Skin, Ca Serious Eye Damage/Ey	tegory 4 tegory 4			
2	Acute Toxicity: Skin, Ca Serious Eye Damage/Ey Label Elements: Official Signal Word:	tegory 4 htegory 4 re Irritation, Category 2 Danger			
2	Acute Toxicity: Skin, Ca Serious Eye Damage/Ey Label Elements: GHS Signal Word: GHS Hazard Phrases:	tegory 4 itegory 4 re Irritation, Category 2 <b>Danger</b> quid and vapor.			
2	Acute Toxicity: Skin, Ca Serious Eye Damage/Ey Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable li H302: Harmful if swallower H312: Harmful in contact	tegory 4 Integory 4 Pe Irritation, Category 2 Danger Iquid and vapor. ed. with skin.			
2	Acute Toxicity: Skin, Ca Serious Eye Damage/Ey Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable li H302: Harmful if swallowe H312: Harmful in contact H319: Causes serious eye	tegory 4 Integory 4 Pe Irritation, Category 2 Danger Iquid and vapor. ed. with skin.			
2	Acute Toxicity: Skin, Ca Serious Eye Damage/Ey Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable li H302: Harmful if swallowe H312: Harmful in contact H319: Causes serious eye H332: Harmful if inhaled.	tegory 4 tegory 4 re Irritation, Category 2 Danger quid and vapor. ed. with skin. e irritation.			
2	Acute Toxicity: Skin, Ca Serious Eye Damage/Ey Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable li H302: Harmful if swallowe H312: Harmful if swallowe H319: Causes serious eye H332: Harmful if inhaled. GHS Precaution Phrases	tegory 4 tegory 4 re Irritation, Category 2 Danger quid and vapor. ed. with skin. e irritation. s:			
2	Acute Toxicity: Skin, Ca Serious Eye Damage/Ey Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable li H302: Harmful if swallowe H312: Harmful if swallowe H319: Causes serious eye H332: Harmful if inhaled. GHS Precaution Phrases P210: Keep away from {h	tegory 4 tegory 4 re Irritation, Category 2 Danger quid and vapor. ed. with skin. e irritation. s: eat/sparks/open flames/hot surfaces} No smoking			
2	Acute Toxicity: Skin, Ca Serious Eye Damage/Ey Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable li H302: Harmful if swallowe H312: Harmful if swallowe H319: Causes serious eye H332: Harmful if inhaled. GHS Precaution Phrases P210: Keep away from {h	tegory 4 tegory 4 re Irritation, Category 2 Danger quid and vapor. ed. with skin. e irritation. s: eat/sparks/open flames/hot surfaces} No smoking ust/fume/gas/mist/vapors/spray}.			
2	Acute Toxicity: Skin, Ca Serious Eye Damage/Ey Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable li H302: Harmful if swallowe H312: Harmful if swallowe H312: Harmful if swallowe H312: Harmful if inhaled. GHS Precaution Phrases P210: Keep away from {h P261: Avoid breathing {du P264: Wash {hands} thore	tegory 4 tegory 4 re Irritation, Category 2 Danger quid and vapor. ed. with skin. e irritation. s: eat/sparks/open flames/hot surfaces} No smoking ust/fume/gas/mist/vapors/spray}. pughly after handling.			
2	Acute Toxicity: Skin, Ca Serious Eye Damage/Ey Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable li H302: Harmful if swallowe H312: Harmful if swallowe H312: Harmful if swallowe H312: Harmful if nhaled. GHS Precaution Phrases P210: Keep away from {h P261: Avoid breathing {du P264: Wash {hands} thoro P280: Wear {protective gi	tegory 4 tegory 4 re Irritation, Category 2 Danger quid and vapor. ed. with skin. e irritation. s: eat/sparks/open flames/hot surfaces} No smoking ust/fume/gas/mist/vapors/spray}. bughly after handling. oves/protective clothing/eye protection/face protecti			
2	Acute Toxicity: Skin, Ca Serious Eye Damage/Ey Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable li H302: Harmful if swallowe H312: Harmful if swallowe H312: Harmful if swallowe H312: Harmful if inhaled. GHS Precaution Phrases P210: Keep away from {h P261: Avoid breathing {du P264: Wash {hands} thoro P280: Wear {protective gli GHS Response Phrases	tegory 4 tegory 4 re Irritation, Category 2 Danger quid and vapor. ed. with skin. e irritation. s: eat/sparks/open flames/hot surfaces} No smoking ust/fume/gas/mist/vapors/spray}. bughly after handling. oves/protective clothing/eye protection/face protection.	on}.		
2	Acute Toxicity: Skin, Ca Serious Eye Damage/Ey Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable li H302: Harmful if swallowe H312: Harmful if swallowe H312: Harmful in contact H319: Causes serious eye H332: Harmful if inhaled. GHS Precaution Phrases P210: Keep away from {h P261: Avoid breathing {du P264: Wash {hands} thoro P280: Wear {protective gl GHS Response Phrases P301+312: IF SWALLOW	tegory 4 tegory 4 re Irritation, Category 2 Danger quid and vapor. ed. with skin. e irritation. s: eat/sparks/open flames/hot surfaces} No smoking ust/fume/gas/mist/vapors/spray}. bughly after handling. oves/protective clothing/eye protection/face protecti : /ED: P312: Call a POISON CENTER or doctor/phys	on}.		
2	Acute Toxicity: Skin, Ca Serious Eye Damage/Ey Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable li H302: Harmful if swallowe H312: Harmful if swallowe H312: Harmful if swallowe H312: Harmful if inhaled. GHS Precaution Phrases P210: Keep away from {h P261: Avoid breathing {du P264: Wash {hands} thoro P280: Wear {protective gl GHS Response Phrases P301+312: IF SWALLOW P302+352: IF ON SKIN: W	tegory 4 tegory 4 re Irritation, Category 2 Danger quid and vapor. ed. with skin. e irritation. s: eat/sparks/open flames/hot surfaces} No smoking ust/fume/gas/mist/vapors/spray}. bughly after handling. oves/protective clothing/eye protection/face protection.	on}. ician if you feel unwell.		
2	Acute Toxicity: Skin, Ca Serious Eye Damage/Ey Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable li H302: Harmful if swallowe H312: Harmful if swallowe H312: Harmful in contact H319: Causes serious eye H332: Harmful if inhaled. GHS Precaution Phrases P210: Keep away from {h P261: Avoid breathing {du P264: Wash {hands} thoro P280: Wear {protective gl GHS Response Phrases P301+312: IF SWALLOW P302+352: IF ON SKIN: W P303+361+353: IF ON SF	tegory 4 tegory 4 re Irritation, Category 2 Danger quid and vapor. ed. with skin. e irritation. s: eat/sparks/open flames/hot surfaces} No smoking ust/fume/gas/mist/vapors/spray}. bughly after handling. oves/protective clothing/eye protection/face protecti :: /ED: P312: Call a POISON CENTER or doctor/phys Nash with plenty of soap and water.	on}. ician if you feel unwell. minated clothing. Rinse skin with		



2.3

NA

NA

4.1

4.2

## SAFETY DATA SHEET 1-Arachidonoyl-d8-rac-glycerol

Revision: 07/08/2019 Supersedes Revision: 06/22/2017

to do. Continue rinsing. P321: Specific treatment {see ... on this label}. P330: Rinse mouth. P337+313: If eye irritation persists, get medical advice/attention. P362+364: Take off contaminated clothing and wash it before reuse. GHS Storage and Disposal Phrases: Please refer to Section 7 for Storage and Section 13 for Disposal information. Adverse Human Health Can cause fatal cyanide poisoning. Causes serious eye irritation. Effects and Symptoms: Harmful if swallowed, inhaled, or absorbed through the skin. Material may be irritating to the mucous membranes and upper respiratory tract. May be fatal if swallowed, inhaled, or absorbed through the skin. May cause skin or respiratory system irritation. Several hours may elapse from exposure to onset of symptoms. To the best of our knowledge, the toxicological properties have not been thoroughly investigated. Section 3. Composition/Information on Ingredients CAS #/ Hazardous Components (Chemical Name)/ EC No./ **GHS Classification** Concentration **RTECS #** EC Index No. **REACH Registration No.** (±)-trans-3-methyl Norfentanyl 0.1 % NA Acute Tox.(O) 4: H302 NA Acute Tox.(D) 4: H312 Acute Tox.(I) 4: H332 75-05-8 200-835-2 Acetonitrile 99.9 % Flam. Liq. 2: H225 AL7700000 01-2119471307-38 608-001-00-3 Acute Tox.(O) 4: H302 Acute Tox.(D) 4: H312 Eye Damage 2: H319 Acute Tox.(I) 4: H332 Section 4. First Aid Measures **Description of First Aid** Measures: In Case of Inhalation: Remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Get immediate medical attention. In Case of Skin Contact: Immediately wash skin with soap and plenty of water for at least 15 minutes. Remove contaminated clothing. Get medical attention if symptoms occur. Wash clothing before reuse. In Case of Eye Contact: Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Have eyes examined and tested by medical personnel. Wash out mouth with water provided person is conscious. Never give anything by mouth to an In Case of Ingestion: unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by medical personnel. Important Symptoms and Exposure may cause: asphyxia, cyanosis, depression, diarrhea, dizziness, drowsiness, excitement, Effects, Both Acute and headache, impaired judgement, lack of coordination, nausea, rash, vomiting, stupor, death. Treat as cyanide poisoning. Always have on hand a cyanide first-aid kit, together with proper **Delayed:** instructions. The onset of symptoms is generally delayed pending conversion to cyanide. Acetonitrile is metabolized to cyanide. Patients with significant exposures must be observed for Note for the Doctor: signs of cyanide poisoning and treated accordingly.

Multi-region format



		Section 5. Fire	e Fighting Measures				
5.1	Suitable Extinguishing	Use alcohol-resistant foam,	carbon dioxide, water, or dry chemical spray.				
	Media:	Use water spray to cool fire-	exposed containers.				
	Unsuitable Extinguishing A solid water stream may be inefficient.						
	Media:						
5.2	Flammable Properties a	ndCan release vapors that for	m explosive mixtures at temperatures at or abov	e the flashpoint.			
	Hazards:	Container explosion may oc	iner explosion may occur under fire conditions.				
		Emits toxic fumes under fire					
		Sensitive to static discharge	•				
			ce of ignition and flash back.				
		No data available.					
	Flash Pt:	2.00 C Method Used: Clo					
	Explosive Limits:	LEL: 3.0% at 25.0 C	C UEL: 16.0% at 25.0 C				
	Autoignition Pt:	524.00 C					
5.3	Fire Fighting Instruction	-	tained breathing apparatus pressure-demand (N	NOSH approved or			
			ve gear to prevent contact with skin and eyes.				
		Note: Flammable as diluted	in acetonitrile.				
		Section 6. Accide	ntal Release Measures				
6.1	Protective Precautions,	Avoid raising and breathing	dust, and provide adequate ventilation.				
	Protective Equipment a	nd As conditions warrant, wea	r a NIOSH approved self-contained breathing ap	oparatus, or respirator,			
	Emergency Procedures	and appropriate personal p	rotection (rubber boots, safety goggles, and hea	vy rubber gloves).			
6.2	Environmental	Take steps to avoid release	e into the environment, if safe to do so.				
	Precautions:						
6.3		or Contain spill and collect, as					
	Containment and Clean	ingTransfer to a chemical was	te container for disposal in accordance with loca	al regulations.			
	Up:						
		Section 7. Ha	ndling and Storage				
7.1	Precautions To Be Take	n Avoid breathing dust/fume/g	jas/mist/vapours/spray.				
	in Handling: Avoid prolonged or repeated exposure.						
	Keep away from sources of ignition.						
		Take precautionary measur	es against static discharge.				
7.2	Precautions To Be Taken Keep away from heat, sparks and flame.						
	in Storing:	Keep container tightly close					
		Store in accordance with inf	ormation listed on the product insert.				
	Se	ction 8. Exposure C	controls/Personal Protection				
8.1	Exposure Parameters:						
CAS #	# Chemical Name	Jurisdiction	Recommended Exposure Limits	Notations			
75-05	-8 Acetonitrile	ACGIH TLV	TLV: 20 ppm				
		Europe	TWA: 70 mg/m3 (40 ppm)	Skin Absorption			
		France VL	TWA: 70 mg/m3 (40 ppm) STEL: ()				
		OSHA PELs	PEL: 40 ppm				
		Britain EH40	TWA: 68 mg/m3 (40 ppm) STEL: 102 mg/m3 (60 ppm)				



Revision: 07/08/2019

	man	• • • • • • • • • • • • • • • • • • •				
8.2	Exposure Controls:					
8.2.1	Engineering Controls	se process enclosures, local exhaust ventilation, or other engineering controls to control airborn				
(Ventilation etc.): levels below recommended exposure limits.						
8.2.2	Personal protection equipment:					
	Eye Protection: Sa	afety glasses				
	Protective Gloves: C	ompatible chemical-resistant gloves				
	Other Protective Clothing:La	ab coat				
	Respiratory Equipment N	IOSH approved respirator, as conditions warrant.				
	(Specify Type):					
	Work/Hygienic/Maintenan D	o not take internally.				
		acilities storing or utilizing this material should be equipped with an eyewash and a safety showe				
		ash thoroughly after handling.				
	Ν	o data available.				
	Sec	tion 9. Physical and Chemical Properties				
9.1	Information on Basic Physic	al and Chemical Properties				
	Physical States:	[]Gas [X]Liquid []Solid				
	Appearance and Odor:	A solution in acetonitrile				
	pH:	No data.				
	Melting Point:	No data.				
	Boiling Point:	No data.				
	Flash Pt:	2.00 C Method Used: Closed Cup				
	Evaporation Rate:	No data.				
	Flammability (solid, gas):	No data available.				
	Explosive Limits:	LEL: 3.0% at 25.0 C UEL: 16.0% at 25.0 C				
	Vapor Pressure (vs. Air or mm 73 MM_HG at 20.0 C Hg):					
	Vapor Density (vs. Air = 1):	No data.				
	Specific Gravity (Water = 1):	No data.				
	Solubility in Water:	No data.				
	Octanol/Water Partition	No data.				
	Coefficient:					
	Autoignition Pt:	524.00 C				
	Decomposition Temperature	e: No data.				
	Viscosity:	No data.				
9.2	Other Information					
9.2	Other Information Percent Volatile:	No data.				



			Contine 10 Stability	nd Doooti	i vit v					
			Section 10. Stability a	nu Reacti	ivity					
10.1	10.1 Reactivity: No data available.									
10.2	Stability	:	Unstable [ ] Stable [ X ]							
10.3	Stability	Note(s):	Stable if stored in accordance with information listed on the product insert.							
	Polymerization:		Will occur [ ] Will not occur [ X ]							
10.4	Conditio	ns To Avoid:	heat, flames, and sparks							
10.5	Incompa	tibility - Materials	<b>s</b> acids							
	To Avoid:		alkali metals							
			bases							
			oxidizing agents							
			reducing agents							
10.6	Hazardo	us	carbon dioxide							
	Decomp	osition or	carbon monoxide							
	Byprodu	icts:	hydrogen cyanide							
			nitrogen oxides							
			Section 11. Toxicologic	al Inform	ation					
11.1	Informat	ion on	The toxicological effects of this produc	t have not bee	n thoroughly st	udied.				
	Toxicolo	gical Effects:	Acetonitrile - Toxicity Data: Oral LD50 (rat): 2,460 mg/kg; Oral LD50 (mouse): 269 mg/kg; Oral							
	. The street of		LD50 (rabbit): 50 mg/kg; Oral TDLO (man): 64 mg/kg; Skin LD50 (rabbit): 980 mg/kg; Inhalation							
				nan): 64 mg/kg	j; Skin LD50 (ra		TCLO (human): 160 ppm (4h); Inhalation LC50 (rat): 7,551 ppm (8h);			
				, ,		, .				
				ion LC50 (rat):	7,551 ppm (8h	);	noderate;			
	Chronic	Toxicological	TCLO (human): 160 ppm (4h); Inhalat	ion LC50 (rat): it) 500 mg milc	7,551 ppm (8h d; Eye (rabbit):	); 100 ìl (24 hr) n	noderate;			
	Chronic Effects:	Toxicological	TCLO (human): 160 ppm (4h); Inhalat Acetonitrile - Irritation Data: Skin (rabb	ion LC50 (rat): it) 500 mg mild en, reproductive	7,551 ppm (8h d; Eye (rabbit): e effector, and	); 100 ìl (24 hr) n tumorigen.				
		Toxicological	TCLO (human): 160 ppm (4h); Inhalat Acetonitrile - Irritation Data: Skin (rabb Acetonitrile - Investigated as a mutage Only select Registry of Toxic Effects of See actual entry in RTECS for complete	ion LC50 (rat): it) 500 mg mild en, reproductive f Chemical Sub te information.	7,551 ppm (8h d; Eye (rabbit): e effector, and ostances (RTE	); 100 ìl (24 hr) n tumorigen.				
		Toxicological	TCLO (human): 160 ppm (4h); Inhalat Acetonitrile - Irritation Data: Skin (rabb Acetonitrile - Investigated as a mutage Only select Registry of Toxic Effects of	ion LC50 (rat): it) 500 mg mild en, reproductive f Chemical Sub te information.	7,551 ppm (8h d; Eye (rabbit): e effector, and ostances (RTE	); 100 ìl (24 hr) n tumorigen.				
CAS	Effects:	_	TCLO (human): 160 ppm (4h); Inhalat Acetonitrile - Irritation Data: Skin (rabb Acetonitrile - Investigated as a mutage Only select Registry of Toxic Effects of See actual entry in RTECS for complete	ion LC50 (rat): it) 500 mg mild en, reproductive f Chemical Sub te information.	7,551 ppm (8h d; Eye (rabbit): e effector, and ostances (RTE	); 100 ìl (24 hr) n tumorigen.				
CAS	Effects:	_	TCLO (human): 160 ppm (4h); Inhalat Acetonitrile - Irritation Data: Skin (rabt Acetonitrile - Investigated as a mutage Only select Registry of Toxic Effects of See actual entry in RTECS for comple Acetonitrile RTECS Number: AL77000 ponents (Chemical Name)	ion LC50 (rat): it) 500 mg mild en, reproductive f Chemical Sub te information.	7,551 ppm (8h d; Eye (rabbit): e effector, and ostances (RTE	); 100 ìl (24 hr) n tumorigen. CS) data is pre	esented here			
	Effects:	Hazardous Com	TCLO (human): 160 ppm (4h); Inhalat Acetonitrile - Irritation Data: Skin (rabt Acetonitrile - Investigated as a mutage Only select Registry of Toxic Effects of See actual entry in RTECS for comple Acetonitrile RTECS Number: AL77000 ponents (Chemical Name)	ion LC50 (rat): iit) 500 mg mild en, reproductive f Chemical Sub te information. 000	7,551 ppm (8h d; Eye (rabbit): e effector, and ostances (RTE)	); 100 ìl (24 hr) n tumorigen. CS) data is pre	osha			
	Effects: # NA	Hazardous Com (±)-trans-3-methy	TCLO (human): 160 ppm (4h); Inhalat Acetonitrile - Irritation Data: Skin (rabb Acetonitrile - Investigated as a mutage Only select Registry of Toxic Effects of See actual entry in RTECS for comple Acetonitrile RTECS Number: AL77000 Acetonitrile RTECS Number: AL77000 Aponents (Chemical Name)	ion LC50 (rat): iit) 500 mg mild on, reproductive f Chemical Sub te information. 000 <b>NTP</b> n.a. n.a.	7,551 ppm (8h d; Eye (rabbit): e effector, and ostances (RTE) IARC n.a. n.a.	); 100 il (24 hr) n tumorigen. CS) data is pre ACGIH n.a.	osha n.a.			
75	Effects: # NA	Hazardous Com (±)-trans-3-methy Acetonitrile	TCLO (human): 160 ppm (4h); Inhalat Acetonitrile - Irritation Data: Skin (rabt Acetonitrile - Investigated as a mutage Only select Registry of Toxic Effects of See actual entry in RTECS for comple Acetonitrile RTECS Number: AL77000 ponents (Chemical Name)	ion LC50 (rat): iit) 500 mg mild on, reproductive f Chemical Sub te information. 000 <b>NTP</b> n.a. n.a.	7,551 ppm (8h d; Eye (rabbit): e effector, and ostances (RTE) IARC n.a. n.a.	); 100 il (24 hr) n tumorigen. CS) data is pre ACGIH n.a.	osha n.a.			
	Effects: # NA i-05-8	Hazardous Com (±)-trans-3-methy Acetonitrile	TCLO (human): 160 ppm (4h); Inhalat Acetonitrile - Inritation Data: Skin (rabt Acetonitrile - Investigated as a mutage Only select Registry of Toxic Effects of See actual entry in RTECS for comple Acetonitrile RTECS Number: AL77000 ponents (Chemical Name) /I Norfentanyl	ion LC50 (rat): iit) 500 mg mild en, reproductive f Chemical Sub te information. 000 NTP n.a. n.a. I Informat	7,551 ppm (8h d; Eye (rabbit): e effector, and ostances (RTE) IARC n.a. n.a. tion	); 100 il (24 hr) n tumorigen. CS) data is pre ACGIH n.a.	osha n.a.			
75	Effects: # NA i-05-8	Hazardous Com (±)-trans-3-methy Acetonitrile	TCLO (human): 160 ppm (4h); Inhalat Acetonitrile - Irritation Data: Skin (rabt Acetonitrile - Investigated as a mutage Only select Registry of Toxic Effects of See actual entry in RTECS for comple Acetonitrile RTECS Number: AL77000 ponents (Chemical Name) yl Norfentanyl Section 12. Ecologica Avoid release into the environment.	ion LC50 (rat): iit) 500 mg mild en, reproductive f Chemical Sub te information. 000 NTP n.a. n.a. I Informat	7,551 ppm (8h d; Eye (rabbit): e effector, and ostances (RTE) IARC n.a. n.a. tion	); 100 il (24 hr) n tumorigen. CS) data is pre ACGIH n.a.	osha n.a.			
75	Effects: # NA 5-05-8 Toxicity: Persiste	Hazardous Com (±)-trans-3-methy Acetonitrile	TCLO (human): 160 ppm (4h); Inhalat Acetonitrile - Irritation Data: Skin (rabt Acetonitrile - Investigated as a mutage Only select Registry of Toxic Effects of See actual entry in RTECS for comple Acetonitrile RTECS Number: AL77000 Acetonitrile RTECS Acetonitrile RTECS Acetonitrile RTECS Acetonitrile Acetoni	ion LC50 (rat): iit) 500 mg mild en, reproductive f Chemical Sub te information. 000 NTP n.a. n.a. I Informat	7,551 ppm (8h d; Eye (rabbit): e effector, and ostances (RTE) IARC n.a. n.a. tion	); 100 il (24 hr) n tumorigen. CS) data is pre ACGIH n.a.	osha n.a.			
75 12.1 12.2	Effects: # NA -05-8 Toxicity:	Hazardous Com (±)-trans-3-methy Acetonitrile nce and bility:	TCLO (human): 160 ppm (4h); Inhalat Acetonitrile - Irritation Data: Skin (rabt Acetonitrile - Investigated as a mutage Only select Registry of Toxic Effects of See actual entry in RTECS for comple Acetonitrile RTECS Number: AL77000 ponents (Chemical Name) /I Norfentanyl Section 12. Ecologica Avoid release into the environment. Runoff from fire control or dilution wat No data available.	ion LC50 (rat): iit) 500 mg mild en, reproductive f Chemical Sub te information. 000 NTP n.a. n.a. I Informat	7,551 ppm (8h d; Eye (rabbit): e effector, and ostances (RTE) IARC n.a. n.a. tion	); 100 il (24 hr) n tumorigen. CS) data is pre ACGIH n.a.	osha n.a.			
75 12.1 12.2	Effects: # NA 5-05-8 Toxicity: Persister Degrada Bioaccur	Hazardous Com (±)-trans-3-methy Acetonitrile	TCLO (human): 160 ppm (4h); Inhalat Acetonitrile - Irritation Data: Skin (rabt Acetonitrile - Investigated as a mutage Only select Registry of Toxic Effects of See actual entry in RTECS for comple Acetonitrile RTECS Number: AL77000 Acetonitrile RTECS Acetonitrile RTECS Acetonitrile RTECS Acetonitrile Acetoni	ion LC50 (rat): iit) 500 mg mild en, reproductive f Chemical Sub te information. 000 NTP n.a. n.a. I Informat	7,551 ppm (8h d; Eye (rabbit): e effector, and ostances (RTE) IARC n.a. n.a. tion	); 100 il (24 hr) n tumorigen. CS) data is pre ACGIH n.a.	osha n.a.			
75	Effects: # NA -05-8 Toxicity: Persister Degrada Bioaccur Potentia	Hazardous Com (±)-trans-3-methy Acetonitrile nce and bility: mulative I:	TCLO (human): 160 ppm (4h); Inhalat Acetonitrile - Irritation Data: Skin (rabt Acetonitrile - Investigated as a mutage Only select Registry of Toxic Effects of See actual entry in RTECS for comple Acetonitrile RTECS Number: AL77000 ponents (Chemical Name) /I Norfentanyl Section 12. Ecologica Avoid release into the environment. Runoff from fire control or dilution wat No data available.	ion LC50 (rat): iit) 500 mg mild en, reproductive f Chemical Sub te information. 000 NTP n.a. n.a. I Informat	7,551 ppm (8h d; Eye (rabbit): e effector, and ostances (RTE) IARC n.a. n.a. tion	); 100 il (24 hr) n tumorigen. CS) data is pre ACGIH n.a.	osha n.a.			
75 12.1 12.2 12.3 12.4	Effects: # NA -05-8 Toxicity: Persister Degrada Bioaccur Potentia Mobility	Hazardous Com (±)-trans-3-methy Acetonitrile nce and bility: mulative I: in Soil:	TCLO (human): 160 ppm (4h); Inhalat Acetonitrile - Irritation Data: Skin (rabb Acetonitrile - Investigated as a mutage Only select Registry of Toxic Effects of See actual entry in RTECS for comple Acetonitrile RTECS Number: AL77000 ponents (Chemical Name) /I Norfentanyl Section 12. Ecologica Avoid release into the environment. Runoff from fire control or dilution wat No data available. No data available.	ion LC50 (rat): iit) 500 mg mild en, reproductive f Chemical Sub te information. 000 NTP n.a. n.a. I Informat	7,551 ppm (8h d; Eye (rabbit): e effector, and ostances (RTE) IARC n.a. n.a. tion	); 100 il (24 hr) n tumorigen. CS) data is pre ACGIH n.a.	osha n.a.			
75 12.1 12.2 12.3	Effects: # NA -05-8 Toxicity: Persister Degrada Bioaccur Potentia Mobility	Hazardous Com (±)-trans-3-methy Acetonitrile nce and bility: mulative l: in Soil: of PBT and vPvB	TCLO (human): 160 ppm (4h); Inhalat Acetonitrile - Irritation Data: Skin (rabt Acetonitrile - Investigated as a mutage Only select Registry of Toxic Effects of See actual entry in RTECS for comple Acetonitrile RTECS Number: AL77000 ponents (Chemical Name) /I Norfentanyl /I Norfentanyl	ion LC50 (rat): iit) 500 mg mild en, reproductive f Chemical Sub te information. 000 NTP n.a. n.a. I Informat	7,551 ppm (8h d; Eye (rabbit): e effector, and ostances (RTE) IARC n.a. n.a. tion	); 100 il (24 hr) n tumorigen. CS) data is pre ACGIH n.a.	osha n.a.			



(					h
Section 13. Disposal Considerations					
<b>13.1 Waste Disposal Method:</b> Dispose in accordance with local, state, and federal regulations.					
Section 14. Transport Information					
14.1 LAND	TRANSPORT (US D	ОТ):			
DOT Prop	per Shipping Name:	Acetonitrile solution			
DOT Haza	ard Class:	3 FLAMMAE	BLE LIQUID		
UN/NA Nu	umber:	UN1648	Packing Gr	oup:	II
14.1 LAND	TRANSPORT (Euro	peean ADR/RID):			
	Shipping Name:	Acetonitrile solution			
UN Numb		1648	Packing Gr	oup:	II
Hazard C	lass:	3 - FLAMMABLE LIQUID			
14.3 AIR TI	RANSPORT (ICAO/IA	ATA):			
ICAO/IAT	A Shipping Name:	Acetonitrile solution			
UN Numb	er:	1648	Packing Gr	oup:	Ш
Hazard C	lass:	3 - FLAMMABLE LIQUID	IATA Class	fication:	3
Additional Tr	•	Transport in accordance with lo		-	
Information:		When sold in quantities of less	-	-	
		E1, E2, E4, or E5, this item me Therefore packaging does not		-	-
		Section 15. Regu		-	
EPA SARA (S	Superfund Amendme	ents and Reauthorization Act			
CAS #	Hazardous Comp	onents (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
NA	(±)-trans-3-methyl	Norfentanyl	No	No	No
75-05-8	Acetonitrile		No	Yes 5000 LB	Yes
CAS #	CAS # Hazardous Components (Chemical Name) Other US EPA or State Lists				
NA				No; TSCA: No; CA	
75-05-8	Acetonitrile			HAP: VHAP; CWA IR; CA PROP.65: N	NPDES: No; TSCA: Yes - lo
Regulatory Information       This SDS was prepared in accordance with 29 CFR 1910.1200 and Regulation (EC)					
Statement:		No.1272/2008.			
					Multi-region format



Page: 7 of 7

Section 16. Other Information			
Revision Date:	07/08/2019		
Additional Information About	No data available.		
This Product:			
Company Policy or Disclaimer:	DISCLAIMER: This information is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.		