

1.1

1.2

1.3

1.4

2.1

2.2

SAFETY DATA SHEET Methamphetamine t-butyl Carbamate

Page: 1 of 7

	Methamphetamine t-butyl Ca	Revision: 12/09/2019
nan		Supersedes Revision: 07/06/201
according t	o Regulation (EC) No. 1907/2006 as amended by (EC) No. 2015/83	0 and US OSHA HCS 2015
Section 1. Ide	entification of the Substance/Mixture and of th	ne Company/Undertaking
Product Code:	22742	
Product Name:	Methamphetamine t-butyl Carbamate	
Synonyms:	tert-butyl methyl(1-phenylpropan-2-yl)carbama	te; Methamphetamine t-butyl Carbamate;
	N-t-Butoxycarbonyl-Methamphetamine; t-BOC	Methamphetamine;
Relevant identified uses of t	he substance or mixture and uses advised aga	ainst:
Relevant identified uses:	For research use only, not for human or vetering	nary use.
Details of the Supplier of the	e Safety Data Sheet:	
Company Name:	Cayman Chemical Company	
	1180 E. Ellsworth Rd.	
	Ann Arbor, MI 48108	
Web site address:	www.caymanchem.com	
Information:	Cayman Chemical Company	+1 (734)971-3335
Emergency telephone numb	per:	
Emergency Contact:	CHEMTREC Within USA and Canada:	+1 (800)424-9300
	CHEMTREC Outside USA and Canada:	+1 (703)527-3887
	Section 2. Hazards Identifica	ation
Flammable Liquids, Categ Acute Toxicity: Inhalation Acute Toxicity: Oral, Categ Acute Toxicity: Skin, Cate Serious Eye Damage/Eye Label Elements:	, Category 4 gory 4 gory 4	
Acute Toxicity: Inhalation Acute Toxicity: Oral, Cate Acute Toxicity: Skin, Cate Serious Eye Damage/Eye	, Category 4 gory 4 gory 4	
Acute Toxicity: Inhalation Acute Toxicity: Oral, Cate Acute Toxicity: Skin, Cate Serious Eye Damage/Eye Label Elements:	, Category 4 gory 4 gory 4 Irritation, Category 2	
Acute Toxicity: Inhalation Acute Toxicity: Oral, Cate Acute Toxicity: Skin, Cate Serious Eye Damage/Eye	, Category 4 gory 4 gory 4	
Acute Toxicity: Inhalation Acute Toxicity: Oral, Cate Acute Toxicity: Skin, Cate Serious Eye Damage/Eye Label Elements: GHS Signal Word: GHS Hazard Phrases:	, Category 4 gory 4 gory 4 Irritation, Category 2 Danger	
Acute Toxicity: Inhalation Acute Toxicity: Oral, Cate Acute Toxicity: Skin, Cate Serious Eye Damage/Eye Label Elements:	, Category 4 gory 4 gory 4 Irritation, Category 2 Danger uid and vapor.	
Acute Toxicity: Inhalation Acute Toxicity: Oral, Cate Acute Toxicity: Skin, Cate Serious Eye Damage/Eye Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable liqu	, Category 4 gory 4 gory 4 Irritation, Category 2 Danger uid and vapor.	
Acute Toxicity: Inhalation Acute Toxicity: Oral, Cate Acute Toxicity: Skin, Cate Serious Eye Damage/Eye Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable liqu H302: Harmful if swallowed.	, Category 4 gory 4 gory 4 Irritation, Category 2 Danger uid and vapor.	
Acute Toxicity: Inhalation Acute Toxicity: Oral, Cate Acute Toxicity: Skin, Cate Serious Eye Damage/Eye Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable liqu H302: Harmful if swallowed. H312: Harmful in contact with	, Category 4 gory 4 gory 4 Irritation, Category 2 Danger uid and vapor.	
Acute Toxicity: Inhalation Acute Toxicity: Oral, Cate Acute Toxicity: Skin, Cate Serious Eye Damage/Eye Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable liqu H302: Harmful if swallowed. H312: Harmful in contact wit H319: Causes serious eye i	, Category 4 gory 4 gory 4 Irritation, Category 2 Danger uid and vapor. th skin. rritation.	
Acute Toxicity: Inhalation Acute Toxicity: Oral, Cate Acute Toxicity: Skin, Cate Serious Eye Damage/Eye Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable liqu H302: Harmful if swallowed. H312: Harmful in contact wit H319: Causes serious eye i H332: Harmful if inhaled. GHS Precautionary Phrase	, Category 4 gory 4 gory 4 Irritation, Category 2 Danger uid and vapor. th skin. rritation.	
Acute Toxicity: Inhalation Acute Toxicity: Oral, Cate Acute Toxicity: Skin, Cate Serious Eye Damage/Eye Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable liqu H302: Harmful if swallowed. H312: Harmful if swallowed. H312: Harmful in contact wir H319: Causes serious eye i H332: Harmful if inhaled. GHS Precautionary Phrase P210: Keep away from {heat	, Category 4 gory 4 gory 4 Irritation, Category 2 Danger uid and vapor. th skin. rritation.	
Acute Toxicity: Inhalation Acute Toxicity: Oral, Cate Acute Toxicity: Skin, Cate Serious Eye Damage/Eye Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable liqu H302: Harmful if swallowed. H312: Harmful if swallowed. H312: Harmful in contact wir H319: Causes serious eye i H332: Harmful if inhaled. GHS Precautionary Phrase P210: Keep away from {heat	, Category 4 gory 4 gory 4 Irritation, Category 2 Danger uid and vapor. th skin. rritation. es: tt/sparks/open flames/hot surfaces} No smoking t/fume/gas/mist/vapors/spray}.	
Acute Toxicity: Inhalation Acute Toxicity: Oral, Cate Acute Toxicity: Skin, Cate Serious Eye Damage/Eye Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable liqu H302: Harmful if swallowed. H312: Harmful if swallowed. H312: Harmful in contact wi H319: Causes serious eye i H332: Harmful if inhaled. GHS Precautionary Phrase P210: Keep away from {hea P261: Avoid breathing {dust P264: Wash {hands} thorous	, Category 4 gory 4 gory 4 Irritation, Category 2 Danger uid and vapor. th skin. rritation. es: tt/sparks/open flames/hot surfaces} No smoking t/fume/gas/mist/vapors/spray}.	
Acute Toxicity: Inhalation Acute Toxicity: Oral, Cate Acute Toxicity: Skin, Cate Serious Eye Damage/Eye Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable liqu H302: Harmful if swallowed. H312: Harmful if swallowed. H312: Harmful in contact wi H319: Causes serious eye i H332: Harmful if inhaled. GHS Precautionary Phrase P210: Keep away from {hea P261: Avoid breathing {dust P264: Wash {hands} thorous	, Category 4 gory 4 gory 4 Irritation, Category 2 Danger uid and vapor. th skin. rritation. es: tt/sparks/open flames/hot surfaces} No smoking t/fume/gas/mist/vapors/spray}. ghly after handling.	
Acute Toxicity: Inhalation Acute Toxicity: Oral, Cate Acute Toxicity: Skin, Cate Serious Eye Damage/Eye Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable liqu H302: Harmful if swallowed. H312: Harmful if swallowed. H312: Harmful in contact wi H319: Causes serious eye i H332: Harmful if inhaled. GHS Precautionary Phrase P210: Keep away from {hea P261: Avoid breathing {dust P264: Wash {hands} thorous P280: Wear {protective glow GHS Response Phrases:	, Category 4 gory 4 gory 4 Irritation, Category 2 Danger uid and vapor. th skin. rritation. es: tt/sparks/open flames/hot surfaces} No smoking t/fume/gas/mist/vapors/spray}. ghly after handling.	on}.
Acute Toxicity: Inhalation Acute Toxicity: Oral, Cate Acute Toxicity: Skin, Cate Serious Eye Damage/Eye Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable liqu H302: Harmful if swallowed. H312: Harmful if swallowed. H312: Harmful in contact wir H319: Causes serious eye i H332: Harmful if inhaled. GHS Precautionary Phrase P210: Keep away from {hea P210: Keep away from {hea P261: Avoid breathing {dust P264: Wash {hands} thorous P280: Wear {protective glow GHS Response Phrases: P301+312: IF SWALLOWER	, Category 4 gory 4 gory 4 Irritation, Category 2 Danger uid and vapor. th skin. tritation. es: tr/sparks/open flames/hot surfaces} No smoking t/fume/gas/mist/vapors/spray}. ghly after handling. res/protective clothing/eye protection/face protection	on}.
Acute Toxicity: Inhalation Acute Toxicity: Oral, Cate Acute Toxicity: Skin, Cate Serious Eye Damage/Eye Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable liqu H302: Harmful if swallowed. H312: Harmful if swallowed. H312: Harmful in contact wir H319: Causes serious eye i H332: Harmful if inhaled. GHS Precautionary Phrase P210: Keep away from {hea P261: Avoid breathing {dust P264: Wash {hands} thorous P280: Wear {protective glow GHS Response Phrases: P301+312: IF SWALLOWER P302+352: IF ON SKIN: Wa P303+361+353: IF ON SKIN	, Category 4 gory 4 gory 4 Irritation, Category 2 Danger uid and vapor. th skin. rritation. es: ut/sparks/open flames/hot surfaces} No smoking uf/sparks/open flames/hot surfaces}. spin a state of the st	on}. ician if you feel unwell.
Acute Toxicity: Inhalation Acute Toxicity: Oral, Cate Acute Toxicity: Skin, Cate Serious Eye Damage/Eye Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable liqu H302: Harmful if swallowed. H312: Harmful if swallowed. H312: Harmful in contact wir H319: Causes serious eye i H332: Harmful if inhaled. GHS Precautionary Phrase P210: Keep away from {hea P261: Avoid breathing {dust P264: Wash {hands} thorous P280: Wear {protective glov GHS Response Phrases: P301+312: IF SWALLOWED P302+352: IF ON SKIN: Wa P303+361+353: IF ON SKIN	, Category 4 gory 4 gory 4 Irritation, Category 2 Danger uid and vapor. th skin. rritation. es: tt/sparks/open flames/hot surfaces} No smoking t/fume/gas/mist/vapors/spray}. ghly after handling. res/protective clothing/eye protection/face protection D: P312: Call a POISON CENTER or doctor/physion ash with plenty of soap and water.	on}. ician if you feel unwell. minated clothing. Rinse skin with

Revision: 12/09/2019 Supersedes Revision: 07/06/2017

						Supersedes Revision: 07/06/2017	
			ES: Rinse cautiously with wate	er for several minute	s. Remove conta	ct lenses, if present and easy	
to do. Continue rinsing.			(and an this label)				
P321: Specific treatment		-	{see on this label}.				
	P330: Rinse mouth. P337+313: If eye irritatior P362+364: Take off conta		a paraiata, gat madiaal advica/	ttantion			
			-	belore reuse.			
		Storage and Dispo		Disconstinue			
			for Storage and Section 13 for Disposal information.				
2.3			Can cause fatal cyanide poisoning.				
	Effects	and Symptoms:	Causes serious eye irritation. Harmful if swallowed, inhaled, or absorbed through the skin.				
			Material may be irritating to t		-	chiratony tract	
			May be fatal if swallowed, inf			Spiratory tract.	
			May cause skin or respirator		niough the skin.		
			Several hours may elapse fro		et of symptoms		
				-		t been thoroughly investigated.	
					-		
		Sect	tion 3. Composition	/Information	on Ingredie	nts	
CAS		-	oonents (Chemical Name)/	Concentration	EC No./	GHS Classification	
RTE	CS #	REACH Registra	tion No.		EC Index No.		
NA		Methamphetamine t	-butyl Carbamate	1.0 %	NA	Acute Tox.(O) 4: H302	
NA					NA	Acute Tox.(D) 4: H312	
						Acute Tox.(I) 4: H332	
	-05-8 00000	Acetonitrile 01-2119471307-38-	0000	99.0 %	200-835-2	Flam. Liq. 2: H225	
ALIT	00000	01-2119471307-36-	0000		608-001-00-3	Acute Tox.(O) 4: H302 Acute Tox.(D) 4: H312	
						Eye Damage 2: H319	
						Acute Tox.(I) 4: H332	
			Section 4. First Aid Measures				
4.1							
	Measu						
	In Case of Inhalation:		Remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel.				
			Get immediate medical attention.				
			Immediately wash skin with soap and plenty of water for at least 15 minutes. Remove contaminated				
	in ouo		-				
	In Case of Eye Contact:		clothing. Get medical attention if symptoms occur. Wash clothing before reuse. Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Have eyes examined				
			and tested by medical personnel.				
	In Case of Ingestion:		Wash out mouth with water provided person is conscious. Never give anything by mouth to an				
			unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by				
			medical personnel.				
4.2	Import	ant Symptoms and	d Exposure may cause: asphy	kia, cyanosis, depres	ssion, diarrhea, di	zziness, drowsiness, excitement,	
	Effects	, Both Acute and	headache, impaired judgement, lack of coordination, nausea, rash, vomiting, stupor, death.				
	Delaye	d:	Treat as cyanide poisoning. Always have on hand a cyanide first-aid kit, together with proper instructions. The onset of symptoms is generally delayed pending conversion to cyanide.				
	Note fo	or the Doctor:	Acetonitrile is metabolized to			-	
			signs of cyanide poisoning ar	-			



Revision: 12/09/2019 Supersedes Revision: 07/06/2017

alcohol-resistant foam, ca water spray to cool fire-ex lid water stream may be i release vapors that form tainer explosion may occu is toxic fumes under fire c sitive to static discharge. ors can travel to a source lata available.	nefficient. explosive mixtures at temperatures at or above th ir under fire conditions. onditions.	e flashpoint.	
water spray to cool fire-ex lid water stream may be i release vapors that form tainer explosion may occu is toxic fumes under fire c sitive to static discharge. ors can travel to a source lata available.	xposed containers. nefficient. explosive mixtures at temperatures at or above th ir under fire conditions. onditions.	e flashpoint.	
lid water stream may be i release vapors that form tainer explosion may occu s toxic fumes under fire c sitive to static discharge. ors can travel to a source lata available.	nefficient. explosive mixtures at temperatures at or above th ir under fire conditions. onditions.	e flashpoint.	
release vapors that form tainer explosion may occu is toxic fumes under fire c sitive to static discharge. ors can travel to a source lata available.	explosive mixtures at temperatures at or above th ir under fire conditions. onditions.	e flashpoint.	
tainer explosion may occu is toxic fumes under fire c sitive to static discharge. ors can travel to a source lata available.	ur under fire conditions. onditions.	e flashpoint.	
tainer explosion may occu is toxic fumes under fire c sitive to static discharge. ors can travel to a source lata available.	ur under fire conditions. onditions.	ne flashpoint.	
is toxic fumes under fire c sitive to static discharge. ors can travel to a source lata available.	onditions.		
sitive to static discharge. ors can travel to a source lata available.			
ors can travel to a source lata available.	of ignition and flash back		
lata available.			
C Method Used: Close	ed Cup		
3.0% at 25.0 C	UEL: 16.0% at 25.0 C		
00 C			
	ined breathing apparatus pressure-demand (NIO)	SH approved or	
Fire Fighting Instructions: As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes. Note: Flammable as diluted in acetonitrile.			
ction 6. Accident	al Release Measures		
id raising and breathing d	ust, and provide adequate ventilation.		
		atus, or respirator,	
e steps to avoid release ir	nto the environment, if safe to do so.		
tain spill and collect, as a	ppropriate.		
nsfer to a chemical waste	container for disposal in accordance with local re-	gulations.	
Section 7. Han	dling and Storage		
d breathing dust/fume/gas	s/mist/vapours/spray.		
o away from sources of ig	nition.		
e precautionary measures	against static discharge.		
•	and flame.		
0			
	-		
8. Exposure Co	ntrols/Personal Protection		
Jurisdiction	Recommended Exposure Limits	Notations	
ACGIH TLV	TLV: 20 ppm		
		Skin Absorption	
France VL	TWA: 70 mg/m3 (40 ppm) STEL: ()		
OSHA PELs	PEL: 40 ppm		
Britain EH40	TWA: 68 mg/m3 (40 ppm) STEL: 102 mg/m3 (60 ppm)		
	n any fire, wear self-conta- ivalent), and full protective e: Flammable as diluted in ction 6. Accident oid raising and breathing d conditions warrant, wear a d appropriate personal pro- se steps to avoid release in ntain spill and collect, as a nsfer to a chemical waste Section 7. Han id breathing dust/fume/gas id prolonged or repeated e p away from sources of ig e precautionary measures p away from heat, sparks p container tightly closed. re in accordance with infor 8. Exposure Co Jurisdiction ACGIH TLV Europe France VL OSHA PELs	n any fire, wear self-contained breathing apparatus pressure-demand (NIOS ivalent), and full protective gear to prevent contact with skin and eyes. e: Flammable as diluted in acetonitrile. ction 6. Accidental Release Measures bid raising and breathing dust, and provide adequate ventilation. conditions warrant, wear a NIOSH approved self-contained breathing appard appropriate personal protection (rubber boots, safety goggles, and heavy r se steps to avoid release into the environment, if safe to do so. Intain spill and collect, as appropriate. Insfer to a chemical waste container for disposal in accordance with local region Section 7. Handling and Storage id breathing dust/fume/gas/mist/vapours/spray. id prolonged or repeated exposure. p away from sources of ignition. e precautionary measures against static discharge. p away from heat, sparks and flame. p container tightly closed. re in accordance with information listed on the product insert. 8. Exposure Controls/Personal Protection Jurisdiction Recommended Exposure Limits ACGIH TLV TLV: 20 ppm Europe TWA: 70 mg/m3 (40 ppm) France VL STEL: () OSHA PELS PEL: 40 ppm Britain EH40 TWA: 68 mg/m3 (40 ppm)	



hine t-butyl Carbamate Revision: 12/0 Supersedes Revision: 07/0 I exhaust ventilation, or other engineering controls to control a cposure limits. It gloves is conditions warrant. is material should be equipped with an eyewash and a safety g. https://operties. full Chemical Properties full [] Solid full full Closed Cup full Closed Cup	Page: 4 of
Supersedes Revision: 07/01 I exhaust ventilation, or other engineering controls to control a kposure limits. t gloves s conditions warrant. is material should be equipped with an eyewash and a safety rg. Ind Chemical Properties a [] Solid ie 25.0 C UEL: 16.0% at 25.0 C	00/2010
kposure limits. t gloves s conditions warrant. is material should be equipped with an eyewash and a safety rg. Ind Chemical Properties s d []Solid k: Closed Cup 25.0 C UEL: 16.0% at 25.0 C	
kposure limits. t gloves s conditions warrant. is material should be equipped with an eyewash and a safety rg. Ind Chemical Properties s d []Solid k: Closed Cup 25.0 C UEL: 16.0% at 25.0 C	
t gloves s conditions warrant. is material should be equipped with an eyewash and a safety g. nd Chemical Properties d []Solid le f: Closed Cup 25.0 C UEL: 16.0% at 25.0 C	airborn
s conditions warrant. is material should be equipped with an eyewash and a safety ig. <u>nd Chemical Properties</u> <u>s</u> d []Solid le t: Closed Cup 25.0 C UEL: 16.0% at 25.0 C	
s conditions warrant. is material should be equipped with an eyewash and a safety ig. <u>nd Chemical Properties</u> <u>s</u> d []Solid le t: Closed Cup 25.0 C UEL: 16.0% at 25.0 C	
s conditions warrant. is material should be equipped with an eyewash and a safety ig. <u>nd Chemical Properties</u> <u>s</u> d []Solid le t: Closed Cup 25.0 C UEL: 16.0% at 25.0 C	
is material should be equipped with an eyewash and a safety ig. nd Chemical Properties s d []Solid le t: Closed Cup 25.0 C UEL: 16.0% at 25.0 C	
is material should be equipped with an eyewash and a safety ig. nd Chemical Properties s d []Solid le t: Closed Cup 25.0 C UEL: 16.0% at 25.0 C	
nd Chemical Properties a f []Solid le f: Closed Cup 25.0 C UEL: 16.0% at 25.0 C	
nd Chemical Properties a f []Solid le f: Closed Cup 25.0 C UEL: 16.0% at 25.0 C	
nd Chemical Properties a f []Solid le f: Closed Cup 25.0 C UEL: 16.0% at 25.0 C	y showe
s d []Solid le l: Closed Cup 25.0 C UEL: 16.0% at 25.0 C	
s d []Solid le l: Closed Cup 25.0 C UEL: 16.0% at 25.0 C	
d []Solid le I: Closed Cup 25.0 C UEL: 16.0% at 25.0 C	
le I: Closed Cup 25.0 C UEL: 16.0% at 25.0 C	
l: Closed Cup 25.0 C UEL: 16.0% at 25.0 C	
25.0 C UEL: 16.0% at 25.0 C	
25.0 C UEL: 16.0% at 25.0 C	
25.0 C UEL: 16.0% at 25.0 C	
25.0 C UEL: 16.0% at 25.0 C	
.0 C	
.4	
.4	



SAFETY DATA SHEET

Methamphetamine t-butyl Carbamate

Revision: 12/09/2019 Supersedes Revision: 07/06/2017

10.1		Section 10. Stability an	d Reacti	vity		
	Reactivity:	No data available.		<u> </u>		
10.2	Stability:	Unstable [] Stable [X]				
10.3	Stability Note(s):	Stable if stored in accordance with infor	mation listed	on the product	insert.	
	Polymerization:	Will occur [] Will not occur [X]				
10.4	Conditions To Avoid:	heat, flames, and sparks				
10.5	Incompatibility - Materials	s acids				
	To Avoid:	alkali metals				
		bases				
		oxidizing agents				
		reducing agents				
10.6	Hazardous	carbon dioxide				
	Decomposition or	carbon monoxide				
	Byproducts:	hydrogen cyanide				
		nitrogen oxides				
		Section 11. Toxicologica	al Informa	ation		
11.1	Information on	The toxicological effects of this product	have not beer	n thoroughly st	udied.	
	Toxicological Effects:	Acetonitrile - Toxicity Data: Oral LD50 (at): 2,460 mg	/kg; Oral LD50) (mouse): 269	mg/kg; Oral
		LD50 (rabbit): 50 mg/kg; Oral TDLO (ma	an): 64 mg/kg	; Skin LD50 (ra	abbit): 980 mg/	kg; Inhalatior
		TCLO (human): 160 ppm (4h); Inhalatio			-	
		Acetonitrile - Irritation Data: Skin (rabbit) 500 mg mild; Eye (rabbit): 100 il (24 hr) moderate; Acetonitrile - Investigated as a mutagen, primary irritant, reproductive effector, and tumorigen. Only select Registry of Toxic Effects of Chemical Substances (RTECS) data is presented here.				
	Chronic Toxicological					
	Effects:					
		See actual entry in RTECS for complete				
	i	Acetonitrile RTECS Number: AL770000				
CAS		ponents (Chemical Name)	NTP	IARC	ACGIH	OSHA
	· · · · · ·	ne t-butyl Carbamate	n.a.	n.a.	n.a.	n.a.
			n.a.	n.a.	A4	n.a.
75	5-05-8 Acetonitrile		n.a.			11.a.
75	5-05-8 Acetonitrile	Section 12. Ecological		ion		
	5-05-8 Acetonitrile Toxicity:	Section 12. Ecological Avoid release into the environment.		ion		
			Informat			11.a.
12.1		Avoid release into the environment.	Informat			11.a.
12.1	Toxicity:	Avoid release into the environment. Runoff from fire control or dilution water	Informat		-	11.a.
12.1 12.2	Toxicity: Persistence and	Avoid release into the environment. Runoff from fire control or dilution water	Informat			11.a.
12.1 12.2	Toxicity: Persistence and Degradability:	Avoid release into the environment. Runoff from fire control or dilution water No data available.	Informat			11.a.
12.1 12.2 12.3	Toxicity: Persistence and Degradability: Bioaccumulative	Avoid release into the environment. Runoff from fire control or dilution water No data available.	Informat			11.a.
12.1 12.2 12.3 12.4	Toxicity: Persistence and Degradability: Bioaccumulative Potential:	Avoid release into the environment. Runoff from fire control or dilution water No data available. No data available. No data available.	Informat			11.a.
12.1 12.2 12.3 12.4	Toxicity: Persistence and Degradability: Bioaccumulative Potential: Mobility in Soil:	Avoid release into the environment. Runoff from fire control or dilution water No data available. No data available. No data available.	Informat			11.a.
12.1 12.2 12.3 12.4 12.5	Toxicity: Persistence and Degradability: Bioaccumulative Potential: Mobility in Soil: Results of PBT and vPvB assessment:	Avoid release into the environment. Runoff from fire control or dilution water No data available. No data available. No data available. No data available.	Informat			11.a.
12.1 12.2 12.3 12.4	Toxicity: Persistence and Degradability: Bioaccumulative Potential: Mobility in Soil: Results of PBT and vPvB	Avoid release into the environment. Runoff from fire control or dilution water No data available. No data available. No data available.	Informat			11.a.
12.1 12.2 12.3 12.4 12.5	Toxicity: Persistence and Degradability: Bioaccumulative Potential: Mobility in Soil: Results of PBT and vPvB assessment:	Avoid release into the environment. Runoff from fire control or dilution water No data available. No data available. No data available. No data available.	Informat			11.a.
12.1 12.2 12.3 12.4 12.5	Toxicity: Persistence and Degradability: Bioaccumulative Potential: Mobility in Soil: Results of PBT and vPvB assessment:	Avoid release into the environment. Runoff from fire control or dilution water No data available. No data available. No data available. No data available.	Informat			11.a.
12.1 12.2 12.3 12.4 12.5	Toxicity: Persistence and Degradability: Bioaccumulative Potential: Mobility in Soil: Results of PBT and vPvB assessment:	Avoid release into the environment. Runoff from fire control or dilution water No data available. No data available. No data available. No data available.	Informat			11.a.



Revision: 12/09/2019 Supersedes Revision: 07/06/2017

		Section 13. Dispos	al Considerat	ione		
13.1 Waste I	Disposal Mathed	•				
13.1 Waste Disposal Method: Dispose in accordance with local, state, and federal regulations. Section 14. Transport Information						
			sport mormat	.10[1		
	RANSPORT (US I					
-	er Shipping Name:					
DOT Hazard Class: UN/NA Number:		3 FLAMMAB UN1648	Packing Grou		Ш	
	inder:	UN1040	Packing Grou	ip:	11	
		FLBMMBBLE LIGUT				
	RANSPORT (Euro					
	hipping Name:	Acetonitrile solution	De altin a Oraș			
UN Numbe Hazard Cla		1648 3 - FLAMMABLE LIQUID	Packing Grou	ib:	II	
	ANSPORT (ICAO/I					
	ANSPORT (ICAO/I	Acetonitrile solution				
UN Numbe		1648	Packing Group:		II	
Hazard Cla		3 - FLAMMABLE LIQUID	IATA Classifi	-	3	
Additional Tra	insport	Transport in accordance with lo	Transport in accordance with local, state, and federal regulations.			
Information:		When sold in quantities of less than or equal to 1 mL, or 1 g, with an Excepted Quantity Code of				
		E1, E2, E4, or E5, this item mee	ets the De Minimis Qu	uantities exemption, p	per IATA 2.6.10.	
		Therefore packaging does not h	have to be labeled as	Dangerous Goods/E	xcepted Quantity.	
		Section 15. Regul	latory Informa	tion		
EPA SARA (S	uperfund Amendm	nents and Reauthorization Act of	of 1986) Lists			
CAS #	Hazardous Com	ponents (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)	
NA	Methamphetamir	ne t-butyl Carbamate	No	No	No	
75-05-8	Acetonitrile		No	Yes 5000 LB	Yes	
CAS #	Hazardous Com	ponents (Chemical Name)	Other US EPA or S	· State Lists	•	
NA	Methamphetamir	ne t-butyl Carbamate	CAA HAP,ODC: N PROP.65: No	o; CWA NPDES: No	; TSCA: No; CA	
75-05-8	Acetonitrile			AP: VHAP; CWA NF R; CA PROP.65: No	PDES: No; TSCA: Yes -	
Regulatory Inf	ormation	This SDS was prepared in acco	rdance with 29 CFR	1910.1200 and Regu	lation (EC)	
Statement:		No.1272/2008.		Ũ		



Page: 7 of 7

Revision: 12/09/2019 Supersedes Revision: 07/06/2017

	Section 16. Other Information
Revision Date:	12/09/2019
Additional Information About	No data available.
This Product:	
Company Policy or Disclaimer:	DISCLAIMER: This information is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.