

according to Regulation (EC) No. 1907/2006 as amended by (EC) No. 2015/830 and US OSHA HCS 2015

Section 1. Identification of the Substance/Mixture and of the Company/Undertaking

- 1.1 Product Code:** 23537
Product Name: Autophagy-focused Screening Library
- 1.2 Relevant identified uses of the substance or mixture and uses advised against:**
Relevant identified uses: For research use only, not for human or veterinary use.
- 1.3 Details of the Supplier of the Safety Data Sheet:**
Company Name: Cayman Chemical Company
 1180 E. Ellsworth Rd.
 Ann Arbor, MI 48108
Web site address: www.caymanchem.com
Information: Cayman Chemical Company +1 (734)971-3335
- 1.4 Emergency telephone number:**
Emergency Contact: CHEMTREC Within USA and Canada: +1 (800)424-9300
 CHEMTREC Outside USA and Canada: +1 (703)527-3887

Section 2. Hazards Identification

2.1 Classification of the Substance or Mixture:

Flammable Liquids, Category 4

Toxic To Reproduction, Category 1B

2.2 Label Elements:



GHS Signal Word: **Danger**

GHS Hazard Phrases:

H227: Combustible liquid.

H360: May damage fertility or the unborn child.

GHS Precaution Phrases:

P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and understood.

P210: Keep away from {heat/sparks/open flames/hot surfaces}. - No smoking.

P280: Wear {protective gloves/protective clothing/eye protection/face protection}.

GHS Response Phrases:

P308+313: IF exposed or concerned: Get medical attention/advice.

GHS Storage and Disposal Phrases:

Please refer to Section 7 for Storage and Section 13 for Disposal information.

2.3 Adverse Human Health DMSO has the potential to carry toxic materials or materials of unknown toxicity into the body.

Effects and Symptoms: DMSO is readily absorbed through skin.

Material may be irritating to the mucous membranes and upper respiratory tract.

May be harmful by inhalation, ingestion, or skin absorption.

May cause eye, skin, or respiratory system irritation.

May damage fertility or the unborn child.

To the best of our knowledge, the toxicological properties have not been thoroughly investigated.

Section 3. Composition/Information on Ingredients

CAS # / RTECS #	Hazardous Components (Chemical Name)/ REACH Registration No.	Concentration	EC No./ EC Index No.	GHS Classification
NA NA	Autophagy-focused Screening Library	0.5 %	NA NA	Acute Tox.(O) 4: H302 Toxic Repro. 1B: H360
67-68-5 PV6210000	Dimethyl sulfoxide, anhydrous 01-2119431362-50	99.5 %	200-664-3 NA	Flam. Liq. 4: H227

Section 4. First Aid Measures

4.1 Description of First Aid Measures:

- In Case of Inhalation:** Remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Get immediate medical attention.
- In Case of Skin Contact:** Immediately wash skin with soap and plenty of water for at least 15 minutes. Remove contaminated clothing. Get medical attention if symptoms occur. Wash clothing before reuse.
- In Case of Eye Contact:** Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Have eyes examined and tested by medical personnel.
- In Case of Ingestion:** Wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by medical personnel.

4.2 Important Symptoms and Effects, Both Acute and Delayed:

Exposure may cause: hematuria or shortness of breath (dyspnea).
 Exposure may cause: gastrointestinal irritation with nausea, vomiting, diarrhea, headache, dizziness, and drowsiness.
 Eye contact may cause blurry vision, burning sensation, redness, tearing, and vasodilation.

Section 5. Fire Fighting Measures

5.1 Suitable Extinguishing Media:

Use alcohol-resistant foam, carbon dioxide, water, or dry chemical spray.
 Use water spray to cool fire-exposed containers.

Unsuitable Extinguishing Media: A solid water stream may be inefficient.

5.2 Flammable Properties and Hazards:

Can release vapors that form explosive mixtures at temperatures at or above the flashpoint.
 Container explosion may occur under fire conditions.
 Emits toxic fumes under fire conditions.
 Sensitive to static discharge.
 Vapors can travel to a source of ignition and flash back.
 No data available.

Flash Pt: 89.00 C Method Used: Closed Cup

Explosive Limits: LEL: 3.5% at 25.0 C UEL: 42.0% at 25.0 C

Autoignition Pt: 215.00 C

5.3 Fire Fighting Instructions:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes.
 Note: Combustible as diluted in dimethyl sulfoxide

Section 6. Accidental Release Measures

- 6.1 Protective Precautions, Protective Equipment and Emergency Procedures:** Avoid breathing vapors and provide adequate ventilation. As conditions warrant, wear a NIOSH approved self-contained breathing apparatus, or respirator, and appropriate personal protection (rubber boots, safety goggles, and heavy rubber gloves).
- 6.2 Environmental Precautions:** Take steps to avoid release into the environment, if safe to do so.
- 6.3 Methods and Material For Containment and Cleaning Up:** Contain spill and collect, as appropriate. Transfer to a chemical waste container for disposal in accordance with local regulations.

Section 7. Handling and Storage

- 7.1 Precautions To Be Taken in Handling:** Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid prolonged or repeated exposure. Keep away from sources of ignition. Take precautionary measures against static discharge.
- 7.2 Precautions To Be Taken in Storing:** Keep away from heat, sparks, and flame. Keep container tightly closed. Store in accordance with information listed on the product insert.
- Other Precautions:** Hygroscopic

Section 8. Exposure Controls/Personal Protection

- 8.1 Exposure Parameters:**
- 8.2 Exposure Controls:**
- 8.2.1 Engineering Controls (Ventilation etc.):** Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits.
- 8.2.2 Personal protection equipment:**
- Eye Protection:** Safety glasses
- Protective Gloves:** Compatible chemical-resistant gloves
- Other Protective Clothing:** Lab coat
- Respiratory Equipment (Specify Type):** NIOSH approved respirator, as conditions warrant.
- Work/Hygienic/Maintenance Practices:** Do not take internally. Facilities storing or utilizing this material should be equipped with an eyewash and a safety shower. Wash thoroughly after handling. No data available.

Section 9. Physical and Chemical Properties

9.1 Information on Basic Physical and Chemical Properties

Physical States: [] Gas [X] Liquid [] Solid

Appearance and Odor: A 10 mM solution in DMSO

pH: No data.

Melting Point: No data.

Boiling Point: No data.

Flash Pt: 89.00 C Method Used: Closed Cup

Evaporation Rate: No data.

Flammability (solid, gas): No data available.

Explosive Limits: LEL: 3.5% at 25.0 C UEL: 42.0% at 25.0 C

Vapor Pressure (vs. Air or mm Hg): No data.

Vapor Density (vs. Air = 1): No data.

Specific Gravity (Water = 1): No data.

Solubility in Water: No data.

Octanol/Water Partition Coefficient: No data.

Autoignition Pt: 215.00 C

Decomposition Temperature: No data.

Viscosity: No data.

9.2 Other Information

Percent Volatile: No data.

Section 10. Stability and Reactivity

10.1 Reactivity: No data available.

10.2 Stability: Unstable [] Stable [X]

10.3 Stability Note(s): Stable if stored in accordance with information listed on the product insert.

Polymerization: Will occur [] Will not occur [X]

10.4 Conditions To Avoid: heat, flames and sparks

10.5 Incompatibility - Materials To Avoid: acid chlorides
 alkali metals
 phosphorus halides
 strong acids
 strong oxidizing agents
 strong reducing agents

10.6 Hazardous Decomposition or Byproducts: carbon monoxide
 carbon dioxide
 sulfur oxides

Section 11. Toxicological Information

11.1 Information on Toxicological Effects: The toxicological effects of this product have not been thoroughly studied.
 DMSO - Toxicity Data: Oral LD50 (rat): 14,500 mg/kg; Skin LD50 (rat): 40,000 mg/kg; Oral LD50 (mouse): 7,920 mg/kg; Skin LD50 (mouse): 50,000 mg/kg; Skin TDLO (woman): 1,800 mg/kg; Inhalation LC50 (rat): >1,600 mg/m³ (4h);
 DMSO - Irritation Data: Eyes (rabbit): 100 mg mild; Skin (rabbit): 500 mg (24h) mild;

Chronic Toxicological Effects: DMSO - Investigated as a mutagen, reproductive effector, and tumorigen.
 Only select Registry of Toxic Effects of Chemical Substances (RTECS) data is presented here.
 See actual entry in RTECS for complete information.
 DMSO RTECS Number: PV6210000

Carcinogenicity: NTP? No IARC Monographs? No OSHA Regulated? No

CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
NA	Autophagy-focused Screening Library	n.a.	n.a.	n.a.	n.a.
67-68-5	Dimethyl sulfoxide, anhydrous	n.a.	n.a.	n.a.	n.a.

Section 12. Ecological Information

12.1 Toxicity: Avoid release into the environment.
 Runoff from fire control or dilution water may cause pollution.

12.2 Persistence and Degradability: No data available.

12.3 Bioaccumulative Potential: No data available.

12.4 Mobility in Soil: No data available.

12.5 Results of PBT and vPvB assessment: No data available.

12.6 Other adverse effects: No data available.

Section 13. Disposal Considerations

13.1 Waste Disposal Method: Dispose in accordance with local, state, and federal regulations.

Section 14. Transport Information

14.1 LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Combustible liquid, n.o.s. (Dimethyl sulfoxide)
DOT Hazard Class:
UN/NA Number: NA1993 **Packing Group:** III

14.1 LAND TRANSPORT (European ADR/RID):

ADR/RID Shipping Name: Not dangerous goods.
UN Number: 1993 **Packing Group:** III
Hazard Class:

14.3 AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: Not dangerous goods.

Additional Transport Information:

Transport in accordance with local, state, and federal regulations.
 When sold in quantities of less than or equal to 1 mL, or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10.
 Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.

Section 15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
NA	Autophagy-focused Screening Library	No	No	No
67-68-5	Dimethyl sulfoxide, anhydrous	No	No	No

CAS #	Hazardous Components (Chemical Name)	Other US EPA or State Lists
NA	Autophagy-focused Screening Library	CAA HAP,ODC: No; CWA NPDES: No; TSCA: No; CA PROP.65: No
67-68-5	Dimethyl sulfoxide, anhydrous	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No

Regulatory Information Statement: This SDS was prepared in accordance with 29 CFR 1910.1200 and Regulation (EC) No.1272/2008.

Section 16. Other Information

Revision Date: 08/07/2018

Additional Information About This Product: No data available.

This Product:

Company Policy or Disclaimer: DISCLAIMER: This information is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.