

Multi-region format

Revision: 12/02/2017

		ling to Regulation (EC) No. 1907/2006 as amended by (
	Section 1. Ide	entification of the Substance/Mixture and of th	le Company/Undertaking				
.1	Product Code: Product Name: Synonyms:	23605 (S)-Methamphetamine p-toluenesulfonamide N,4-dimethyl-N-[(1S)-1-methyl-2-phenylethyl]-t para-toluenesulfonamide; Tosyl-Methampheta					
2	Relevant identified uses of the substance or mixture and uses advised against:						
	Relevant identified uses: For research use only, not for human or veterinary use.						
3	Details of the Supplier of the	e Safety Data Sheet:					
	Company Name:	Cayman Chemical Company 1180 E. Ellsworth Rd. Ann Arbor, MI 48108					
	Web site address:	www.caymanchem.com					
	Information:	Cayman Chemical Company	+1 (734)971-3335				
.4	Emergency telephone numb						
	Emergency Contact:	CHEMTREC Within USA and Canada:	+1 (800)424-9300				
		CHEMTREC Outside USA and Canada:	+1 (703)527-3887				
		Section 2. Hazards Identification	ation				
2	Flammable Liquids, Categ Serious Eye Damage/Eye I Specific Target Organ Tox Label Elements:						
2	Serious Eye Damage/Eye Specific Target Organ Tox	rritation, Category 2					
2	Serious Eye Damage/Eye Specific Target Organ Tox	rritation, Category 2					
2	Serious Eye Damage/Eye I Specific Target Organ Tox Label Elements:	rritation, Category 2 icity (single exposure), Category 3					
2	Serious Eye Damage/Eye I Specific Target Organ Tox Label Elements: GHS Signal Word: GHS Hazard Phrases:	rritation, Category 2 icity (single exposure), Category 3					
2	Serious Eye Damage/Eye I Specific Target Organ Tox Label Elements: GHS Signal Word: GHS Hazard Phrases: EUH066: Repeated exposur H225: Highly flammable liqu	Irritation, Category 2 icity (single exposure), Category 3 Danger re may cause skin dryness or cracking. id and vapor.					
2	Serious Eye Damage/Eye I Specific Target Organ Tox Label Elements: GHS Signal Word: GHS Hazard Phrases: EUH066: Repeated exposur H225: Highly flammable liqu H319: Causes serious eye in	rritation, Category 2 icity (single exposure), Category 3 Danger re may cause skin dryness or cracking. id and vapor. rritation.					
2	Serious Eye Damage/Eye I Specific Target Organ Tox Label Elements: GHS Signal Word: GHS Hazard Phrases: EUH066: Repeated exposur H225: Highly flammable liqu H319: Causes serious eye in H336: May cause drowsines	rritation, Category 2 icity (single exposure), Category 3 Danger re may cause skin dryness or cracking. id and vapor. rritation.					
2	Serious Eye Damage/Eye I Specific Target Organ Tox Label Elements: GHS Signal Word: GHS Hazard Phrases: EUH066: Repeated exposur H225: Highly flammable liqu H319: Causes serious eye in H336: May cause drowsines GHS Precaution Phrases:	rritation, Category 2 icity (single exposure), Category 3 Danger re may cause skin dryness or cracking. id and vapor. rritation. ss or dizziness.					
.2	Serious Eye Damage/Eye I Specific Target Organ Tox Label Elements: GHS Signal Word: GHS Hazard Phrases: EUH066: Repeated exposur H225: Highly flammable liquid H319: Causes serious eye in H336: May cause drowsines GHS Precaution Phrases: P210: Keep away from {heat	Irritation, Category 2 icity (single exposure), Category 3 Danger re may cause skin dryness or cracking. id and vapor. rritation. ss or dizziness. t/sparks/open flames/hot surfaces} No smoking /fume/gas/mist/vapors/spray}.	·				
2	Serious Eye Damage/Eye I Specific Target Organ Tox Label Elements: GHS Signal Word: GHS Hazard Phrases: EUH066: Repeated exposur H225: Highly flammable liquid H319: Causes serious eye in H336: May cause drowsines GHS Precaution Phrases: P210: Keep away from {heat P261: Avoid breathing {dust P264: Wash {hands} thorough	Irritation, Category 2 icity (single exposure), Category 3 Danger re may cause skin dryness or cracking. id and vapor. rritation. ss or dizziness. t/sparks/open flames/hot surfaces} No smoking /fume/gas/mist/vapors/spray}.					
2	Serious Eye Damage/Eye I Specific Target Organ Tox Label Elements: GHS Signal Word: GHS Hazard Phrases: EUH066: Repeated exposur H225: Highly flammable liqu H319: Causes serious eye in H336: May cause drowsines GHS Precaution Phrases: P210: Keep away from {hea P261: Avoid breathing {dust P264: Wash {hands} thoroug P280: Wear {protective glow	Irritation, Category 2 icity (single exposure), Category 3 Danger The may cause skin dryness or cracking. id and vapor. tritation. ss or dizziness. t/sparks/open flames/hot surfaces} No smoking /fume/gas/mist/vapors/spray}. ghly after handling.	on}.				
2	Serious Eye Damage/Eye I Specific Target Organ Tox Label Elements: GHS Signal Word: GHS Hazard Phrases: EUH066: Repeated exposur H225: Highly flammable liqu H319: Causes serious eye in H336: May cause drowsines GHS Precaution Phrases: P210: Keep away from {hea P261: Avoid breathing {dust P264: Wash {hands} thoroug P280: Wear {protective glow GHS Response Phrases: P303+361+353: IF ON SKIN water/shower. P304+340: IF INHALED: Response Parases	Irritation, Category 2 icity (single exposure), Category 3 Danger The may cause skin dryness or cracking. id and vapor. rritation. is or dizziness. t/sparks/open flames/hot surfaces} No smoking /fume/gas/mist/vapors/spray}. ghly after handling. es/protective clothing/eye protection/face protection	on}. ninated clothing. Rinse skin with tion comfortable for breathing.				
2	Serious Eye Damage/Eye I Specific Target Organ Tox Label Elements: GHS Signal Word: GHS Hazard Phrases: EUH066: Repeated exposur H225: Highly flammable liqu H319: Causes serious eye in H336: May cause drowsines GHS Precaution Phrases: P210: Keep away from {hea P261: Avoid breathing {dust P264: Wash {hands} thoroug P280: Wear {protective glov GHS Response Phrases: P303+361+353: IF ON SKIN water/shower. P304+340: IF INHALED: Re P305+351+338: IF IN EYES to do. Continue rinsing. P312: Call a POISON CENT	Invitation, Category 2 icity (single exposure), Category 3 Danger The may cause skin dryness or cracking. id and vapor. mitation. tritation. tritation. trisparks/open flames/hot surfaces} No smoking /fume/gas/mist/vapors/spray}. ghly after handling. es/protective clothing/eye protection/face protection (or hair): Remove/take off immediately all contain move victim to fresh air and keep at rest in a posi	on}. ninated clothing. Rinse skin with tion comfortable for breathing.				



Revision: 12/02/2017

EUH066

	Plaas	a refer to Section 7	for Storage and Section 13 for	r Disposal informatio	n			
			for Storage and Section 13 for Disposal information.					
2.3	Advers	se Human Health	Causes serious eye irritation.					
	Effects and Symptoms:		Material may be irritating to the mucous membranes and upper respiratory tract.					
			May be harmful by inhalation, ingestion, or skin absorption.					
			May cause drowsiness or dia	zziness.				
			May cause skin or respiratory system irritation.					
			Repeated exposure may cau	ise skin dryness or c	cracking.			
			To the best of our knowledge, the toxicological properties have not been thoroughly investigated.					
		Sec	tion 3. Composition	/Information	on Ingredie	nts		
CAS #	CAS # / Hazardous Com		oonents (Chemical Name)/	Concentration	EC No./	GHS Classification		
RTEC	S #	REACH Registra			EC Index No.			
74810)-23-4	(S)-Methamphetami	ne p-toluenesulfonamide	1.0 %	NA	No data available.		
NA					NA			
79-2	9-20-9 Methyl acetate 00000			99.0 %	201-185-2 607-021-00-X	Flam. Liq. 2: H225		
AI9100						Eye Damage 2: H319		

Section 4. First Aid Measures

4.1 Description of First Aid Measures:

- In Case of Inhalation: Remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Get immediate medical attention.
- In Case of Skin Contact: Immediately wash skin with soap and plenty of water for at least 15 minutes. Remove contaminated clothing. Get medical attention if symptoms occur. Wash clothing before reuse.
 - In Case of Eye Contact: Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Have eyes examined and tested by medical personnel.
- In Case of Ingestion: Wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by medical personnel.
- Important Symptoms and Exposure may cause: coughing, dizziness, drowsiness, headache, narcosis, optic nerve atrophy,
 Effects, Both Acute and chest tightness.
 Delayed:
- Section 5. Fire Fighting Measures 5.1 Suitable Extinguishing Use alcohol-resistant foam, carbon dioxide, water, or dry chemical spray. Use water spray to cool fire-exposed containers. Media: Unsuitable Extinguishing A solid water stream may be inefficient. Media: 5.2 Flammable Properties and Can release vapors that form explosive mixtures at temperatures at or above the flash point. Container explosion may occur under fire conditions. Hazards: Emits toxic fumes under fire conditions. Sensitive to static discharge. Vapors can travel to a source of ignition and flash back. No data available. Flash Pt: -10.00 C Method Used: Closed Cup **Explosive Limits:** LEL: 3.1% at 25.0 C UEL: 16.0% at 25.0 C Autoignition Pt: 455.00 C



		ructions: As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes.						
		equivalent), and full protective gear to prevent contact with skin and eyes. Note: Flammable as diluted in methyl acetate.						
			ental Release Measures					
6.1	Protective Precautions,		nd provide adequate ventilation.					
	Protective Equipment and	÷ .	ar a NIOSH approved self-contained breathing app	paratus, or respirator.				
	Emergency Procedures:							
6.2	Environmental	Take steps to avoid release into the environment, if safe to do so.						
	Precautions:	'						
6.3	Methods and Material For	Contain spill and collect, a	as appropriate.					
	Containment and Cleanin	gTransfer to a chemical wa	ste container for disposal in accordance with local	regulations.				
	Up:							
		Section 7. Ha	andling and Storage					
7.1	Precautions To Be Taken	Avoid breathing dust/fume/	/gas/mist/vapours/spray.					
	in Handling:	Avoid prolonged or repeate	ed exposure.					
		Keep away from sources o	-					
			ures against static discharge.					
7.2		Keep away from heat, span						
	in Storing:	Keep container tightly close						
			nformation listed on the product insert.					
	Other Precautions:	Protect from moisture.						
	Sect	ion 8. Exposure (Controls/Personal Protection					
8.1	Exposure Parameters:							
CAS #	Chemical Name	Jurisdiction	Recommended Exposure Limits	Notations				
79-20-	-9 Methyl acetate	ACGIH TLV	TLV: 200 ppm STEL: 250 ppm					
		France VL	TWA: 610 mg/m3 (200 ppm)					
			STEL: 760 mg/m3 (250 ppm)					
		OSHA PELs	PEL: 200 ppm					
		Britain EH40	TWA: 616 mg/m3 (200 ppm) STEL: 770 mg/m3 (250 ppm)					
8.2	Exposure Controls:							
	Engineering Controls	Use process enclosures, local exhaust ventilation, or other engineering controls to control air						
	(Ventilation etc.):	levels below recommended						
8.2.2	Personal protection equipment:							
	Eye Protection:	Safety glasses						
	Protective Gloves:	Compatible chemical-resistant gloves						
	Other Protective Clothing	ing:Lab coat						
	Respiratory Equipment (Specify Type):	NIOSH approved respirator, as conditions warrant.						
	Work/Hygienic/Maintenan	Do not take internally.						
		Facilities storing or utilizing this material should be equipped with an eyewash and a safety show						
	ce Practices:	Wash thoroughly after handling.						
	ce Practices:		ndling.					
	ce Practices:		ndling.					



Revision: 12/02/2017

9.1		ection 9. Physical and Chemical Properties				
5.1	Physical States:	[]Gas [X]Liquid []Solid				
	Appearance and Odor:	A solution in methyl acetate				
	pH:	No data.				
	Melting Point:	No data.				
	Boiling Point:	No data.				
	Flash Pt:	-10.00 C Method Used: Closed Cup No data.				
	Evaporation Rate:					
	Flammability (solid, gas):	No data available.				
	Explosive Limits:	LEL: 3.1% at 25.0 C UEL: 16.0% at 25.0 C				
	Vapor Pressure (vs. Air or					
	Hg):					
	Vapor Density (vs. Air = 1)	No data.				
	Specific Gravity (Water = 1					
	Solubility in Water:	No data.				
	Octanol/Water Partition	No data.				
	Coefficient:					
	Autoignition Pt:	455.00 C				
	Decomposition Temperatu					
	Viscosity:	No data.				
9.2	Other Information					
0.2	Percent Volatile:	No data.				
	Molecular Formula & Weig					
40.4	Description 1	Section 10. Stability and Reactivity				
10.1	,	No data available.				
10.2	-	Unstable [] Stable [X]				
10.3		Stable if stored in accordance with information listed on the product insert.				
	-	Will occur [] Will not occur [X]				
10.4		heat, flames and sparks				
10.5	Incompatibility - Materials					
		alkalis				
		nitrates				
		strong oxidizing agents				
10.6		carbon dioxide				
10.6		carbon dioxide carbon monoxide				



Revision: 12/02/2017

			Section 11. Toxicolo	giour intorna				
11.1 Information on			The toxicological effects of this pr	oduct have not beer	n thoroughly st	udied.	_	
	Toxicolo	gical Effects:	Methyl Acetate - Toxicity Data: Oral LD50 (rat): >5,000 mg/kg; Oral LD50 (rabbit): 3,705 mg/kg;					
			Skin LD50 (rabbit): >5,000 mg/kg	; Inhalation TCLO (h	uman): 15,000) mg/m3;		
			Methyl Acetate - Irritation Data: S	kin (rabbit): 500 mg	(24h) mild; Ey	es (rabbit): 100) mg (24h)	
			moderate;					
	Chronic	Toxicological	Methyl Acetate - Investigated as	a mutagen and prima	ary irritant.			
	Effects:		Only select Registry of Toxic Effe	cts of Chemical Sub	stances (RTE	CS) data is pre	esented here.	
			See actual entry in RTECS for co	mplete information.				
			Methyl Acetate RTECS Number:	AI9100000				
Carcir	nogenicity	:	NTP? No IARC Monographs	? No OSHA Re	egulated? No			
CAS	#	Hazardous Com	ponents (Chemical Name)	NTP	IARC	ACGIH	OSHA	
7481	10-23-4	(S)-Methampheta	amine p-toluenesulfonamide	n.a.	n.a.	n.a.	n.a.	
79	-20-9	Methyl acetate		n.a.	n.a.	n.a.	n.a.	
			Section 12. Ecolog	gical Informat	ion	·	·	
12.1	Toxicity:		Avoid release into the environme	nt.				
	2		Runoff from fire control or dilution	water may cause p	ollution.			
12.2	Persiste	nce and	No data available.					
12.2			No data available.					
	Degrada	bility:						
	Degrada Bioaccu	bility: mulative	No data available. No data available.					
12.3	Degrada Bioaccu Potentia	bility: mulative I:	No data available.					
12.3 12.4	Degrada Bioaccur Potentia Mobility	bility: mulative I: in Soil:	No data available. No data available.					
12.3 12.4	Degrada Bioaccur Potentia Mobility Results	bility: mulative I: in Soil: of PBT and vPvB	No data available.					
12.3 12.4 12.5	Degrada Bioaccur Potentia Mobility Results assessm	bility: mulative I: in Soil: of PBT and vPvB eent:	No data available. No data available. No data available.					
12.3 12.4 12.5	Degrada Bioaccur Potentia Mobility Results assessm	bility: mulative I: in Soil: of PBT and vPvB	No data available. No data available. No data available. No data available.					
12.2 12.3 12.4 12.5 12.6	Degrada Bioaccur Potentia Mobility Results assessm	bility: mulative I: in Soil: of PBT and vPvB eent:	No data available. No data available. No data available. No data available. Section 13. Disposa					
12.3 12.4 12.5 12.6	Degrada Bioaccur Potentia Mobility Results assessm Other ad	bility: mulative I: in Soil: of PBT and vPvB eent:	No data available. No data available. No data available. No data available. Section 13. Disposa					
12.3 12.4 12.5 12.6	Degrada Bioaccur Potentia Mobility Results assessm Other ad	bility: mulative I: in Soil: of PBT and vPvB eent: iverse effects:	No data available. No data available. No data available. No data available. Section 13. Disposa	state, and federal r	egulations.			
12.3 12.4 12.5 12.6 13.1	Degrada Bioaccur Potentia Mobility Results assessm Other ad	bility: mulative I: in Soil: of PBT and vPvB eent: iverse effects:	No data available. No data available. No data available. No data available. Section 13. Disposa Dispose in accordance with local Section 14. Trans	state, and federal r	egulations.			
12.3 12.4 12.5 12.6 13.1 14.1	Degrada Bioaccur Potentia Mobility Results assessm Other ad Waste D	bility: mulative I: in Soil: of PBT and vPvB eent: verse effects: isposal Method:	No data available. No data available. No data available. No data available. Section 13. Dispose Dispose in accordance with local. Section 14. Trans DOT):	state, and federal r	egulations.			
12.3 12.4 12.5 12.6 13.1 14.1	Degrada Bioaccur Potentia Mobility Results assessm Other ad Waste D	bility: mulative l: in Soil: of PBT and vPvB nent: verse effects: isposal Method: RANSPORT (US r Shipping Name	No data available. No data available. No data available. No data available. Section 13. Dispose Dispose in accordance with local. Section 14. Trans DOT):	state, and federal roport Informat	egulations.			
12.3 12.4 12.5 12.6 13.1 14.1	Degrada Bioaccur Potentia Mobility Results assessm Other ad Waste D	bility: mulative l: in Soil: of PBT and vPvB nent: verse effects: isposal Method: RANSPORT (US r Shipping Name d Class:	No data available. No data available. No data available. No data available. Section 13. Disposa Dispose in accordance with local Section 14. Trans DOT): : Methyl Acetate Solution	state, and federal roport Informat	egulations.			
12.3 12.4 12.5 12.6 13.1 14.1	Degrada Bioaccui Potentia Mobility Results assessm Other ad Waste D LAND T OT Prope	bility: mulative l: in Soil: of PBT and vPvB nent: verse effects: isposal Method: RANSPORT (US r Shipping Name d Class:	No data available. Section 13. Dispose Dispose in accordance with local. Section 14. Trans Dot): Methyl Acetate Solution 3 FLAMMABL	state, and federal report Informat	egulations.	1		
12.3 12.4 12.5 12.6 13.1 14.1	Degrada Bioaccui Potentia Mobility Results assessm Other ad Waste D LAND T OT Prope	bility: mulative l: in Soil: of PBT and vPvB nent: verse effects: isposal Method: RANSPORT (US r Shipping Name d Class:	No data available. Section 13. Dispose Dispose in accordance with local. Section 14. Trans Dot): Methyl Acetate Solution 3 FLAMMABL	state, and federal report Informat	egulations.	I		
12.3 12.4 12.5 12.6 13.1 14.1 D ⁱ U	Degrada Bioaccur Potentia Mobility Results assessm Other ad Waste D LAND T OT Proper OT Hazaro	bility: mulative l: in Soil: of PBT and vPvB eent: verse effects: isposal Method: RANSPORT (US r Shipping Name d Class: nber:	No data available. No data available. No data available. No data available. Section 13. Disposa Dispose in accordance with local, Section 14. Trans DOT): : Methyl Acetate Solution 3 FLAMMABLI 1231	state, and federal report Informat	egulations.			
12.3 12.4 12.5 12.6 13.1 14.1 D U	Degrada Bioaccui Potentia Mobility Results assessm Other ad Waste D LAND T OT Proper OT Hazaro N/NA Num	bility: mulative l: in Soil: of PBT and vPvB nent: verse effects: isposal Method: RANSPORT (US r Shipping Name d Class: nber:	No data available. No data available. No data available. No data available. Section 13. Disposa Dispose in accordance with local Section 14. Trans DOT): Methyl Acetate Solution 3 FLAMMABL 1231 Copean ADR/RID):	state, and federal report Informat	egulations.	11		
12.3 12.4 12.5 12.6 13.1 14.1 D U U	Degrada Bioaccur Potentia Mobility Results assessm Other ad Waste D LAND T OT Proper OT Hazaro N/NA Num	bility: mulative l: in Soil: of PBT and vPvB eent: verse effects: isposal Method: RANSPORT (US r Shipping Name d Class: nber: RANSPORT (Eur	No data available. No data available. No data available. No data available. Section 13. Disposa Dispose in accordance with local, Section 14. Trans DOT): : Methyl Acetate Solution 3 FLAMMABLI 1231	state, and federal ra port Informat E LIQUID Packing Grou	egulations. ion			
12.3 12.4 12.5 12.6 13.1 14.1 D U 14.1 A U	Degrada Bioaccui Potentia Mobility Results assessm Other ad Waste D LAND T OT Proper OT Hazaro N/NA Num	bility: mulative l: in Soil: of PBT and vPvB nent: verse effects: isposal Method: RANSPORT (US r Shipping Name d Class: nber: RANSPORT (Eur nipping Name:	No data available. No data available. No data available. No data available. Section 13. Disposa Dispose in accordance with local Section 14. Trans DOT): Methyl Acetate Solution 3 FLAMMABL 1231 Copean ADR/RID):	state, and federal report Informat	egulations. ion	 		



ANSPORT (ICAO/	IATA):				
Shipping Name:	Methyl Acetate Solution				
r:	1231	Packing Grou	ıp:	II	
SS:	3 - FLAMMABLE LIQUID IATA Classification: 3				
nsport	Transport in accordance with loc	cal, state, and federa	l regulations.		
			-		
	I herefore packaging does not ha	ave to be labeled as	Dangerous Good	Is/Excepted Quantity.	
	Section 15. Regula	atory Informa	tion		
perfund Amendm	nents and Reauthorization Act o	of 1986) Lists			
Hazardous Com	ponents (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)	
(S)-Methampheta	amine p-toluenesulfonamide	No	No	No	
Methyl acetate		No	No	No	
Hazardous Com	ponents (Chemical Name)	Other US EPA or S	State Lists		
(S)-Methampheta	amine p-toluenesulfonamide		o; CWA NPDES:	No; TSCA: No; CA	
Methyl acetate			o; CWA NPDES:	No; TSCA: Yes -	
ormation	This SDS was prepared in accor	dance with 29 CFR	1910.1200 and R	egulation (EC)	
	No.1272/2008.				
	Section 16. Oth	er Informatio	า		
	12/02/2017				
mation About	No data available.				
y or Disclaimer:	DISCLAIMER: This information is	s believed to be accu	urate and represe	nts the best information	
	-		-		
	express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.				
	their particular purposes.				
	Shipping Name: r: ss: nsport perfund Amendm Hazardous Com (S)-Methampheta Methyl acetate Hazardous Com (S)-Methampheta Methyl acetate mation About	r: 1231 ss: 3 - FLAMMABLE LIQUID Transport in accordance with loc When sold in quantities of less the E1, E2, E4, or E5, this item meet Therefore packaging does not he Section 15. Regular perfund Amendments and Reauthorization Act of Hazardous Components (Chemical Name) (S)-Methamphetamine p-toluenesulfonamide Methyl acetate Hazardous Components (Chemical Name) (S)-Methamphetamine p-toluenesulfonamide Methyl acetate This SDS was prepared in accorr No.1272/2008. Section 16. Oth 12/02/2017 mation About y or Disclaimer: DISCLAIMER: This information i currently available to us. However express or implied, with respect	Shipping Name: Methyl Acetate Solution r: 1231 Packing Groutstill ss: 3 - FLAMMABLE LIQUID IATA Classifi insport Transport in accordance with local, state, and federate When sold in quantities of less than or equal to 1 mL E1, E2, E4, or E5, this item meets the De Minimis Quartherefore packaging does not have to be labeled as Section 15. Regulatory Information Response perfund Amendments and Reauthorization Act of 1986) Lists Hazardous Components (Chemical Name) S. 302 (EHS) (S)-Methamphetamine p-toluenesulfonamide No No Hazardous Components (Chemical Name) Other US EPA or S (S)-Methamphetamine p-toluenesulfonamide CAA HAP,ODC: N (S)-Methamphetamine p-toluenesulfonamide CAA HAP,ODC: N Methyl acetate CAA HAP,ODC: N Inventory, 8A PAIF Inventory, 8A PAIF rmation This SDS was prepared in accordance with 29 CFR No.1272/2008. Section 16. Other Information 12/02/2017 mation About No data available. y or Disclaimer: DISCLAIMER: This information is believed to be accordure currently available to us. However, we make no warrate express or implied, with respect to such information, use. Users should make their own investigations to currently available to us. However, we make no warratexpress or im	Shipping Name: Methyl Acetate Solution r: 1231 Packing Group: ss: 3 - FLAMMABLE LIQUID IATA Classification: nsport Transport in accordance with local, state, and federal regulations. When sold in quantities of less than or equal to 1 mL, or 1 g, with an E E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption Therefore packaging does not have to be labeled as Dangerous Good Section 15. Regulatory Information perfund Amendments and Reauthorization Act of 1986) Lists Hazardous Components (Chemical Name) S. 302 (EHS) S. 304 RQ (S)-Methamphetamine p-toluenesulfonamide No No Methyl acetate No No (S)-Methamphetamine p-toluenesulfonamide CAA HAP,ODC: No; CWA NPDES: PROP.65: No Methyl acetate CAA HAP,ODC: No; CWA NPDES: PROP.65: No Methyl acetate CAA HAP,ODC: No; CWA NPDES: Inventory, 8A PAIR; CA PROP.65: Imation About No data available. Y or Disclaimer: DISCLAIMER: This information is believed to be accurate and represe currently available to us. However, we make no warranty of merchanta express or implied, with respect to such information, and we assume r use. Users should make their own investigations to determine the suit	