

Revision: 01/06/2018

	Section 1 L	dentification of the Substance/Mixture and of th	ne Company/Undertaking				
			le company/ondertaking				
	Product Code: Product Name:	23709 1-Benzyl-3-methylpiperazine					
	Synonyms:	3-methyl-1-(phenylmethyl)-piperazine;					
		the substance or mixture and uses advised ag					
	Relevant identified uses:	For research use only, not for human or vetering	hary use.				
	Details of the Supplier of the Safety Data Sheet:						
	Company Name:	Cayman Chemical Company					
		1180 E. Ellsworth Rd. Ann Arbor, MI 48108					
	Web site address:	www.caymanchem.com					
	Information:	Cayman Chemical Company	+1 (734)971-3335				
			+1 (734)971-3333				
	Emergency telephone num		1 (800) 424 0200				
	Emergency Contact:	CHEMTREC Within USA and Canada:	+1 (800)424-9300				
		CHEMTREC Outside USA and Canada:	+1 (703)527-3887				
		Section 2. Hazards Identific	ation				
	Classification of the Subst	ance or Mixture:					
	Flammable Liquids, Cate	egory 2					
	Skin Corrosion/Irritation						
	Serious Eye Damage/Eye						
	Serious Eye Damaye/Eye						
	Specific Target Organ To Label Elements:	e irritation, Category 2 oxicity (single exposure), Category 3					
	Label Elements:	oxicity (single exposure), Category 3					
	Label Elements: GHS Signal Word: GHS Hazard Phrases:	oxicity (single exposure), Category 3					
	Label Elements: GHS Signal Word: GHS Hazard Phrases:	Danger ure may cause skin dryness or cracking.					
	Label Elements:	Danger ure may cause skin dryness or cracking. quid and vapor.					
	Label Elements:	Danger ure may cause skin dryness or cracking. quid and vapor. n.					
	Label Elements:	Danger ure may cause skin dryness or cracking. quid and vapor. n.					
	Label Elements: GHS Signal Word: GHS Hazard Phrases: EUH066: Repeated expos H225: Highly flammable lic H315: Causes skin irritatio H319: Causes serious eye	Danger ure may cause skin dryness or cracking. quid and vapor. n. e irritation. ess or dizziness.					
	Label Elements:	Danger ure may cause skin dryness or cracking. quid and vapor. n. e irritation. ess or dizziness.					
	Label Elements: GHS Signal Word: GHS Hazard Phrases: EUH066: Repeated expos H225: Highly flammable lic H315: Causes skin irritatio H319: Causes serious eye H336: May cause drowsing GHS Precaution Phrases P210: Keep away from {here	Danger ure may cause skin dryness or cracking. quid and vapor. n. e irritation. ess or dizziness.					
	Label Elements: GHS Signal Word: GHS Hazard Phrases: EUH066: Repeated expos H225: Highly flammable lic H315: Causes skin irritatio H319: Causes serious eye H336: May cause drowsing GHS Precaution Phrases P210: Keep away from {here	Danger ure may cause skin dryness or cracking. quid and vapor. n. e irritation. ess or dizziness. :: eat/sparks/open flames/hot surfaces} No smoking st/fume/gas/mist/vapors/spray}.					
	Label Elements:	Danger ure may cause skin dryness or cracking. quid and vapor. n. e irritation. ess or dizziness. :: eat/sparks/open flames/hot surfaces} No smoking st/fume/gas/mist/vapors/spray}.					
	Label Elements:	Danger ure may cause skin dryness or cracking. quid and vapor. n. e irritation. ess or dizziness. :: eat/sparks/open flames/hot surfaces} No smoking st/fume/gas/mist/vapors/spray}. ughly after handling. oves/protective clothing/eye protection/face protecti					
	Label Elements:	Danger ure may cause skin dryness or cracking. quid and vapor. n. irritation. ess or dizziness. it eat/sparks/open flames/hot surfaces} No smoking st/fume/gas/mist/vapors/spray}. ughly after handling. oves/protective clothing/eye protection/face protecti					
	Label Elements: Constraints of the second s	Danger ure may cause skin dryness or cracking. quid and vapor. n. e irritation. ess or dizziness. :: eat/sparks/open flames/hot surfaces} No smoking st/fume/gas/mist/vapors/spray}. ughly after handling. oves/protective clothing/eye protection/face protecti	on}.				
	Label Elements: Constraints of the second s	Danger ure may cause skin dryness or cracking. quid and vapor. n. e irritation. ess or dizziness. :: eat/sparks/open flames/hot surfaces} No smoking st/fume/gas/mist/vapors/spray}. ughly after handling. oves/protective clothing/eye protection/face protecti	on}.				
	Label Elements: Constraints of the second s	Danger ure may cause skin dryness or cracking. quid and vapor. n. e irritation. ess or dizziness. :: eat/sparks/open flames/hot surfaces} No smoking st/fume/gas/mist/vapors/spray}. ughly after handling. oves/protective clothing/eye protection/face protecti	on}. minated clothing. Rinse skin with				
	Label Elements: Constant of the second seco	Danger ure may cause skin dryness or cracking. quid and vapor. n. e irritation. ess or dizziness. eat/sparks/open flames/hot surfaces} No smoking st/fume/gas/mist/vapors/spray}. ughly after handling. oves/protective clothing/eye protection/face protecti /ash with plenty of soap and water. IN (or hair): Remove/take off immediately all contact Remove victim to fresh air and keep at rest in a pos	on}. minated clothing. Rinse skin with ition comfortable for breathing.				
	Label Elements: Constant of the second seco	Danger ure may cause skin dryness or cracking. quid and vapor. n. irritation. ess or dizziness. i eat/sparks/open flames/hot surfaces} No smoking st/fume/gas/mist/vapors/spray}. ughly after handling. oves/protective clothing/eye protection/face protection /ash with plenty of soap and water. IN (or hair): Remove/take off immediately all contact	on}. minated clothing. Rinse skin with ition comfortable for breathing.				



	P332+	313: If skin irritation	n occurs, get medical advice/at	ttention.			
	P337+	313: If eye irritatior	n persists, get medical advice/a	attention.			
	P362:	Take off contamina	ated clothing and wash before i	re-use.			
	GHS S	Storage and Dispo	sal Phrases:				
	Please	e refer to Section 7	for Storage and Section 13 for	Disposal information	n.		
2.3	Adverse	e Human Health	Causes serious eye irritation.				
	Effects and Symptoms:		Causes skin irritation.				
			Material may be irritating to the	he mucous membrar	nes and upper res	spiratory tract.	
			May be harmful by inhalation	, ingestion, or skin a	bsorption.		
			May cause drowsiness or diz	ziness.			
			May cause respiratory syster				
			Repeated exposure may cau	-	-		
			To the best of our knowledge	e, the toxicological pr	operties have not	t been thoroughly investigated.	
		Sect	ion 3. Composition	/Information of	on Ingredie	nts	
CAS # RTEC		Hazardous Comp REACH Registrat	oonents (Chemical Name)/ tion No.	Concentration	EC No./ EC Index No.	GHS Classification	
3138-90-7 1-Benzyl-3-methylpi NA		1-Benzyl-3-methylpi	perazine	10.0 %	675-173-4 NA	Skin Corr. 2: H315 Eye Damage 2: H319 STOT (SE) 3: H335 H336	
79-20-9 Methyl acetate Al9100000		Methyl acetate		90.0 % 201-185-2 607-021-00-X	Flam. Liq. 2: H225 Eye Damage 2: H319 STOT (SE) 3: H335 H336 EUH066		
			Section 4. Fi	rst Aid Measu	ures		
4.1	Descrip	tion of First Aid					
	Measur	es:					
	In Case	of Inhalation:	Remove to fresh air. If not bre Get immediate medical attent		I respiration or giv	e oxygen by trained personnel.	
	In Case	of Skin Contact:	Immediately wash skin with se clothing. Get medical attention			i minutes. Remove contaminated efore reuse.	
	In Case	of Eye Contact:	Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Have eyes examined and tested by medical personnel.				
	In Case	of Ingestion:	Wash out mouth with water p unconscious person. Get med medical personnel.	•	•	ve anything by mouth to an ng unless directed to do so by	
4.2	Importa	nt Symptoms and	Exposure may cause: coughing	ng, dizziness, drows	iness, headache,	narcosis, optic nerve atrophy,	
	Effects, Both Acute and chest tightness.						
	Delayed	1:					



Revision: 01/06/2018

		Section 5. Fire	e Fighting Measures					
5.1	Suitable Extinguishing	Use alcohol-resistant foam	, carbon dioxide, water, or dry chemical spray	Ι.				
	Media:	Media: Use water spray to cool fire-exposed containers.						
	Unsuitable Extinguishi	ng A solid water stream may b	e inefficient.					
	Media:	Media:						
5.2	Flammable Properties and Can release vapors that form explosive mixtures at temperatures at or above the flash point.							
	Hazards:	Container explosion may o						
		Emits toxic fumes under fire						
		Sensitive to static discharge						
		•	ce of ignition and flash back.					
		No data available.						
	Flash Pt:	-10.00 C Method Used:	·					
	Explosive Limits:	LEL: 3.1% at 25.0	C UEL: 16.0% at 25.0 C					
	Autoignition Pt:	455.00 C						
5.3	Fire Fighting Instruction	-	ntained breathing apparatus pressure-deman					
		• • •	ive gear to prevent contact with skin and eye	S.				
		Note: Flammable as diluted	I in methyl acetate.					
		Section 6. Accide	ntal Release Measures					
6.1	Protective Precautions		d provide adequate ventilation.					
	Protective Equipment	and As conditions warrant, wea	ar a NIOSH approved self-contained breathing	g apparatus, or respirator,				
	Emergency Procedure	s: and appropriate personal p	protection (rubber boots, safety goggles, and	heavy rubber gloves).				
6.2	Environmental	Take steps to avoid releas	e into the environment, if safe to do so.					
	Precautions:							
6.3	Methods and Material	For Contain spill and collect, a	s appropriate.					
	Containment and Clea	ningTransfer to a chemical was	ste container for disposal in accordance with	local regulations.				
	Up:							
		Section 7. Ha	andling and Storage					
 7.1	Precautions To Be Tak	en Avoid breathing dust/fume/	Ŭ					
	in Handling:	Avoid prolonged or repeate	• • • • •					
	5		a way from sources of ignition.					
		Take precautionary measu	res against static discharge.					
7.2	Precautions To Be Tak	en Keep away from heat, spar	ks, and flame.					
	in Storing:	Keep container tightly close	container tightly closed.					
		Store in accordance with in	e in accordance with information listed on the product insert.					
	Other Precautions:	Protect from moisture.						
	Se	ection 8. Exposure C	Controls/Personal Protection					
8.1	Exposure Parameters:	· · · ·						
CAS	# Chemical Nam	e Jurisdiction	Recommended Exposure Limits	Notations				
79-20	0-9 Methyl acetate	ACGIH TLV	TLV: 200 ppm STEL: 250 ppm					
		France VL	TWA: 610 mg/m3 (200 ppm)					
			STEL: 760 mg/m3 (250 ppm)					
		OSHA PELs	PEL: 200 ppm					
		Britain EH40	TWA: 616 mg/m3 (200 ppm)					
			STEL: 770 mg/m3 (250 ppm)					
				Multi-region forma				



	HEMICAL							
8.2	Exposure Controls:							
8.2.1	Engineering Controls	Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne						
	(Ventilation etc.): levels below recommended exposure limits.							
8.2.2	Personal protection equipment:							
	Eye Protection:	Safety glasses						
	Protective Gloves:	Compatible chemical-resistant gloves						
	Other Protective Clothing:Lab coat							
		SH approved respirator, as conditions warrant.						
	(Specify Type):							
	Work/Hygienic/Maintenan Do not take internally.							
		Facilities storing or utilizing this material should be equipped with an eyewash and a safety shower.						
		Wash thoroughly after handling.						
		No data available.						
	Se	ection 9. Physical and Chemical Properties						
9.1	Information on Basic Phys	ical and Chemical Properties						
	Physical States:	[]Gas [X]Liquid []Solid						
	Appearance and Odor:	A solution in methyl acetate						
	pH:	No data.						
	Melting Point:	No data.						
	Boiling Point:	No data.						
	Flash Pt:	-10.00 C Method Used: Closed Cup						
	Evaporation Rate:	No data.						
	Flammability (solid, gas):	No data available.						
	Explosive Limits:	LEL: 3.1% at 25.0 C UEL: 16.0% at 25.0 C						
	Vapor Pressure (vs. Air or	mm 173 MM_HG at 20.0 C						
	Hg):							
	Vapor Density (vs. Air = 1)	: No data.						
	Specific Gravity (Water = 1): No data.						
	Solubility in Water:	No data.						
	Octanol/Water Partition	No data.						
	Coefficient:							
	Autoignition Pt:	455.00 C						
	Decomposition Temperatu							
	Viscosity:	No data.						
9.2	Other Information							
5.2	Percent Volatile:	No data.						
	Molecular Formula & Weig	ht: C12H18N2 190.3						



Revision: 01/06/2018

			Secti	on 10. S	Stability and	Reacti	vity		
10.1	Reactivity:		No data ava	ilable.					
10.2	Stability:		Unstable [] Stable	[X]				
10.3	Stability No	te(s):	Stable if stor	red in accord	lance with informa	ation listed of	on the product	insert.	
	Polymeriza	tion:	Will occur [] Will no	ot occur [X]				
10.4	Conditions	To Avoid:	heat, flames	and sparks					
10.5	Incompatib	ility - Materials	acids						
	To Avoid:		alkalis						
			nitrates						
			strong oxidiz						
10.6	Hazardous	(!	carbon dioxi						
	Decomposi		Carbon mon	UXIUE					
	Byproducts).		· · ·					
					oxicological				
11.1	Information	on			of this product ha				
	Toxicologic	al Effects:	-	-	Data: Oral LD50				3,705 mg/kg
				-	00 mg/kg; Inhalatio	-	-	-) m m (0.4h)
			moderate;	ate - Irritation	n Data: Skin (rabb	it): 500 mg	(24n) miid; Ey	es (raddit): 100) mg (24n)
	Chronic To	vicological		ato - Investia	ated as a mutage	n and nrim	arv irritant		
	Chronic Toxicological Effects:		-	-	oxic Effects of Ch	-	-	CS) data is pre	sented here
			-		CS for complete in				
				-	Number: AI910000				
Carcinogenicity:		NTP? No IARC Monographs? No OSHA Regulated? No							
Carci	nogenicity:		NTP? NO		nographs? No	OSHA Re	egulated? No		
Carci CAS		azardous Com					IARC	ACGIH	OSHA
CAS	# Ha	azardous Com Benzyl-3-methy	ponents (Ch			1	-	ACGIH n.a.	OSHA n.a.
CAS 313	# Ha 8-90-7 1-		ponents (Ch			NTP	IARC		_
CAS 313	# Ha 8-90-7 1-	Benzyl-3-methy	ponents (Ch	emical Nam	e)	NTP n.a. n.a.	IARCn.a.n.a.	n.a.	n.a.
CAS 313 79	# Ha 8-90-7 1-	Benzyl-3-methy	ponents (Ch	emical Nam	e) Ecological Ir	NTP n.a. n.a.	IARCn.a.n.a.	n.a.	n.a.
CAS 313 79	# Ha 8-90-7 1- -20-9 Ma	Benzyl-3-methy	ponents (Ch Ipiperazine Secti Avoid releas	emical Nam On 12. E	e) Ecological Ir	NTP n.a. n.a.	IARC n.a. n.a.	n.a.	n.a.
CAS 313 79 12.1	# Ha 8-90-7 1- -20-9 Ma	Benzyl-3-methy ethyl acetate	ponents (Ch Ipiperazine Secti Avoid releas	emical Nam	e) Ecological Ir	NTP n.a. n.a.	IARC n.a. n.a.	n.a.	n.a.
CAS 313 79 12.1	# Ha 8-90-7 1- -20-9 Ma Toxicity: Toxicity:	Benzyl-3-methy ethyl acetate	ponents (Ch Ipiperazine Secti Avoid releas Runoff from	emical Nam	e) Ecological Ir	NTP n.a. n.a.	IARC n.a. n.a.	n.a.	n.a.
CAS 313 79 12.1 12.2	# Ha 8-90-7 1- -20-9 Ma Toxicity: Persistence	Benzyl-3-methy ethyl acetate and ty:	ponents (Ch Ipiperazine Secti Avoid releas Runoff from	emical Nam On 12. E the into the en fire control o ilable.	e) Ecological Ir	NTP n.a. n.a.	IARC n.a. n.a.	n.a.	n.a.
CAS 313 79 12.1 12.2	# Ha 8-90-7 1- -20-9 M Toxicity: Persistence Degradabili	Benzyl-3-methy ethyl acetate and ty:	ponents (Ch Ipiperazine Secti Avoid releas Runoff from No data ava	emical Nam On 12. E the into the en fire control o ilable.	e) Ecological Ir	NTP n.a. n.a.	IARC n.a. n.a.	n.a.	n.a.
CAS 313	# Ha 8-90-7 1- -20-9 Ma Toxicity: Persistence Degradabili Bioaccumu	Benzyl-3-methy ethyl acetate e and ty: lative	ponents (Ch Ipiperazine Secti Avoid releas Runoff from No data ava	emical Nam On 12. E the into the en fire control o ilable. ilable.	e) Ecological Ir	NTP n.a. n.a.	IARC n.a. n.a.	n.a.	n.a.
CAS 313 79 12.1 12.2 12.3	# Ha 8-90-7 1- -20-9 Ma Toxicity: Persistence Degradabili Bioaccumu Potential: Mobility in S	Benzyl-3-methy ethyl acetate e and ty: lative	ponents (Ch Ilpiperazine Secti Avoid releas Runoff from No data ava No data ava	emical Nam ion 12. E te into the en fire control o ilable. ilable.	e) Ecological Ir	NTP n.a. n.a.	IARC n.a. n.a.	n.a.	n.a.
CAS 313 79 12.1 12.2 12.3 12.4	# Ha 8-90-7 1- -20-9 Ma Toxicity: Persistence Degradabili Bioaccumu Potential: Mobility in S	Benzyl-3-methy ethyl acetate e and ty: lative Soil: PBT and vPvB	ponents (Ch Ilpiperazine Secti Avoid releas Runoff from No data ava No data ava	emical Nam ion 12. E te into the en fire control o ilable. ilable.	e) Ecological Ir	NTP n.a. n.a.	IARC n.a. n.a.	n.a.	n.a.

Multi-region format



Revision: 01/06/2018

	Section 13. Disposal Considerations					
13.1 Waste	3.1 Waste Disposal Method: Dispose in accordance with local, state, and federal regulations.					
Section 14. Transport Information						
14.1 LAND	TRANSPORT (US DO	DT):				
DOT Prop	er Shipping Name:	Methyl Acetate Solution				
DOT Haza	ard Class:	3 FLAMMAE	BLE LIQUID			
UN/NA Nu	ımber:	1231	Packing Gr	oup:	II	
		FLAMMARE LIQUID				
14.1 LAND	TRANSPORT (Europ	ean ADR/RID):				
ADR/RID	Shipping Name:	Methyl Acetate Solution				
UN Numb	er:	1231	Packing Gr	oup:	II	
Hazard Cl	ass:	3 - FLAMMABLE LIQUID				
14.3 AIR TF	RANSPORT (ICAO/IA	TA):				
ICAO/IAT	A Shipping Name:	Methyl Acetate Solution				
UN Numb	er:	1231	Packing Gr	oup:	II	
Hazard Cl	ass:	3 - FLAMMABLE LIQUID	IATA Class	fication:	3	
Additional Train		Transport in accordance with le When sold in quantities of less E1, E2, E4, or E5, this item me Therefore packaging does not	than or equal to 1 m eets the De Minimis (nL, or 1 g, with an E Quantities exemption	n, per IATA 2.6.10.	
		Section 15. Regu	latory Inform	ation		
EPA SARA (S	Superfund Amendme	nts and Reauthorization Act	of 1986) Lists			
CAS #	Hazardous Comp	onents (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)	
3138-90-7	1-Benzyl-3-methylp	piperazine	No	No	No	
79-20-9	Methyl acetate		No	No	No	
CAS #	Hazardous Comp	onents (Chemical Name)	Other US EPA o	r State Lists		
3138-90-7	1-Benzyl-3-methylp	iperazine	CAA HAP,ODC: PROP.65: No	No; CWA NPDES:	No; TSCA: No; CA	
79-20-9	79-20-9 Methyl acetate		CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory, 8A PAIR; CA PROP.65: No			
	Regulatory Information This SDS was prepared in accordance with 29 CFR 1910.1200 and Regulation (EC)					
Statement:	Statement: No.1272/2008.					
	Multi-region format					



Page: 7 of 7

Revision:	01/06/201

Section 16. Other Information			
Revision Date:	01/06/2018		
Additional Information About This Product:	No data available.		
Company Policy or Disclaimer:	DISCLAIMER: This information is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.		