

		ding to Regulation (EC) No. 1907/2006 as amended by	(EC) No. 1272/2008			
	accor	<b>o o</b> ( )				
	Section 1. Id	entification of the Substance/Mixture and of th	ne Company/Undertaking			
.1	Product Code:	24018				
	Product Name:	1-(3-Methylbenzyl)piperazine				
	Synonyms:	1-[(3-methylphenyl)methyl]-piperazine; 1-(m-M	lethylbenzyl)piperazine;			
		1-(meta-Methylbenzyl)piperazine; NSC 30681;	;			
2	Relevant identified uses of t	he substance or mixture and uses advised ag	ainst:			
	Relevant identified uses:	For research use only, not for human or vetering	nary use.			
.3	Details of the Supplier of the	e Safety Data Sheet:				
	Company Name:	Cayman Chemical Company				
		1180 E. Ellsworth Rd.				
		Ann Arbor, MI 48108				
	Web site address:	www.caymanchem.com				
	Information:	Cayman Chemical Company	+1 (734)971-3335			
4	Emergency telephone numb	per:				
	Emergency Contact:	CHEMTREC Within USA and Canada:	+1 (800)424-9300			
		CHEMTREC Outside USA and Canada:	+1 (703)527-3887			
		Section 2. Hazards Identific	ation			
.1	Classification of the Substa	nce or Mixture:				
•						
	Flammable Liquids, Category 2					
		· -				
	Skin Corrosion/Irritation,	Category 2				
	Skin Corrosion/Irritation, Serious Eye Damage/Eye	Category 2 Irritation, Category 2				
2.2	Skin Corrosion/Irritation, Serious Eye Damage/Eye	Category 2				
.2	Skin Corrosion/Irritation, Serious Eye Damage/Eye Specific Target Organ Too Label Elements:	Category 2 Irritation, Category 2 kicity (single exposure), Category 3				
2	Skin Corrosion/Irritation, G Serious Eye Damage/Eye Specific Target Organ Tox Label Elements:	Category 2 Irritation, Category 2				
2	Skin Corrosion/Irritation, G Serious Eye Damage/Eye Specific Target Organ Too Label Elements: GHS Signal Word: GHS Hazard Phrases:	Category 2 Irritation, Category 2 kicity (single exposure), Category 3 Danger				
2	Skin Corrosion/Irritation, G Serious Eye Damage/Eye Specific Target Organ Tox Label Elements: GHS Signal Word: GHS Hazard Phrases: EUH066: Repeated exposu	Category 2 Irritation, Category 2 kicity (single exposure), Category 3 Danger re may cause skin dryness or cracking.				
2	Skin Corrosion/Irritation, G Serious Eye Damage/Eye Specific Target Organ Tox Label Elements: GHS Signal Word: GHS Hazard Phrases: EUH066: Repeated exposu H225: Highly flammable liqu	Category 2 Irritation, Category 2 kicity (single exposure), Category 3 Danger re may cause skin dryness or cracking. uid and vapor.				
.2	Skin Corrosion/Irritation, G Serious Eye Damage/Eye Specific Target Organ Tox Label Elements: GHS Signal Word: GHS Hazard Phrases: EUH066: Repeated exposu H225: Highly flammable liqu H315: Causes skin irritation	Category 2 Irritation, Category 2 kicity (single exposure), Category 3 Danger re may cause skin dryness or cracking. uid and vapor.				
2	Skin Corrosion/Irritation, G Serious Eye Damage/Eye Specific Target Organ Tox Label Elements: GHS Signal Word: GHS Hazard Phrases: EUH066: Repeated exposu H225: Highly flammable liqu H315: Causes skin irritation H319: Causes serious eye i	Category 2 Irritation, Category 2 kicity (single exposure), Category 3 Danger re may cause skin dryness or cracking. uid and vapor.				
2	Skin Corrosion/Irritation, G Serious Eye Damage/Eye Specific Target Organ Tox Label Elements: GHS Signal Word: GHS Hazard Phrases: EUH066: Repeated exposu H225: Highly flammable liqu H315: Causes skin irritation H319: Causes serious eye i H336: May cause drowsines	Category 2 Irritation, Category 2 kicity (single exposure), Category 3 Danger re may cause skin dryness or cracking. uid and vapor. rritation. ss or dizziness.				
2	Skin Corrosion/Irritation, G Serious Eye Damage/Eye Specific Target Organ Tox Label Elements: GHS Signal Word: GHS Hazard Phrases: EUH066: Repeated exposu H225: Highly flammable liqu H315: Causes skin irritation H319: Causes serious eye i H336: May cause drowsines GHS Precaution Phrases:	Category 2 Irritation, Category 2 kicity (single exposure), Category 3 Danger re may cause skin dryness or cracking. uid and vapor. rritation. ss or dizziness.				
2	Skin Corrosion/Irritation, G Serious Eye Damage/Eye Specific Target Organ Tox Label Elements: GHS Signal Word: GHS Hazard Phrases: EUH066: Repeated exposu H225: Highly flammable liqu H315: Causes skin irritation H319: Causes serious eye i H336: May cause drowsines GHS Precaution Phrases: P210: Keep away from {heat	Category 2 Irritation, Category 2 kicity (single exposure), Category 3 Danger re may cause skin dryness or cracking. uid and vapor. rritation. ss or dizziness.	ŀ.			
2	Skin Corrosion/Irritation, G Serious Eye Damage/Eye Specific Target Organ Tox Label Elements: GHS Signal Word: GHS Hazard Phrases: EUH066: Repeated exposu H225: Highly flammable liqu H315: Causes skin irritation H319: Causes serious eye if H336: May cause drowsines GHS Precaution Phrases: P210: Keep away from {heat P261: Avoid breathing {dust	Category 2 Irritation, Category 2 kicity (single exposure), Category 3 Danger re may cause skin dryness or cracking. uid and vapor. rritation. ss or dizziness. at/sparks/open flames/hot surfaces} No smoking t/fume/gas/mist/vapors/spray}.	ŀ.			
2	Skin Corrosion/Irritation, G Serious Eye Damage/Eye Specific Target Organ Tox Label Elements: GHS Signal Word: GHS Hazard Phrases: EUH066: Repeated exposu H225: Highly flammable liqu H315: Causes skin irritation H319: Causes serious eye i H336: May cause drowsines GHS Precaution Phrases: P210: Keep away from {hea P261: Avoid breathing {dust P264: Wash {hands} thorous	Category 2 Irritation, Category 2 kicity (single exposure), Category 3 Danger Te may cause skin dryness or cracking. uid and vapor. irritation. ss or dizziness. at/sparks/open flames/hot surfaces} No smoking t/fume/gas/mist/vapors/spray}. ghly after handling.				
2	Skin Corrosion/Irritation, G Serious Eye Damage/Eye Specific Target Organ Tox Label Elements: GHS Signal Word: GHS Hazard Phrases: EUH066: Repeated exposu H225: Highly flammable liqu H315: Causes skin irritation H319: Causes serious eye if H336: May cause drowsines GHS Precaution Phrases: P210: Keep away from {hea P261: Avoid breathing {dust P264: Wash {hands} thorou P280: Wear {protective glow	Category 2 Irritation, Category 2 kicity (single exposure), Category 3 Danger re may cause skin dryness or cracking. uid and vapor. rritation. ss or dizziness. at/sparks/open flames/hot surfaces} No smoking t/fume/gas/mist/vapors/spray}.				
.2	Skin Corrosion/Irritation, G Serious Eye Damage/Eye Specific Target Organ Tox Label Elements: GHS Signal Word: GHS Hazard Phrases: EUH066: Repeated exposu H225: Highly flammable liqu H315: Causes skin irritation H319: Causes serious eye i H336: May cause drowsines GHS Precaution Phrases: P210: Keep away from {hea P261: Avoid breathing {dust P264: Wash {hands} thorou P280: Wear {protective glow	Category 2 Irritation, Category 2 kicity (single exposure), Category 3 Danger The may cause skin dryness or cracking. uid and vapor. intritation. ss or dizziness. at/sparks/open flames/hot surfaces} No smoking t/fume/gas/mist/vapors/spray}. ghly after handling. res/protective clothing/eye protection/face protection				
.2	Skin Corrosion/Irritation, G Serious Eye Damage/Eye Specific Target Organ Tox Label Elements: GHS Signal Word: GHS Hazard Phrases: EUH066: Repeated exposu H225: Highly flammable liqu H315: Causes skin irritation H319: Causes serious eye i H336: May cause drowsines GHS Precaution Phrases: P210: Keep away from {hea P261: Avoid breathing {dust P264: Wash {hands} thorou P280: Wear {protective glow GHS Response Phrases: P302+352: IF ON SKIN: Wa	Category 2 Irritation, Category 2 kicity (single exposure), Category 3 Danger re may cause skin dryness or cracking. uid and vapor. rritation. ss or dizziness. at/sparks/open flames/hot surfaces} No smoking t/fume/gas/mist/vapors/spray}. ghly after handling. res/protective clothing/eye protection/face protection ash with plenty of soap and water.	on}.			
.2	Skin Corrosion/Irritation, G Serious Eye Damage/Eye Specific Target Organ Tox Label Elements: GHS Signal Word: GHS Hazard Phrases: EUH066: Repeated exposu H225: Highly flammable liqu H315: Causes skin irritation H319: Causes serious eye i H336: May cause drowsines GHS Precaution Phrases: P210: Keep away from {hea P261: Avoid breathing {dust P264: Wash {hands} thorou P280: Wear {protective glow GHS Response Phrases: P302+352: IF ON SKIN: Wa	Category 2 Irritation, Category 2 kicity (single exposure), Category 3 Danger The may cause skin dryness or cracking. uid and vapor. intritation. ss or dizziness. at/sparks/open flames/hot surfaces} No smoking t/fume/gas/mist/vapors/spray}. ghly after handling. res/protective clothing/eye protection/face protection	on}.			
.2	Skin Corrosion/Irritation, G Serious Eye Damage/Eye Specific Target Organ Tox Label Elements: GHS Signal Word: GHS Hazard Phrases: EUH066: Repeated exposu H225: Highly flammable liqu H315: Causes skin irritation H319: Causes serious eye i H336: May cause drowsines GHS Precaution Phrases: P210: Keep away from {hea P261: Avoid breathing {dust P264: Wash {hands} thorou P280: Wear {protective glow GHS Response Phrases: P302+352: IF ON SKIN: Wa P303+361+353: IF ON SKIN	Category 2 Irritation, Category 2 kicity (single exposure), Category 3 Danger re may cause skin dryness or cracking. uid and vapor.	on}. minated clothing. Rinse skin with			
.2	Skin Corrosion/Irritation, G Serious Eye Damage/Eye Specific Target Organ Tox Label Elements: GHS Signal Word: GHS Hazard Phrases: EUH066: Repeated exposu H225: Highly flammable liqu H315: Causes skin irritation H319: Causes serious eye if H336: May cause drowsines GHS Precaution Phrases: P210: Keep away from {hea P261: Avoid breathing {dust P264: Wash {hands} thorou P280: Wear {protective glow GHS Response Phrases: P302+352: IF ON SKIN: Wa P303+361+353: IF ON SKIN	Category 2 Irritation, Category 2 kicity (single exposure), Category 3 Danger re may cause skin dryness or cracking. uid and vapor. rritation. ss or dizziness. at/sparks/open flames/hot surfaces} No smoking t/fume/gas/mist/vapors/spray}. ghly after handling. res/protective clothing/eye protection/face protection ash with plenty of soap and water.	on}. minated clothing. Rinse skin with ition comfortable for breathing.			

Multi-region format



2.3

#### **SAFETY DATA SHEET** 1-(3-Methylbenzyl)piperazine

P312: Call a POISON CENTER or doctor/physician if you feel unwell. P332+313: If skin irritation occurs, get medical advice/attention. P337+313: If eye irritation persists, get medical advice/attention. P362: Take off contaminated clothing and wash before re-use. **GHS Storage and Disposal Phrases:** Please refer to Section 7 for Storage and Section 13 for Disposal information. Causes serious eye irritation. Adverse Human Health Causes skin irritation. Effects and Symptoms: Material may be irritating to the mucous membranes and upper respiratory tract. May be harmful by inhalation, ingestion, or skin absorption. May cause drowsiness or dizziness. May cause respiratory system irritation. Repeated exposure may cause skin dryness or cracking. To the best of our knowledge, the toxicological properties have not been thoroughly investigated.

#### Section 3. Composition/Information on Ingredients

CAS # / RTECS #	Hazardous Components (Chemical Name)/ REACH Registration No.	Concentration	EC No./ EC Index No.	GHS Classification
5321-48-2 TM1400000	1-(3-Methylbenzyl)piperazine	10.0 %	226-184-4 NA	Acute Tox.(O) 4: H302 Skin Corr. 2: H315 Eye Damage 2: H319 STOT (SE) 3: H335
79-20-9 Al9100000	Methyl acetate	90.0 %	201-185-2 607-021-00-X	Flam. Liq. 2: H225 Eye Damage 2: H319 STOT (SE) 3: H335 H336 EUH066

#### Section 4. First Aid Measures

4.1	Description of First Aid	
	Measures:	
	In Case of Inhalation:	Remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Get immediate medical attention.
	In Case of Skin Contact:	Immediately wash skin with soap and plenty of water for at least 15 minutes. Remove contaminated clothing. Get medical attention if symptoms occur. Wash clothing before reuse.
	In Case of Eye Contact:	Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Have eyes examined and tested by medical personnel.
	In Case of Ingestion:	Wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by medical personnel.
4.2	Important Symptoms and	d Exposure may cause: coughing, dizziness, drowsiness, headache, narcosis, optic nerve atrophy,
	Effects, Both Acute and	chest tightness.
	Delayed:	



Revision: 01/21/2018

		Section 5. Fir	<u> </u>	
5.1	Suitable Extinguishing	Use alcohol-resistant foam	, carbon dioxide, water, or dry chemical spray	1.
	Media:	Use water spray to cool fire	e-exposed containers.	
	Unsuitable Extinguishir	ng A solid water stream may b	e inefficient.	
	Media:			
5.2	Flammable Properties a	andCan release vapors that for	m explosive mixtures at temperatures at or a	bove the flash point.
	Hazards:	Container explosion may o	ccur under fire conditions.	
		Emits toxic fumes under fire		
		Sensitive to static discharg		
			ce of ignition and flash back.	
		No data available.		
	Flash Pt:	-10.00 C Method Used:		
	Explosive Limits:	LEL: 3.1% at 25.0	C UEL: 16.0% at 25.0 C	
	Autoignition Pt:	455.00 C		
5.3	Fire Fighting Instruction	-	ntained breathing apparatus pressure-deman	
			tive gear to prevent contact with skin and eye	S.
		Note: Flammable as diluted	d in methyl acetate.	
		Section 6. Accide	ental Release Measures	
6.1	Protective Precautions,	Avoid breathing vapors an	d provide adequate ventilation.	
	Protective Equipment a	nd As conditions warrant, wea	ar a NIOSH approved self-contained breathing	g apparatus, or respirator,
	Emergency Procedures	and appropriate personal p	protection (rubber boots, safety goggles, and	heavy rubber gloves).
	· J· · , · · · · ·			
6.2	Environmental	Take steps to avoid releas	e into the environment, if safe to do so.	
6.2		Take steps to avoid releas	e into the environment, if safe to do so.	
	Environmental Precautions:	Take steps to avoid releas		
	Environmental Precautions: Methods and Material F	or Contain spill and collect, a		local regulations.
	Environmental Precautions: Methods and Material F	or Contain spill and collect, a	s appropriate.	local regulations.
6.2 6.3	Environmental Precautions: Methods and Material F Containment and Clean	or Contain spill and collect, a ingTransfer to a chemical was	s appropriate. ste container for disposal in accordance with l	local regulations.
6.3	Environmental Precautions: Methods and Material F Containment and Clean Up:	or Contain spill and collect, a hingTransfer to a chemical was Section 7. Ha	s appropriate. ste container for disposal in accordance with l andling and Storage	local regulations.
6.3	Environmental Precautions: Methods and Material F Containment and Clean Up: Precautions To Be Take	or Contain spill and collect, a ingTransfer to a chemical was	s appropriate. ste container for disposal in accordance with l andling and Storage gas/mist/vapours/spray.	local regulations.
6.3	Environmental Precautions: Methods and Material F Containment and Clean Up:	for Contain spill and collect, a ningTransfer to a chemical was Section 7. Ha en Avoid breathing dust/fume/	s appropriate. ste container for disposal in accordance with l andling and Storage gas/mist/vapours/spray. ed exposure.	local regulations.
6.3	Environmental Precautions: Methods and Material F Containment and Clean Up: Precautions To Be Take	For Contain spill and collect, a sing Transfer to a chemical was <b>Section 7. Ha</b> en Avoid breathing dust/fume/ Avoid prolonged or repeate Keep away from sources o	s appropriate. ste container for disposal in accordance with l andling and Storage gas/mist/vapours/spray. ed exposure.	local regulations.
6.3 7.1	Environmental Precautions: Methods and Material F Containment and Clean Up: Precautions To Be Take in Handling:	For Contain spill and collect, a sing Transfer to a chemical was <b>Section 7. Ha</b> en Avoid breathing dust/fume/ Avoid prolonged or repeate Keep away from sources o	s appropriate. ste container for disposal in accordance with l andling and Storage gas/mist/vapours/spray. ed exposure. f ignition. res against static discharge.	local regulations.
6.3 7.1	Environmental Precautions: Methods and Material F Containment and Clean Up: Precautions To Be Take in Handling:	For Contain spill and collect, a ningTransfer to a chemical was Section 7. Ha an Avoid breathing dust/fume/ Avoid prolonged or repeate Keep away from sources of Take precautionary measu	s appropriate. ste container for disposal in accordance with l andling and Storage gas/mist/vapours/spray. ed exposure. f ignition. res against static discharge. ks, and flame.	local regulations.
6.3 7.1	Environmental Precautions: Methods and Material F Containment and Clean Up: Precautions To Be Take in Handling: Precautions To Be Take	For Contain spill and collect, a ingTransfer to a chemical was Section 7. Ha Avoid breathing dust/fume/ Avoid prolonged or repeate Keep away from sources o Take precautionary measu en Keep away from heat, spar Keep container tightly close	s appropriate. ste container for disposal in accordance with l andling and Storage gas/mist/vapours/spray. ed exposure. f ignition. res against static discharge. ks, and flame.	local regulations.
6.3 7.1	Environmental Precautions: Methods and Material F Containment and Clean Up: Precautions To Be Take in Handling: Precautions To Be Take	For Contain spill and collect, a ingTransfer to a chemical was Section 7. Ha Avoid breathing dust/fume/ Avoid prolonged or repeate Keep away from sources o Take precautionary measu en Keep away from heat, spar Keep container tightly close	s appropriate. ste container for disposal in accordance with l andling and Storage gas/mist/vapours/spray. ed exposure. f ignition. res against static discharge. ks, and flame. ed.	local regulations.
6.3 7.1	Environmental Precautions: Methods and Material F Containment and Clean Up: Precautions To Be Take in Handling: Precautions To Be Take in Storing: Other Precautions:	For Contain spill and collect, a sing Transfer to a chemical was <b>Section 7. Ha</b> Avoid breathing dust/fume/ Avoid prolonged or repeate Keep away from sources or Take precautionary measu En Keep away from heat, spar Keep container tightly close Store in accordance with in Protect from moisture.	s appropriate. ste container for disposal in accordance with l andling and Storage gas/mist/vapours/spray. ed exposure. f ignition. res against static discharge. ks, and flame. ed.	local regulations.
6.3 7.1 7.2	Environmental Precautions: Methods and Material F Containment and Clean Up: Precautions To Be Take in Handling: Precautions To Be Take in Storing: Other Precautions:	For Contain spill and collect, a sing Transfer to a chemical was <b>Section 7. Ha</b> Avoid breathing dust/fume/ Avoid prolonged or repeate Keep away from sources or Take precautionary measu En Keep away from heat, spar Keep container tightly close Store in accordance with in Protect from moisture.	s appropriate. ste container for disposal in accordance with l andling and Storage gas/mist/vapours/spray. ed exposure. f ignition. res against static discharge. ks, and flame. ed. formation listed on the product insert.	local regulations.
6.3 7.1 7.2	Environmental Precautions: Methods and Material F Containment and Clean Up: Precautions To Be Take in Handling: Precautions To Be Take in Storing: Other Precautions: Sec	For Contain spill and collect, a sing Transfer to a chemical was <b>Section 7. Ha</b> <b>Section 7. Ha</b> <b>A</b> void breathing dust/fume/ Avoid prolonged or repeate Keep away from sources or Take precautionary measu <b>Sen</b> Keep away from heat, spar Keep container tightly close Store in accordance with in Protect from moisture. <b>Ction 8. Exposure C</b>	s appropriate. ste container for disposal in accordance with l andling and Storage gas/mist/vapours/spray. ed exposure. f ignition. res against static discharge. ks, and flame. ed. formation listed on the product insert.	local regulations.
6.3 7.1 7.2 8.1	Environmental Precautions: Methods and Material F Containment and Clean Up: Precautions To Be Take in Handling: Precautions To Be Take in Storing: Other Precautions: Sec Exposure Parameters: # Chemical Name	For Contain spill and collect, a sing Transfer to a chemical was <b>Section 7. Ha</b> <b>Section 7. Ha</b> <b>A</b> void breathing dust/fume/ Avoid prolonged or repeate Keep away from sources or Take precautionary measu <b>Sen</b> Keep away from heat, spar Keep container tightly close Store in accordance with in Protect from moisture. <b>Ction 8. Exposure C</b>	s appropriate. ste container for disposal in accordance with I andling and Storage gas/mist/vapours/spray. ed exposure. f ignition. res against static discharge. ks, and flame. ed. formation listed on the product insert. Controls/Personal Protection	
6.3 7.1 7.2 8.1 CAS	Environmental Precautions: Methods and Material F Containment and Clean Up: Precautions To Be Take in Handling: Precautions To Be Take in Storing: Other Precautions: Sec Exposure Parameters: # Chemical Name	For Contain spill and collect, a sing Transfer to a chemical was <b>Section 7. Ha</b> <b>Section 7. Ha</b> <b>A</b> void breathing dust/fume/ Avoid prolonged or repeate Keep away from sources of Take precautionary measu <b>EXAMPLE</b> The second second second <b>Section 8. Exposure C</b> <b>Section 8. Exposure C</b> <b>Jurisdiction</b> ACGIH TLV	s appropriate. ste container for disposal in accordance with I andling and Storage gas/mist/vapours/spray. ed exposure. f ignition. res against static discharge. ks, and flame. ed. formation listed on the product insert. Controls/Personal Protection Recommended Exposure Limits TLV: 200 ppm STEL: 250 ppm	
6.3 7.1 7.2 8.1 CAS	Environmental Precautions: Methods and Material F Containment and Clean Up: Precautions To Be Take in Handling: Precautions To Be Take in Storing: Other Precautions: Sec Exposure Parameters: # Chemical Name	For Contain spill and collect, a ing Transfer to a chemical was Section 7. Ha an Avoid breathing dust/fume/ Avoid prolonged or repeate Keep away from sources or Take precautionary measu an Keep away from heat, spar Keep container tightly close Store in accordance with in Protect from moisture. Ction 8. Exposure C	s appropriate. ste container for disposal in accordance with I andling and Storage gas/mist/vapours/spray. ed exposure. f ignition. res against static discharge. ks, and flame. ed. formation listed on the product insert. Controls/Personal Protection Recommended Exposure Limits TLV: 200 ppm STEL: 250 ppm TWA: 610 mg/m3 (200 ppm)	
6.3 7.1 7.2 8.1 CAS	Environmental Precautions: Methods and Material F Containment and Clean Up: Precautions To Be Take in Handling: Precautions To Be Take in Storing: Other Precautions: Sec Exposure Parameters: # Chemical Name	For Contain spill and collect, a sing Transfer to a chemical was <b>Section 7. Ha</b> <b>Section 7. Ha</b> <b>A</b> void breathing dust/fume/ Avoid prolonged or repeate Keep away from sources or Take precautionary measu <b>En</b> Keep away from heat, spar Keep container tightly close Store in accordance with in Protect from moisture. <b>Exposure C</b> <b>Jurisdiction</b> ACGIH TLV France VL	s appropriate. ste container for disposal in accordance with I andling and Storage gas/mist/vapours/spray. ed exposure. f ignition. res against static discharge. ks, and flame. ed. formation listed on the product insert. Controls/Personal Protection Recommended Exposure Limits TLV: 200 ppm STEL: 250 ppm TWA: 610 mg/m3 (200 ppm) STEL: 760 mg/m3 (250 ppm)	
6.3 7.1 7.2 8.1 CAS	Environmental Precautions: Methods and Material F Containment and Clean Up: Precautions To Be Take in Handling: Precautions To Be Take in Storing: Other Precautions: Sec Exposure Parameters: # Chemical Name	For Contain spill and collect, a sing Transfer to a chemical was <b>Section 7. Ha</b> <b>Section 8. Exposure 0</b> <b>Section 8. Exposure 1</b> <b>Section 8. Expo</b>	s appropriate. ste container for disposal in accordance with I andling and Storage gas/mist/vapours/spray. ed exposure. f ignition. res against static discharge. ks, and flame. ed. formation listed on the product insert. Controls/Personal Protection Recommended Exposure Limits TLV: 200 ppm STEL: 250 ppm TWA: 610 mg/m3 (200 ppm) STEL: 760 mg/m3 (250 ppm) PEL: 200 ppm	
6.3 7.1 7.2 8.1 CAS	Environmental Precautions: Methods and Material F Containment and Clean Up: Precautions To Be Take in Handling: Precautions To Be Take in Storing: Other Precautions: Sec Exposure Parameters: # Chemical Name	For Contain spill and collect, a sing Transfer to a chemical was <b>Section 7. Ha</b> an Avoid breathing dust/fume/ Avoid prolonged or repeate Keep away from sources or Take precautionary measu an Keep away from heat, spar Keep container tightly close Store in accordance with in Protect from moisture. <b>Ction 8. Exposure C</b> <b>Jurisdiction</b> ACGIH TLV France VL	s appropriate. ste container for disposal in accordance with I andling and Storage gas/mist/vapours/spray. ed exposure. f ignition. res against static discharge. ks, and flame. ed. formation listed on the product insert. Controls/Personal Protection Recommended Exposure Limits TLV: 200 ppm STEL: 250 ppm TWA: 610 mg/m3 (200 ppm) STEL: 760 mg/m3 (250 ppm)	



	NEMT CAL					
8.2	Exposure Controls:					
8.2.1	Engineering Controls	Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne				
	(Ventilation etc.):	levels below recommended exposure limits.				
8.2.2	Personal protection equipment:					
	Eye Protection:	Safety glasses				
	Protective Gloves:	Compatible chemical-resistant gloves				
	Other Protective Clothing:	Lab coat				
	Respiratory Equipment	NIOSH approved respirator, as conditions warrant.				
	(Specify Type):					
	Work/Hygienic/Maintenan	Do not take internally.				
	ce Practices:	Facilities storing or utilizing this material should be equipped with an eyewash and a safety shower				
		Wash thoroughly after handling.				
		No data available.				
	Se	ction 9. Physical and Chemical Properties				
9.1	Information on Basic Physi	cal and Chemical Properties				
	Physical States:	[]Gas [X]Liquid []Solid				
	Appearance and Odor:	A solution in methyl acetate				
	pH:	No data.				
	Melting Point:	No data.				
	<b>Boiling Point:</b>	No data.				
	Flash Pt:	-10.00 C Method Used: Closed Cup				
	Evaporation Rate:	No data.				
	Flammability (solid, gas):	No data available.				
	Explosive Limits:	LEL: 3.1% at 25.0 C UEL: 16.0% at 25.0 C				
	Vapor Pressure (vs. Air or	mm 173 MM_HG at 20.0 C				
	Hg):					
	Vapor Density (vs. Air = 1)	No data.				
	Specific Gravity (Water = 1	): No data.				
	Solubility in Water:	No data.				
	Octanol/Water Partition	No data.				
	Coefficient:					
	Autoignition Pt:	455.00 C				
	Decomposition Temperatu	re: No data.				
	Viscosity:	No data.				
9.2	Other Information					
	Percent Volatile:	No data.				
	Molecular Formula & Weig	ht: C12H18N2 190.3				

Multi-region format



Revision: 01/21/2018

				Deet	vitv		
			Section 10. Stability and	Reactiv	vity		
10.1	Reactivi	ty:	No data available.				
10.2	Stability	:	Unstable [ ] Stable [ X ]				
10.3	Stability	Note(s):	Stable if stored in accordance with information listed on the product insert.				
	Polymer	ization:	Will occur [ ] Will not occur [ X ]				
10.4	-	ons To Avoid:	heat, flames and sparks				
10.5	Incompatibility - Materials acids						
	To Avoid:		alkalis				
			nitrates				
			strong oxidizing agents				
10.6	10.6 Hazardous Decomposition or		carbon dioxide				
			carbon monoxide				
	Byprodu	ucts:					
			Section 11. Toxicological	Informa	ation		
11.1	Informat	tion on	The toxicological effects of this product ha	ive not beer	thoroughly st	udied.	
	Toxicolo	ogical Effects:	Methyl Acetate - Toxicity Data: Oral LD50	(rat): >5,00	0 mg/kg; Oral	LD50 (rabbit):	3,705 mg/kg;
			Skin LD50 (rabbit): >5,000 mg/kg; Inhalat		-	-	
			Methyl Acetate - Irritation Data: Skin (rabl	oit): 500 mg	(24h) mild; Ey	es (rabbit): 100	) mg (24h)
			moderate;				
			,				
			1-(3-Methylbenzyl)piperazine - Toxicity Da	-		mouse): 100 m	ıg/kg;
		Toxicological	1-(3-Methylbenzyl)piperazine - Toxicity Da Methyl Acetate - Investigated as a mutage	en and prima	ary irritant.		
	Chronic Effects:	Toxicological	1-(3-Methylbenzyl)piperazine - Toxicity Da Methyl Acetate - Investigated as a mutage Only select Registry of Toxic Effects of Ch	en and prima nemical Sub	ary irritant.		
		Toxicological	1-(3-Methylbenzyl)piperazine - Toxicity Da Methyl Acetate - Investigated as a mutage Only select Registry of Toxic Effects of Ch See actual entry in RTECS for complete in	en and prima nemical Sub nformation.	ary irritant.		
		Toxicological	1-(3-Methylbenzyl)piperazine - Toxicity Da Methyl Acetate - Investigated as a mutage Only select Registry of Toxic Effects of Ch See actual entry in RTECS for complete in Methyl Acetate RTECS Number: Al91000	en and prima nemical Sub nformation. 00	ary irritant. stances (RTE0		
Cousi	Effects:		1-(3-Methylbenzyl)piperazine - Toxicity Da Methyl Acetate - Investigated as a mutage Only select Registry of Toxic Effects of Ch See actual entry in RTECS for complete in Methyl Acetate RTECS Number: Al91000 1-(3-Methylbenzyl)piperazine RTECS Num	en and prima nemical Sub nformation. 00 nber: TM14	ary irritant. stances (RTE0 00000		
	Effects: nogenicity	y:	1-(3-Methylbenzyl)piperazine - Toxicity Da Methyl Acetate - Investigated as a mutage Only select Registry of Toxic Effects of Ch See actual entry in RTECS for complete in Methyl Acetate RTECS Number: Al91000 1-(3-Methylbenzyl)piperazine RTECS Nur NTP? No IARC Monographs? No	en and prima nemical Sub nformation. 00 nber: TM14 OSHA Re	ary irritant. stances (RTE 00000 egulated? No	CS) data is pre	sented here.
CAS	Effects: nogenicity #	/: Hazardous Com	1-(3-Methylbenzyl)piperazine - Toxicity Da Methyl Acetate - Investigated as a mutage Only select Registry of Toxic Effects of Ch See actual entry in RTECS for complete in Methyl Acetate RTECS Number: Al91000 1-(3-Methylbenzyl)piperazine RTECS Nur NTP? No IARC Monographs? No ponents (Chemical Name)	en and prima nemical Sub nformation. 00 nber: TM14 OSHA Re	ary irritant. stances (RTEC 00000 egulated? No IARC	CS) data is pre	Sented here.
<b>CAS</b> 532	Effects: nogenicity # 21-48-2	/: Hazardous Com 1-(3-Methylbenzy	1-(3-Methylbenzyl)piperazine - Toxicity Da Methyl Acetate - Investigated as a mutage Only select Registry of Toxic Effects of Ch See actual entry in RTECS for complete in Methyl Acetate RTECS Number: Al91000 1-(3-Methylbenzyl)piperazine RTECS Nur NTP? No IARC Monographs? No ponents (Chemical Name)	en and prima nemical Sub nformation. 00 nber: TM14 OSHA Re NTP n.a.	ary irritant. stances (RTEC 00000 egulated? No IARC n.a.	CS) data is pre	Sented here.
<b>CAS</b> 532	Effects: nogenicity #	/: Hazardous Com	1-(3-Methylbenzyl)piperazine - Toxicity Da Methyl Acetate - Investigated as a mutage Only select Registry of Toxic Effects of Ch See actual entry in RTECS for complete in Methyl Acetate RTECS Number: Al91000 1-(3-Methylbenzyl)piperazine RTECS Nur NTP? No IARC Monographs? No ponents (Chemical Name)	en and prima nemical Sub nformation. 00 nber: TM14 OSHA Re NTP n.a. n.a.	ary irritant. stances (RTEC 000000 egulated? No IARC n.a. n.a.	CS) data is pre	Sented here.
<b>CAS</b> 532	Effects: nogenicity # 21-48-2	/: Hazardous Com 1-(3-Methylbenzy	1-(3-Methylbenzyl)piperazine - Toxicity Da Methyl Acetate - Investigated as a mutage Only select Registry of Toxic Effects of Ch See actual entry in RTECS for complete in Methyl Acetate RTECS Number: Al91000 1-(3-Methylbenzyl)piperazine RTECS Nur NTP? No IARC Monographs? No ponents (Chemical Name)	en and prima nemical Sub nformation. 00 nber: TM14 OSHA Re NTP n.a. n.a.	ary irritant. stances (RTEC 000000 egulated? No IARC n.a. n.a.	CS) data is pre	Sented here.
CAS 532 79	Effects: nogenicity # 21-48-2	/: Hazardous Com 1-(3-Methylbenzy Methyl acetate	1-(3-Methylbenzyl)piperazine - Toxicity Da Methyl Acetate - Investigated as a mutage Only select Registry of Toxic Effects of Ch See actual entry in RTECS for complete in Methyl Acetate RTECS Number: Al91000 1-(3-Methylbenzyl)piperazine RTECS Nur NTP? No IARC Monographs? No ponents (Chemical Name) I)piperazine Section 12. Ecological I Avoid release into the environment.	en and prima nemical Sub nformation. 00 nber: TM14 OSHA Re 0SHA Re n.a. n.a.	ary irritant. stances (RTEC 00000 egulated? No IARC n.a. n.a. ion	CS) data is pre	Sented here.
CAS 532 79	Effects: nogenicity # 21-48-2 -20-9	/: Hazardous Com 1-(3-Methylbenzy Methyl acetate	1-(3-Methylbenzyl)piperazine - Toxicity Da Methyl Acetate - Investigated as a mutage Only select Registry of Toxic Effects of Ch See actual entry in RTECS for complete in Methyl Acetate RTECS Number: Al91000 1-(3-Methylbenzyl)piperazine RTECS Nur NTP? No IARC Monographs? No ponents (Chemical Name) 1)piperazine Section 12. Ecological I	en and prima nemical Sub nformation. 00 nber: TM14 OSHA Re 0SHA Re n.a. n.a.	ary irritant. stances (RTEC 00000 egulated? No IARC n.a. n.a. ion	CS) data is pre	Sented here.
CAS 532 79 12.1	Effects: nogenicity # 21-48-2 -20-9 Toxicity	/: Hazardous Com 1-(3-Methylbenzy Methyl acetate	1-(3-Methylbenzyl)piperazine - Toxicity Da Methyl Acetate - Investigated as a mutage Only select Registry of Toxic Effects of Ch See actual entry in RTECS for complete in Methyl Acetate RTECS Number: Al91000 1-(3-Methylbenzyl)piperazine RTECS Nur NTP? No IARC Monographs? No ponents (Chemical Name) I)piperazine Section 12. Ecological I Avoid release into the environment.	en and prima nemical Sub nformation. 00 nber: TM14 OSHA Re 0SHA Re n.a. n.a.	ary irritant. stances (RTEC 00000 egulated? No IARC n.a. n.a. ion	CS) data is pre	Sented here.
CAS 532 79 12.1	Effects: nogenicity # 21-48-2 -20-9 Toxicity	r: Hazardous Com 1-(3-Methylbenzy Methyl acetate	1-(3-Methylbenzyl)piperazine - Toxicity Da Methyl Acetate - Investigated as a mutage Only select Registry of Toxic Effects of Ch See actual entry in RTECS for complete in Methyl Acetate RTECS Number: Al91000 1-(3-Methylbenzyl)piperazine RTECS Nur NTP? No IARC Monographs? No ponents (Chemical Name) 1)piperazine Section 12. Ecological I Avoid release into the environment. Runoff from fire control or dilution water m	en and prima nemical Sub nformation. 00 nber: TM14 OSHA Re 0SHA Re n.a. n.a.	ary irritant. stances (RTEC 00000 egulated? No IARC n.a. n.a. ion	CS) data is pre	Sented here.
CAS 532 79 12.1 12.2	Effects: nogenicity # 21-48-2 -20-9 Toxicity Persiste Degrada	r: Hazardous Com 1-(3-Methylbenzy Methyl acetate	1-(3-Methylbenzyl)piperazine - Toxicity Da Methyl Acetate - Investigated as a mutage Only select Registry of Toxic Effects of Ch See actual entry in RTECS for complete in Methyl Acetate RTECS Number: Al91000 1-(3-Methylbenzyl)piperazine RTECS Nur NTP? No IARC Monographs? No ponents (Chemical Name) 1)piperazine Section 12. Ecological I Avoid release into the environment. Runoff from fire control or dilution water m	en and prima nemical Sub nformation. 00 nber: TM14 OSHA Re 0SHA Re n.a. n.a.	ary irritant. stances (RTEC 00000 egulated? No IARC n.a. n.a. ion	CS) data is pre	Sented here.
CAS 532 79 12.1 12.2	Effects: nogenicity # 21-48-2 -20-9 Toxicity Persiste Degrada	/: Hazardous Com 1-(3-Methylbenzy Methyl acetate :	1-(3-Methylbenzyl)piperazine - Toxicity Da Methyl Acetate - Investigated as a mutage Only select Registry of Toxic Effects of Ch See actual entry in RTECS for complete in Methyl Acetate RTECS Number: Al91000 1-(3-Methylbenzyl)piperazine RTECS Nur NTP? No IARC Monographs? No ponents (Chemical Name) 1)piperazine Section 12. Ecological I Avoid release into the environment. Runoff from fire control or dilution water m No data available.	en and prima nemical Sub nformation. 00 nber: TM14 OSHA Re 0SHA Re n.a. n.a.	ary irritant. stances (RTEC 00000 egulated? No IARC n.a. n.a. ion	CS) data is pre	Sented here.
CAS 532 79 12.1 12.2 12.3	Effects: nogenicity # 21-48-2 -20-9 Toxicity Persiste Degrada Bioaccu	/: Hazardous Com 1-(3-Methylbenzy Methyl acetate : nce and ability: mulative l:	1-(3-Methylbenzyl)piperazine - Toxicity Da Methyl Acetate - Investigated as a mutage Only select Registry of Toxic Effects of Ch See actual entry in RTECS for complete in Methyl Acetate RTECS Number: Al91000 1-(3-Methylbenzyl)piperazine RTECS Nur NTP? No IARC Monographs? No ponents (Chemical Name) 1)piperazine Section 12. Ecological I Avoid release into the environment. Runoff from fire control or dilution water m No data available.	en and prima nemical Sub nformation. 00 nber: TM14 OSHA Re 0SHA Re n.a. n.a.	ary irritant. stances (RTEC 00000 egulated? No IARC n.a. n.a. ion	CS) data is pre	Sented here.
CAS : 532 79 12.1 12.2 12.3 12.4	Effects: nogenicity # 21-48-2 -20-9 Toxicity Persiste Degrada Bioaccu Potentia Mobility	r: Hazardous Com 1-(3-Methylbenzy Methyl acetate : nce and ability: mulative il: in Soil:	1-(3-Methylbenzyl)piperazine - Toxicity Da Methyl Acetate - Investigated as a mutage Only select Registry of Toxic Effects of Ch See actual entry in RTECS for complete in Methyl Acetate RTECS Number: Al91000 1-(3-Methylbenzyl)piperazine RTECS Nur NTP? No IARC Monographs? No ponents (Chemical Name) 1)piperazine 1)piperazine No data available. No data available.	en and prima nemical Sub nformation. 00 nber: TM14 OSHA Re 0SHA Re n.a. n.a.	ary irritant. stances (RTEC 00000 egulated? No IARC n.a. n.a. ion	CS) data is pre	Sented here.
<b>CAS</b> 532	Effects: nogenicity # 21-48-2 -20-9 Toxicity Persiste Degrada Bioaccu Potentia Mobility	y: Hazardous Com 1-(3-Methylbenzy Methyl acetate : mulative di: in Soil: of PBT and vPvB	1-(3-Methylbenzyl)piperazine - Toxicity Da Methyl Acetate - Investigated as a mutage Only select Registry of Toxic Effects of Ch See actual entry in RTECS for complete in Methyl Acetate RTECS Number: Al91000 1-(3-Methylbenzyl)piperazine RTECS Num NTP? No IARC Monographs? No ponents (Chemical Name) I)piperazine I)piperazine Section 12. Ecological I Avoid release into the environment. Runoff from fire control or dilution water m No data available. No data available.	en and prima nemical Sub nformation. 00 nber: TM14 OSHA Re 0SHA Re n.a. n.a.	ary irritant. stances (RTEC 00000 egulated? No IARC n.a. n.a. ion	CS) data is pre	Sented here.



Revision: 01/21/2018

		Section 13. Dispo	sal Considera	ations	
13.1 Waste	Disposal Method:	Dispose in accordance with loc	al, state, and federa	l regulations.	
	Section 14. Transport Information				
14.1 LAND	TRANSPORT (US D	от):			
DOT Prop	er Shipping Name:	Methyl Acetate Solution			
DOT Haza	ard Class:	3 FLAMMAE	BLE LIQUID		
UN/NA Nu	ımber:	1231	Packing Gro	oup:	II
		FLAMMERE LIQUID			
14.1 LAND	TRANSPORT (Europ	pean ADR/RID):			
ADR/RID	Shipping Name:	Methyl Acetate Solution			
UN Numb	er:	1231	Packing Gro	oup:	II
Hazard Cl	ass:	3 - FLAMMABLE LIQUID			
14.3 AIR TF	RANSPORT (ICAO/IA	TA):			
ICAO/IAT	A Shipping Name:	Methyl Acetate Solution			
UN Numb	er:	1231	Packing Gro	oup:	II
Hazard Cl	ass:	3 - FLAMMABLE LIQUID	IATA Classi	fication:	3
Additional Train	-	Transport in accordance with le When sold in quantities of less E1, E2, E4, or E5, this item me Therefore packaging does not	than or equal to 1 m eets the De Minimis (	nL, or 1 g, with an E Quantities exemptio	on, per IATA 2.6.10.
		Section 15. Regu	latory Information	ation	
EPA SARA (S	Superfund Amendme	ents and Reauthorization Act	•		
CAS #	Hazardous Comp	onents (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
5321-48-2	1-(3-Methylbenzyl)	piperazine	No	No	No
79-20-9	Methyl acetate		No	No	No
CAS #	Hazardous Comp	onents (Chemical Name)	Other US EPA or State Lists		
5321-48-2	1-(3-Methylbenzyl)	piperazine	CAA HAP,ODC: PROP.65: No	No; CWA NPDES:	No; TSCA: No; CA
79-20-9	Methyl acetate		,	No; CWA NPDES: IR; CA PROP.65:	
Regulatory In Statement:		This SDS was prepared in acc No.1272/2008.	ordance with 29 CFF	₹ 1910.1200 and Re	∋gulation (EC)
					Multi-region format



Page: 7 of 7

Revision: 01/21/2018

Section 16. Other Information				
Revision Date:	01/21/2018			
Additional Information About	No data available.			
This Product:				
Company Policy or Disclaimer:	DISCLAIMER: This information is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.			