

Page 1/10

US

Safety Data Sheet acc. to OSHA HCS

Printing date 02/02/2021

Revision date 02/02/2021

1 Identification

- · Product identifier
- · Trade name: Phosphatidylinositols (soy) (sodium salt)
- · Article number: 24523, 020805
- Application of the substance / the mixture For research use only, not for human or veterinary use.
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA
- · Information department: Product safety department
- Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970


2 Hazard(s) identification

	htmcation
· Classification of	the substance or mixture
GHS06	Skull and crossbones
Acute Tox. 2	H310 Fatal in contact with skin.
GHS08	Health hazard
Carc. 2	H351 Suspected of causing cancer.
Repr. 2	H361 Suspected of damaging fertility or the unborn child.
STOT RE 1	H372 Causes damage to the central nervous system, the kidneys, the liver and the respiratory system through prolonged or repeated exposure.
\checkmark	Environment H410 Very toxic to aquatic life with long lasting effects.
GHS07	
Acute Tox. 4	H302 Harmful if swallowed.
Skin Irrit. 2	H315 Causes skin irritation.
Eye Irrit. 2A	H319 Causes serious eye irritation.
Aquatic Acute 3	H402 Harmful to aquatic life.
	(Contd. on page 2)

Printing date 02/02/2021

Revision date 02/02/2021

Trade name: Phosphatidylinositols (soy) (sodium salt)



Printing date 02/02/2021

Revision date 02/02/2021

Trade name: Phosphatidylinositols (soy) (sodium salt)

(Contd. from page 2)

95.0%

5.0%

· HMIS-ratings (scale 0 - 4)



³ Health = 3
⁰ Fire = 0
⁰ Reactivity = 0

· Other hazards

Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 67-66-3 Chloroform RTECS: FS9100000

· Other ingredients

383907-36-6 Phosphatidylinositols (soy) (sodium salt)

4 First-aid measures

· Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.

• After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing: Immediately call a doctor.

· Information for doctor:

· Most important symptoms and effects, both acute and delayed

May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects. No further relevant information available.

• Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- A solid water stream may be inefficient.
- · Special hazards arising from the substance or mixture

67-56-1During heating or in case of fire poisonous gases are produced.

(Contd. on page 4)

US

Printing date 02/02/2021

Revision date 02/02/2021

(Contd. from page 3)

Trade name: Phosphatidylinositols (soy) (sodium salt)

· Advice for firefighters

• Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.	
· Environmental precautions:	
Do not allow product to reach sewage system or any water course.	
Inform respective authorities in case of seepage into water course or sewage system.	
Dilute with plenty of water.	
Do not allow to enter sewers/ surface or ground water.	
· Methods and material for containment and cleaning up:	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdus	·+)
Dispose contaminated material as waste according to item 13.	ot).
Ensure adequate ventilation.	
· Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
· Protective Action Criteria for Chemicals	
PAC-1:	
67-66-3 Chloroform	2 ppm
PAC-2:	
67-66-3 Chloroform	64 ppm
PAC-3:	
67-66-3 Chloroform	3,200 ppm
	•••

7 Handling and storage

- · Handling:
- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep respiratory protective device available.
- Conditions for safe storage, including any incompatibilities Keep container tightly closed. Store in accordance with information listed on the product insert. • Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 5)

US

Printing date 02/02/2021

Revision date 02/02/2021

Trade name: Phosphatidylinositols (soy) (sodium salt)

(Contd. from page 4)

Control parameters

Components with limit values that require monitoring at the workplace:

67-66-3 Chloroform

PEL Ceiling limit value: 240 mg/m³, 50 ppm

REL Short-term value: 9.78* mg/m³, 2* ppm *60-min; See Pocket Guide App. A

TLV Long-term value: 49 mg/m³, 10 ppm

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin.
- · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:
 - Form:

Liquid

(Contd. on page 6)

US

Printing date 02/02/2021

Revision date 02/02/2021

Trade name: Phosphatidylinositols (soy) (sodium salt)

	(Contd. from page 5)
Color: · Odor: · Structural Formula · Molecular Weight · Odor threshold: · Formulation	According to product specification Characteristic C45H78O13P • Na (for linoleoy 881.1 Not determined. A solution in chloroform
· pH-value:	Not determined.
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	-63 °C (-81.4 °F) Undetermined.
· Flash point:	Not applicable.
 Flammability (solid, gaseous): 	Not applicable.
· Ignition temperature:	982 °C (1,799.6 °F)
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
 Explosion limits: Lower: Upper: 	Not determined. Not determined.
· Vapor pressure at 20 °C (68 °F):	210 hPa (157.5 mm Hg)
 Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate 	1.47988 g/cm ³ (12.3496 lbs/gal) Not determined. Not determined. Not determined.
 Solubility in / Miscibility with Water at 20 °C (68 °F): 	8 g/l
· Partition coefficient (n-octanol/water)	: Not determined.
 Viscosity: Dynamic: Kinematic: 	Not determined. Not determined.
 Solvent content: VOC content: 	0.00 % 0.0 g/l / 0.00 lb/gal
Solids content:	0.0 %
· Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

(Contd. on page 7)

US

Printing date 02/02/2021

Revision date 02/02/2021

(Contd. from page 6)

Trade name: Phosphatidylinositols (soy) (sodium salt)

- · Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.

· Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

	that are relevant for	r classification:		
ATE (Acute Tox	•			
Oral	LD50	37.9 mg/kg (mouse)		
Dermal	LD50	78.9 mg/kg (rat)		
67-66-3 Chlorof	orm			
Oral	LDLO	2,514 mg/kg (man)		
	LD50	300 mg/kg (rat)		
Dermal	LD50	>20 g/kg (rabbit)		
	LD50	75 mg/kg (rat)		
Inhalative	LC50	47,702 mg/m³/4h (rat)		
	TCLO	5,000 mg/m³/7m (hmn)		
Irritation of skin	Irritation	10 mg/24h (rabbit)		
Irritation of eyes	Irritation	20 mg/24h (rabbit)		
	Intraperitoneal LD50	623 mg/kg (mouse)		
 on the skin: Irritant to skin and mucous membranes. on the eye: Irritating effect. Sensitization: No sensitizing effects known. Additional toxicological information: The product shows the following dangers according to internally approved calculation methods for preparations: Harmful Irritant 				
· Carcinogenic ca	ategories			
· IARC (International Agency for Research on Cancer)				
67-66-3 Chlorof	orm	2B		
· NTP (National Toxicology Program)				
67-66-3 Chloroform R				
· OSHA-Ca (Occupational Safety & Health Administration)				
None of the ingre		,		

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.

(Contd. on page 8)

⁻ US

Printing date 02/02/2021

Revision date 02/02/2021

Trade name: Phosphatidylinositols (soy) (sodium salt)

(Contd. from page 7)

- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 3 (Self-assessment): extremely hazardous for water
- Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.
- Also poisonous for fish and plankton in water bodies. Results of PBT and vPvB assessment
- Results of PBT and vPvB assessmen
- **PBT:** Not applicable.
- vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number · DOT, IMDG, IATA	UN1888	
· UN proper shipping name · DOT, IATA · IMDG	Chloroform solution CHLOROFORM solution	
· Transport hazard class(es)		
DOT		
· Class · Label	6.1 Toxic substances 6.1	
· IMDG, IATA	0.1	
Class	6.1 Toxic substances	
· Label	6.1	
 Packing group DOT, IMDG, IATA 		

Printing date 02/02/2021

Revision date 02/02/2021

Trade name: Phosphatidylinositols (soy) (sodium salt)

Environmental hazards:	
	Not applicable.
Special precautions for user	Warning: Toxic substances
 Hazard identification number (Kemler code 	e): 60
EMS Number:	F-A,S-A
Segregation groups	Liquid halogenated hydrocarbons
Stowage Category	A
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 60 L
	On cargo aircraft only: 220 L
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
ΙΑΤΑ	
Remarks:	When sold in quantities of less than or equal to 1 mL
	or 1 g, with an Excepted Quantity Code of
	E1, E2, E4, or E5, this item meets the De Minimi
	Quantities exemption, per IATA 2.6.10.
	Therefore packaging does not have to be labeled a
	Dangerous Goods/Excepted Quantity.
UN "Model Regulation":	UN 1888 CHLOROFORM SOLUTION, 6.1, III

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara	
 Section 355 (extremely hazardous substances): 	
67-66-3 Chloroform	
· Section 313 (Specific toxic chemical listings):	
67-66-3 Chloroform	
 TSCA (Toxic Substances Control Act): 	
67-66-3 Chloroform	ACTIVE
· Hazardous Air Pollutants	
67-66-3 Chloroform	
Proposition 65	
· Chemicals known to cause cancer:	
67-66-3 Chloroform	
· · · ·	(Contd. on page 10)

US

Printing date 02/02/2021

Revision date 02/02/2021

Trade name: Phosphatidylinositols (soy) (sodium salt)

	(Contd. from page 9)
• Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
67-66-3 Chloroform	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
67-66-3 Chloroform	B2, L, NL
 TLV (Threshold Limit Value established by ACGIH) 	
67-66-3 Chloroform	A3
 NIOSH-Ca (National Institute for Occupational Safety and Health) 	

67-66-3 Chloroform

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

- · Contact: -
- · Date of preparation / last revision 02/02/2021 / -

 Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety **OSHA: Occupational Safety & Health** TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Tox. 4: Acute toxicity - Category 4 Acute Tox. 2: Acute toxicity - Category 2 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Carc. 2: Carcinogenicity - Category 2 Repr. 2: Reproductive toxicity – Category 2 STOT RE 1: Specific target organ toxicity (repeated exposure) - Category 1 Aquatic Acute 3: Hazardous to the aquatic environment - acute aquatic hazard - Category 3 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

us -