

Docosahexaenoic Acid MaxSpec® Standard

Page: 1 of 6

Revision: 01/26/2019

according to Regulation (EC) No. 1907/2006 as amended by (EC) No. 2015/830 and US OSHA HCS 2015

Section 1. Identification of the Substance/Mixture and of the Company/Undertaking

1.1 **Product Code:** 26414

> **Product Name:** Docosahexaenoic Acid MaxSpec® Standard

Synonyms: 4Z,7Z,10Z,13Z,16Z,19Z-docosahexaenoic acid; Cervonic Acid; DHA;

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant identified uses: For research use only, not for human or veterinary use.

1.3 **Details of the Supplier of the Safety Data Sheet:**

> **Company Name:** Cayman Chemical Company

> > 1180 E. Ellsworth Rd. Ann Arbor, MI 48108

Web site address: www.caymanchem.com

Information: Cayman Chemical Company +1 (734)971-3335

1.4 **Emergency telephone number:**

> CHEMTREC Within USA and Canada: **Emergency Contact:** +1 (800)424-9300

> > CHEMTREC Outside USA and Canada: +1 (703)527-3887

Section 2. Hazards Identification

2.1 **Classification of the Substance or Mixture:**

Flammable Liquids, Category 2

2.2 **Label Elements:**



GHS Signal Word: Danger

GHS Hazard Phrases:

H225: Highly flammable liquid and vapor.

GHS Precaution Phrases:

P210: Keep away from {heat/sparks/open flames/hot surfaces}. - No smoking.

P280: Wear {protective gloves/protective clothing/eye protection/face protection}.

GHS Response Phrases:

P303+361+353: IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.

GHS Storage and Disposal Phrases:

Please refer to Section 7 for Storage and Section 13 for Disposal information.

2.3 Material may be irritating to the mucous membranes and upper respiratory tract. **Adverse Human Health**

May be harmful by inhalation, ingestion, or skin absorption. **Effects and Symptoms:**

May cause eye, skin, or respiratory system irritation.

To the best of our knowledge, the toxicological properties have not been thoroughly investigated.

Section 3. Composition/Information on Ingredients

CAS#/ RTECS#	Hazardous Components (Chemical Name)/ REACH Registration No.	Concentration	EC No./ EC Index No.	GHS Classification
6217-54-5 JR1230250	4,7,10,13,16,19-Docosahexaenoic acid, (4Z,7Z,10Z,13Z,16Z,19Z)-	0.1 %	612-950-9 NA	No data available.
64-17-5 KQ6300000	Ethyl alcohol 01-2119457610-43	99.9 %	200-578-6 603-002-00-5	Flam. Liq. 2: H225

Page: 2 of 6



SAFETY DATA SHEET Docosahexaenoic Acid MaxSpec® Standard

Revision: 01/26/2019

Section 4. First Aid Measures

4.1 Description of First Aid

Measures:

In Case of Inhalation: Remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel.

Get immediate medical attention.

In Case of Skin Contact: Immediately wash skin with soap and plenty of water for at least 15 minutes. Remove contaminated

clothing. Get medical attention if symptoms occur. Wash clothing before reuse.

In Case of Eye Contact: Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Have eyes examined

and tested by medical personnel.

In Case of Ingestion: Wash out mouth with water provided person is conscious. Never give anything by mouth to an

unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by

medical personnel.

4.2 Important Symptoms and May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude

Effects, Both Acute and

(weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects.

Delayed:

Section 5. Fire Fighting Measures

5.1 Suitable Extinguishing Use alcohol-resistant foam, carbon dioxide, water, or dry chemical spray.

Media: Use water spray to cool fire-exposed containers.

Unsuitable Extinguishing A solid water stream may be inefficient.

Media:

5.2 Flammable Properties and Can release vapors that form explosive mixtures at temperatures at or above the flashpoint.

Hazards: Container explosion may occur under fire conditions.

Emits toxic fumes under fire conditions.

Sensitive to static discharge.

Vapors can travel to a source of ignition and flash back.

No data available.

Flash Pt: 14.00 C Method Used: Closed Cup

Explosive Limits: LEL: 3.3% at 25.0 C UEL: 19.0% at 25.0 C

Autoignition Pt: 363.00 C

5.3 Fire Fighting Instructions: As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or

equivalent), and full protective gear to prevent contact with skin and eyes.

Note: Flammable as diluted in ethanol.

Section 6. Accidental Release Measures

6.1 Protective Precautions, Avoid breathing vapors and provide adequate ventilation.

Protective Equipment and As conditions warrant, wear a NIOSH approved self-contained breathing apparatus, or respirator,

Emergency Procedures: and appropriate personal protection (rubber boots, safety goggles, and heavy rubber gloves).

6.2 Environmental Take steps to avoid release into the environment, if safe to do so.

Precautions:

6.3 Methods and Material For Contain spill and collect, as appropriate.

Containment and Cleaning Transfer to a chemical waste container for disposal in accordance with local regulations.

Up:



Revision: 01/26/2019

Section 7. Handling and Storage

7.1 Precautions To Be Taken Avoid breathing dust/fume/gas/mist/vapours/spray.

in Handling: Avoid prolonged or repeated exposure.

Keep away from sources of ignition.

Take precautionary measures against static discharge.

7.2 Precautions To Be Taken Keep away from heat, sparks, and flame.

in Storing: Keep container tightly closed.

Store in accordance with information listed on the product insert.

Other Precautions: Hygroscopic

Store upright and unopened at -20C. Warm to room temperature before opening.

Light sensitive

Section 8. Exposure Controls/Personal Protection

8.1 Exposure Parameters:

CAS#	Chemical Name	Jurisdiction	Recommended Exposure Limits	Notations
64-17-5	Ethyl alcohol	ACGIH TLV	TLV: 1000 ppm STEL: 1000 ppm	
		France VL	TWA: 1900 mg/m3 (1000 ppm) STEL: 9500 mg/m3 (5000 ppm)	
		OSHA PELs	PEL: 1000 ppm	
		Britain EH40	TWA: 1920 mg/m3 (1000 ppm) STEL: ()	

8.2 Exposure Controls:

8.2.1 Engineering Controls Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne

(Ventilation etc.): levels below recommended exposure limits.

8.2.2 Personal protection equipment:

Eye Protection: Safety glasses

Protective Gloves: Compatible chemical-resistant gloves

Other Protective Clothing: Lab coat

Respiratory Equipment NIOSH approved respirator, as conditions warrant.

(Specify Type):

Work/Hygienic/Maintenan Do not take internally.

ce Practices: Facilities storing or utilizing this material should be equipped with an eyewash and a safety shower.

Wash thoroughly after handling.

No data available.



Revision: 01/26/2019

Section 9. Physical and Chemical Properties

9.1 Information on Basic Physical and Chemical Properties

Physical States: [] Gas [X] Liquid [] Solid

Appearance and Odor: A 1 mg/ml solution in ethanol

pH: No data.Melting Point: No data.Boiling Point: No data.

Flash Pt: 14.00 C Method Used: Closed Cup

Evaporation Rate: No data.

Flammability (solid, gas): No data available.

Explosive Limits: LEL: 3.3% at 25.0 C UEL: 19.0% at 25.0 C

Vapor Pressure (vs. Air or mm 43 MM_HG at 20.0 C

Hg):

Vapor Density (vs. Air = 1):No data.Specific Gravity (Water = 1):No data.Solubility in Water:No data.Octanol/Water PartitionNo data.

Coefficient:

Autoignition Pt:363.00 CDecomposition Temperature:No data.Viscosity:No data.

9.2 Other Information

Percent Volatile: No data.

Molecular Formula & Weight: C22H32O 312.5

Section 10. Stability and Reactivity

10.1 Reactivity: No data available.

10.2 Stability: Unstable [] Stable [X]

10.3 Stability Note(s): Stable if stored in accordance with information listed on the product insert.

Polymerization: Will occur [] Will not occur [X]

10.4 Conditions To Avoid: heat, flames, and sparks

10.5 Incompatibility - Materials alkali metals

To Avoid: ammonia

peroxides

strong oxidizing agents

10.6 Hazardous carbon dioxide

Decomposition or carbon monoxide

Byproducts:





Revision: 01/26/2019

Section 11. Toxicological Information

11.1 Information on The toxicological effects of this product have not been thoroughly studied.

Toxicological Effects: Ethanol - Toxicity Data: Oral TDLO (man): 1.14 ml/kg; Oral TDLO (man): 650 mg/kg; Oral LD50

(rat): 7,060 mg/kg; Oral LD50 (mouse): 3,450 mg/kg; Oral LD50 (mouse): 10.5 ml/kg; Oral LD50 (rabbit): 6,300 mg/kg; Inhalation LC50 (rat): 20,000 ppm (10h); Inhalation TCLO (human): 1,800 ppm (30m); Inhalation TCLO (human): 2,500 mg/m3 (20m); Inhalation LC50 (rat): 5,900 mg/m3

(6h); Inhalation LCLO (mouse): 29,300 ppm (7h);

Ethanol - Irritation Data: Eyes (rabbit): 500 mg (24h) mild; Skin (rabbit): 20 mg (24h) moderate;

Chronic Toxicological

Ethanol - Investigated as a drug, mutagen, natural product, primary irritant, reproductive effector,

Effects: and tumorigen.

Only select Registry of Toxic Effects of Chemical Substances (RTECS) data is presented here.

See actual entry in RTECS for complete information.

Ethanol RTECS Number: KQ6300000

Carcinogenicity: NTP? No IARC Monographs? No OSHA Regulated? No

CAS#	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
6217-54-5	4,7,10,13,16,19-Docosahexaenoic acid, (4Z,7Z,10Z,13Z,16Z,19Z)-	n.a.	n.a.	n.a.	n.a.
64-17-5	Ethyl alcohol	n.a.	1	A4	n.a.

Section 12. Ecological Information

12.1 Toxicity: Avoid release into the environment.

Runoff from fire control or dilution water may cause pollution.

12.2 Persistence and

Degradability:

12.3 Bioaccumulative No

No data available.

No data available.

Potential:

12.4 Mobility in Soil: No data available.

12.5 Results of PBT and vPvB No data available.

assessment:

12.6 Other adverse effects: No data available.

Section 13. Disposal Considerations

13.1 Waste Disposal Method: Dispose in accordance with local, state, and federal regulations.

Section 14. Transport Information

14.1 LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Ethyl Alcohol Solution

DOT Hazard Class: 3 FLAMMABLE LIQUID

UN/NA Number: UN1170 Packing Group: II





Revision: 01/26/2019

14.1 LAND TRANSPORT (European ADR/RID):

ADR/RID Shipping Name: Ethyl Alcohol Solution

UN Number: 1170 Packing Group: II

Hazard Class: 3 - FLAMMABLE LIQUID

14.3 AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: Ethyl Alcohol Solution

UN Number: 1170 Packing Group: II

Hazard Class: 3 - FLAMMABLE LIQUID IATA Classification: 3

Additional Transport Transport in accordance with local, state, and federal regulations.

Information: When sold in quantities of less than or equal to 1 mL, or 1 g, with an Excepted Quantity Code of

E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.

Section 15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS#	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
6217-54-5	4,7,10,13,16,19-Docosahexaenoic acid, (4Z,7Z,10Z,13Z,16Z,19Z)-	No	No	No
64-17-5	Ethyl alcohol	No	No	No

CAS#	Hazardous Components (Chemical Name)	Other US EPA or State Lists
6217-54-5	4,7,10,13,16,19-Docosahexaenoic acid,	CAA HAP,ODC: No; CWA NPDES: No; TSCA: No; CA
	(4Z,7Z,10Z,13Z,16Z,19Z)-	PROP.65: No
64-17-5	Ethyl alcohol	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes -
		Inventory; CA PROP.65: No

Regulatory Information This SDS was prepared in accordance with 29 CFR 1910.1200 and Regulation (EC)

Statement: No.1272/2008.

Section 16. Other Information

Revision Date: 01/26/2019

Additional Information About No data available.

This Product:

Company Policy or Disclaimer: DISCLAIMER: This information is believed to be accurate and represents the best information

currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for

their particular purposes.