

Page: 1 of 5

		to Regulation (EC) No. 1907/2006 as amended by (EC) No. 2015/830					
	Section 1. Ic	dentification of the Substance/Mixture and of th	e Company/Undertaking				
1.1	Product Code:	27336					
	Product Name:	2-CI-IB-MECA					
	Synonyms:	1-[2-chloro-6-[[(3-iodophenyl)methyl]amino]-9H	I-purin-9-yl]-1-deoxy-N-methylbetaD-ribofura				
		ronamide; 2-Chloro-IB-MECA;CF 102; Namode	enoson;				
1.2	Relevant identified uses of the substance or mixture and uses advised against:						
	Relevant identified uses: For research use only, not for human or veterinary use.						
1.3	Details of the Supplier of the Safety Data Sheet:						
	Company Name:	Cayman Chemical Company					
		1180 E. Ellsworth Rd.					
		Ann Arbor, MI 48108					
	Web site address:	www.caymanchem.com	.4. (704)074.0005				
	Information:	Cayman Chemical Company	+1 (734)971-3335				
1.4	Emergency telephone num		4 (000) 404 0000				
	Emergency Contact:	CHEMTREC Within USA and Canada: CHEMTREC Outside USA and Canada:	+1 (800)424-9300				
			+1 (703)527-3887				
		Section 2. Hazards Identifica	ation				
2.2	Skin Corrosion/Irritation, Serious Eye Damage/Eye Specific Target Organ To Label Elements:						
2.2	Serious Eye Damage/Eye Specific Target Organ To	Irritation, Category 2					
2.2	Serious Eye Damage/Eye Specific Target Organ To Label Elements:	Irritation, Category 2 xicity (single exposure), Category 3					
2.2	Serious Eye Damage/Eye Specific Target Organ To Label Elements: GHS Signal Word:	Irritation, Category 2					
2.2	Serious Eye Damage/Eye Specific Target Organ To Label Elements: GHS Signal Word: GHS Hazard Phrases:	Irritation, Category 2 xicity (single exposure), Category 3 Warning					
2.2	Serious Eye Damage/Eye Specific Target Organ To Label Elements: GHS Signal Word: GHS Hazard Phrases: H315: Causes skin irritation	Irritation, Category 2 xicity (single exposure), Category 3 Warning					
2.2	Serious Eye Damage/Eye Specific Target Organ To Label Elements: GHS Signal Word: GHS Hazard Phrases:	rritation, Category 2 xicity (single exposure), Category 3 Warning					
2.2	Serious Eye Damage/Eye Specific Target Organ To Label Elements: GHS Signal Word: GHS Hazard Phrases: H315: Causes skin irritation H319: Causes serious eye	e Irritation, Category 2 xicity (single exposure), Category 3 Warning n. irritation. iry irritation.					
2.2	Serious Eye Damage/Eye Specific Target Organ To Label Elements: GHS Signal Word: GHS Hazard Phrases: H315: Causes skin irritation H319: Causes serious eye H335: May cause respirato GHS Precaution Phrases:	e Irritation, Category 2 xicity (single exposure), Category 3 Warning n. irritation. iry irritation.					
2.2	Serious Eye Damage/Eye Specific Target Organ To Label Elements: GHS Signal Word: GHS Hazard Phrases: H315: Causes skin irritation H319: Causes serious eye H335: May cause respirato GHS Precaution Phrases:	warning Warning N. irritation. irritation. iry irritation. ist/fume/gas/mist/vapors/spray}.					
2.2	Serious Eye Damage/Eye Specific Target Organ To Label Elements: GHS Signal Word: GHS Hazard Phrases: H315: Causes skin irritation H319: Causes serious eye H335: May cause respirato GHS Precaution Phrases: P261: Avoid breathing {dus P264: Wash {hands} thorous	warning Warning N. irritation. irritation. iry irritation. ist/fume/gas/mist/vapors/spray}.	on}.				
2.2	Serious Eye Damage/Eye Specific Target Organ To Label Elements: GHS Signal Word: GHS Hazard Phrases: H315: Causes skin irritation H319: Causes serious eye H335: May cause respirato GHS Precaution Phrases: P261: Avoid breathing {dus P264: Wash {hands} thorous	warning Marning Marning n. irritation. irritation. iry irritation. ist/fume/gas/mist/vapors/spray}. ughly after handling.	on}.				
2.2	Serious Eye Damage/Eye Specific Target Organ To Label Elements: GHS Signal Word: GHS Hazard Phrases: H315: Causes skin irritation H319: Causes serious eye H335: May cause respirato GHS Precaution Phrases: P261: Avoid breathing {dus P264: Wash {hands} thorou P280: Wear {protective glow GHS Response Phrases:	warning Marning Marning n. irritation. irritation. iry irritation. ist/fume/gas/mist/vapors/spray}. ughly after handling.	on}.				
2.2	Serious Eye Damage/Eye Specific Target Organ To Label Elements: GHS Signal Word: GHS Hazard Phrases: H315: Causes skin irritation H319: Causes serious eye H335: May cause respirato GHS Precaution Phrases: P261: Avoid breathing {dus P264: Wash {hands} thorou P280: Wear {protective glov GHS Response Phrases: P302+352: IF ON SKIN: W	Irritation, Category 2 xicity (single exposure), Category 3 Warning n. irritation. i	tion comfortable for breathing.				
2.2	Serious Eye Damage/Eye Specific Target Organ To Label Elements: GHS Signal Word: GHS Hazard Phrases: H315: Causes skin irritation H319: Causes serious eye H335: May cause respirato GHS Precaution Phrases: P261: Avoid breathing {dus P264: Wash {hands} thorou P280: Wear {protective glov GHS Response Phrases: P302+352: IF ON SKIN: W P304+340: IF INHALED: R P305+351+338: IF IN EYE	Irritation, Category 2 xicity (single exposure), Category 3 Warning n. irritation. i	tion comfortable for breathing.				
2.2	Serious Eye Damage/Eye Specific Target Organ To Label Elements: GHS Signal Word: GHS Hazard Phrases: H315: Causes skin irritation H319: Causes serious eye H335: May cause respirato GHS Precaution Phrases: P261: Avoid breathing {dus P264: Wash {hands} thorou P280: Wear {protective glow GHS Response Phrases: P302+352: IF ON SKIN: W P304+340: IF INHALED: R P305+351+338: IF IN EYES to do. Continue rinsing.	Irritation, Category 2 xicity (single exposure), Category 3 Warning n. irritation. ry irritation. st/fume/gas/mist/vapors/spray}. ughly after handling. ves/protective clothing/eye protection/face protection ash with plenty of soap and water. emove victim to fresh air and keep at rest in a positi S: Rinse cautiously with water for several minutes.	tion comfortable for breathing.				
2.2	Serious Eye Damage/Eye Specific Target Organ To Label Elements: GHS Signal Word: GHS Hazard Phrases: H315: Causes skin irritation H319: Causes serious eye H335: May cause respirato GHS Precaution Phrases: P261: Avoid breathing {dus P264: Wash {hands} thorou P280: Wear {protective glov GHS Response Phrases: P302+352: IF ON SKIN: W P304+340: IF INHALED: R P305+351+338: IF IN EYES to do. Continue rinsing. P312: Call a POISON CEN	Irritation, Category 2 xicity (single exposure), Category 3 Warning n. irritation. irry irritation. irritation. irry irritation. irritation. irry irritation. irritation. irry irritation. irry irritation. irry irritation. irritation. irgs with plenty of soap and water. </td <td>tion comfortable for breathing.</td>	tion comfortable for breathing.				
2.2	Serious Eye Damage/Eye Specific Target Organ To Label Elements: GHS Signal Word: GHS Hazard Phrases: H315: Causes skin irritation H319: Causes serious eye H335: May cause respirato GHS Precaution Phrases: P261: Avoid breathing {dus P264: Wash {hands} thorou P280: Wear {protective glov GHS Response Phrases: P302+352: IF ON SKIN: W P304+340: IF INHALED: R P305+351+338: IF IN EYE to do. Continue rinsing. P312: Call a POISON CEN P332+313: If skin irritation	Irritation, Category 2 xicity (single exposure), Category 3 Warning n. irritation. i	tion comfortable for breathing.				
2.2	Serious Eye Damage/Eye Specific Target Organ To Label Elements: GHS Signal Word: GHS Hazard Phrases: H315: Causes skin irritation H319: Causes serious eye H335: May cause respirato GHS Precaution Phrases: P261: Avoid breathing {dus P264: Wash {hands} thorou P280: Wear {protective glov GHS Response Phrases: P302+352: IF ON SKIN: W P304+340: IF INHALED: R P305+351+338: IF IN EYE to do. Continue rinsing. P312: Call a POISON CEN P332+313: If skin irritation of P337+313: If eye irritation of	Irritation, Category 2 xicity (single exposure), Category 3 Warning n. irritation. ves/protective clothing/eye protection/face protection ash with plenty of soap and water. emove victim to fresh air and keep at rest in a posir S: Rinse cautiously with water for several minutes. ITER or doctor/physician if you feel unwell. occurs, get medical advice/attention. persists, get medical advice/attention.	tion comfortable for breathing.				
2.2	Serious Eye Damage/Eye Specific Target Organ To Label Elements: GHS Signal Word: GHS Hazard Phrases: H315: Causes skin irritation H319: Causes serious eye H335: May cause respirato GHS Precaution Phrases: P261: Avoid breathing {dus P264: Wash {hands} thorou P280: Wear {protective glov GHS Response Phrases: P302+352: IF ON SKIN: W P304+340: IF INHALED: R P305+351+338: IF IN EYE to do. Continue rinsing. P312: Call a POISON CEN P332+313: If skin irritation of P337+313: If eye irritation of	Irritation, Category 2 xicity (single exposure), Category 3 Warning n. irritation. i	tion comfortable for breathing.				

4
0
Cauman
CHIMICAL

	Effects a	and Symptoms:	May be harmful by inhalation May cause respiratory syster	he mucous membra , ingestion, or skin n irritation.	-				
		Sect	ion 3. Composition	/Information	on Ingredie	nts			
CAS RTEC		Hazardous Comp REACH Registra	oonents (Chemical Name)/ tion No.	Concentration	EC No./ EC Index No.	GHS Classification			
163042-96-4 .betaD-Ribofuranu NA 1-[2-chloro-6-[[(3-ioo -9-yl]-1-deoxy-N-me		1-[2-chloro-6-[[(3-ioc	lophenyl)methyl]amino]-9H-purin	100.0 %	634-077-2 NA	Skin Corr. 2: H315 Eye Damage 2: H319 STOT (SE) 3: H335			
			Section 4. Fi	rst Aid Meas	sures				
4.1	Descript	ion of First Aid							
	Measure In Case	s: of Inhalation:	Remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Get immediate medical attention.						
	In Case	of Skin Contact:	Immediately wash skin with s clothing. Get medical attentio			5 minutes. Remove contaminate before reuse.			
	In Case	of Eye Contact:	Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Have eyes examined and tested by medical personnel. Wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by medical personnel.						
	In Case	of Ingestion:							
			Section 5. Fire	Fighting Me	asures				
5.1	Suitable Media:	Extinguishing	Use alcohol-resistant foam, carbon dioxide, water, or dry chemical spray. Use water spray to cool fire-exposed containers.						
	Unsuitat Media:	ole Extinguishing	A solid water stream may be	inefficient.					
5.2	Flammal Hazards	-	d No data available.						
			No data available.						
	Flash Pt		No data.						
	-	ve Limits:	LEL: No data.	UEL: No o	data.				
5.3	Autoigni		No data. As in any fire, wear self-conta:	ained breathing an	paratus pressure-d	lemand (NIOSH approved or			
	T ile T igi		equivalent), and full protectiv	÷	-				



Page: 3 of 5

	S	ection 6. Accidental Release Measures					
6.1	Protective Precautions,	Avoid raising and breathing dust, and provide adequate ventilation.					
	Protective Equipment and A	As conditions warrant, wear a NIOSH approved self-contained breathing apparatus, or respirator,					
	Emergency Procedures:	and appropriate personal protection (rubber boots, safety goggles, and heavy rubber gloves).					
6.2	Environmental	Fake steps to avoid release into the environment, if safe to do so.					
	Precautions:						
6.3	Methods and Material For Contain spill and collect, as appropriate. Containment and Cleaning Transfer to a chemical waste container for disposal in accordance with local regulations.						
	Up:						
		Section 7. Handling and Storage					
7.1	Precautions To Be Taken A	void breathing dust/fume/gas/mist/vapours/spray.					
	in Handling:	void prolonged or repeated exposure.					
7.2	Precautions To Be Taken K	eep container tightly closed.					
	in Storing: S	tore in accordance with information listed on the product insert.					
	Sectio	on 8. Exposure Controls/Personal Protection					
8.1	Exposure Parameters:	•					
8.2	Exposure Controls:						
8.2.1	Engineering Controls	lse process enclosures, local exhaust ventilation, or other engineering controls to control airborne					
	(Ventilation etc.):	evels below recommended exposure limits.					
8.2.2	Personal protection equipm	ient:					
	Eye Protection:	afety glasses					
	Protective Gloves: C	Compatible chemical-resistant gloves					
	Other Protective Clothing:Lab coat						
	Respiratory Equipment	IIOSH approved respirator, as conditions warrant.					
	(Specify Type):						
	Work/Hygienic/Maintenan	o not take internally.					
	ce Practices: F	acilities storing or utilizing this material should be equipped with an eyewash and a safety shower.					
	V	Vash thoroughly after handling.					
	Ν	lo data available.					
	See	ction 9. Physical and Chemical Properties					
9.1	Information on Basic Physic	al and Chemical Properties					
	Physical States:	[]Gas []Liquid [X]Solid					
	Appearance and Odor:	A solid					
	рН:	No data.					
	Melting Point:	No data.					
	Boiling Point:	No data.					
	Flash Pt:	No data.					
	Evaporation Rate:	No data.					
	Flammability (solid, gas):	No data available.					
	Explosive Limits:	LEL: No data. UEL: No data.					
	Vapor Pressure (vs. Air or r	No data.					
	Hg):						
	Vapor Density (vs. Air = 1):	No data.					
		Multi-region format					

Cayman

SAFETY DATA SHEET 2-Cl-IB-MECA

Revision: 07/26/2019

	Specific C	Gravity (Water =	1): No (data.						
	Solubility in Water: Solubility Notes:		No	No data. ~0.3 mg/ml in a 1:2 solution of DMSO:PBS (pH 7.2); ~15 mg/ml in DMSO; ~10 mg/ml in						
	····,		DMF;							
	Octanol/V	Vater Partition		data.						
	Coefficier	nt:								
	Autoignit		No	data.						
	-	sition Temperat		data.						
	-	-								
	Viscosity: Other Information			No data.						
9.2	••		No							
	Percent Volatile: Molecular Formula & Weigl		No data. ht: C18H18CIIN6O4 544.7							
	Wolecular				544.7	Deceti	:4			
	Described in			ion 10. Sta	ability and	Reacti	vity			
10.1	Reactivity	/:	No data ava		1					
10.2	Stability:		Unstable [-	tional line and a	41	:t		
10.3	Stability N			ored in accordan		tion listed (on the product	insert.		
	Polymeriz		Will occur [-	occur [X]					
10.4		s To Avoid:	No data ava							
10.5	-	ibility - Materials	strong oxidi	zing agents						
	To Avoid:									
10.6	Hazardou	-	carbon diox							
	Decompo			bon monoxide						
	71			/drogen chloride gas						
		hydrogen iodide nitrogen oxides								
			nitrogen ox							
			Sectio	on 11. Toxi	cological	Informa	ation			
11.1	Informatio	on on	The toxicol	ogical effects of t	this product hav	ve not beer	n thoroughly st	udied.		
	Toxicolog	ical Effects:								
CAS	CAS # Hazardous Com		ponents (Chemical Name)			NTP	IARC	ACGIH	OSHA	
1630		betaD-Ribofura	-			n.a.	n.a.	n.a.	n.a.	
	1-[2-chloro-6-[[(3-iodoph			methyl]amino]-9l	H-purin-9-yl]-1					
	!·	-deoxy-N-methyl-								
			Sect	tion 12. Ec	ological Ir	format	ion			
12.1	Toxicity:			se into the enviro						
			Runoff from	n fire control or d	ilution water ma	ay cause p	ollution.			
12.2	Persisten	ce and	No data ava	ailable.						
	Degradab	ility:								
12.3	Bioaccum	nulative	No data ava	ailable.						
	Potential:									
12.4	Mobility i	n Soil:	No data available.							
12.5	Results o	f PBT and vPvB	No data available.							
	assessme	ent:								
12.6	Other adv	verse effects:	No data available.							
1										



Page: 5 of 5

Revision: 07/26/2019

	Section 12 Dianos	al Considerat	ione			
	•					
	Section 14. Trans	sport Informat	ion			
RANSPORT (US	DOT):					
	: Not dangerous goods.					
-						
	Hot dangerede geede.					
ISS:						
ANSPORT (ICAO/	IATA):					
Shipping Name:	Not dangerous goods.					
nsport	Transport in accordance with loo	cal, state, and federa	l regulations.			
	Section 15. Regul	atory Information	tion			
perfund Amendm	nents and Reauthorization Act o	of 1986) Lists				
Hazardous Com	ponents (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)		
1-[2-chloro-6-[[(3-	-iodophenyl)methyl]amino]-9H-pu	No	No	No		
Hazardous Com	ponents (Chemical Name)	Other US EPA or State Lists				
1-[2-chloro-6-[[(3-	3-iodophenyl)methyl]amino]-9H-pu PROP.65: No					
⊥ ormation						
	Section 16. Oth	er Information	า			
	Section 16. Oth 07/26/2019	er Information	า			
rmation About		er Information	<u>ז</u>			
	TRANSPORT (US er Shipping Name rd Class: mber: TRANSPORT (Eur Shipping Name: er: ass: ANSPORT (ICAO/ Shipping Name: ass) ANSPORT (ICAO/ Ass) ANSPORT (ICAO/ Ass) Ansport Ass) Ass) Ass) Ass) Ass) Ass) Ass) Ass	Disposal Method: Dispose in accordance with local Section 14. Trans TRANSPORT (US DOT): er Shipping Name: Not dangerous goods. rd Class: mber: TRANSPORT (European ADR/RID): Shipping Name: Not dangerous goods. er: ass: ANSPORT (ICAO/IATA): A Shipping Name: Not dangerous goods. er: ANSPORT (ICAO/IATA): A Shipping Name: Not dangerous goods. er: ANSPORT (ICAO/IATA): A Shipping Name: Not dangerous goods. er: A Shipping Name:	Disposal Method: Dispose in accordance with local, state, and federal r Section 14. Transport Informat TRANSPORT (US DOT): er Shipping Name: Not dangerous goods. rd Class: mber: TRANSPORT (European ADR/RID): Shipping Name: Not dangerous goods. er: ass: ANSPORT (ICAO/IATA): A Shipping Name: Not dangerous goods. er: ass: ANSPORT (ICAO/IATA): A Shipping Name: Not dangerous goods. Insport Transport in accordance with local, state, and federa Section 15. Regulatory Information uperfund Amendments and Reauthorization Act of 1986) Lists Hazardous Components (Chemical Name) S. 302 (EHS) .betaD-Ribofuranuronamide, 1-[2-chloro-6-[[(3-iodophenyl)methyl]amino]-9H-pu rin-9-yl]-1-deoxy-N-methyl- .betaD-Ribofuranuronamide, 1-[2-chloro-6-[[(3-iodophenyl)methyl]amino]-9H-pu rin-9-yl]-1-deoxy-N-methyl- CAA HAP,ODC: N PROP.65: No This SDS was prepared in accordance with 29 CFR	Section 14. Transport Information TRANSPORT (US DOT): er Shipping Name: Not dangerous goods. rd Class: mber: TRANSPORT (European ADR/RID): Shipping Name: Not dangerous goods. Shipping Name: Not dangerous goods.		