

Page 1/10

# Safety Data Sheet acc. to OSHA HCS

Printing date 05/19/2020

Revision date 05/19/2020

5	
1 Identification	
· Product identifier	
<ul> <li>Trade name: <u>Palmitelaidic Acid-d13</u></li> <li>Synonym         <ul> <li>(9E)-hexadecenoic-11,11,12,12,13,13,14,14,15,15,16,16,16,16-d13 acid; 9-trans-Hexadecenoic Acid</li> </ul> </li> </ul>	d-d13
<ul> <li>Article number: 27713, 007830</li> <li>CAS Number: 64-17-5</li> <li>EC number: 200-578-6</li> <li>Index number: 603-002-00-5</li> <li>Application of the substance / the mixture For research use only - not for human or veterinary</li> </ul>	use.
<ul> <li>Details of the supplier of the safety data sheet</li> <li>Manufacturer/Supplier: Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA</li> </ul>	
<ul> <li>Information department: Product safety department</li> <li>Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970</li> </ul>	
2 Hazard(s) identification	
• Classification of the substance or mixture GHS02 Flame	
Flam. Liq. 2 H225 Highly flammable liquid and vapor.	
<ul> <li>Label elements</li> <li>GHS label elements</li> <li>The substance is classified and labeled according to the Globally Harmonized System (GHS).</li> <li>Hazard pictograms</li> </ul>	
GHS02	

- · Signal word Danger
- · Hazard statements
- Highly flammable liquid and vapor.
- Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking.


(Contd. on page 2)

US

Printing date 05/19/2020

Revision date 05/19/2020

#### Trade name: Palmitelaidic Acid-d13



- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

(Contd. on page 3)

Printing date 05/19/2020

Revision date 05/19/2020

Trade name: Palmitelaidic Acid-d13

(Contd. from page 2)

### **5 Fire-fighting measures**

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture
- Can release vapors that form explosive mixtures at temperatures at or above the flashpoint.
- Container explosion may occur under fire conditions.
- Emits toxic fumes under fire conditions.
- Sensitive to static discharge.
- Vapors can travel to a source of ignition and flash back.
- · Advice for firefighters
- · Protective equipment: No special measures required.

### 6 Accidental release measures

· PAC-2:

3300\* ppm

1,800 ppm

· PAC-3:

15000\* ppm

### 7 Handling and storage

- · Handling:
- Precautions for safe handling
- No special precautions are necessary if used correctly. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid prolonged or repeated exposure. Keep away from sources of ignition. Take precautionary measures against static discharge.re.
- Information about protection against explosions and fires:
- Keep ignition sources away Do not smoke.
- Protect against electrostatic charges.

(Contd. on page 4)

JS -

Printing date 05/19/2020

Revision date 05/19/2020

#### Trade name: Palmitelaidic Acid-d13

(Contd. from page 3)

• Conditions for safe storage, including any incompatibilities Keep away from heat, sparks and flame. Keep container tightly closed. Store in accordance with information listed on the product insert.

- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- This product is hygroscopic.
- Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

### Control parameters

Components with limit values that require monitoring at the workplace:

### 64-17-5 Ethyl alcohol

- PEL Long-term value: 1900 mg/m<sup>3</sup>, 1000 ppm
- REL Long-term value: 1900 mg/m<sup>3</sup>, 1000 ppm
- TLV Short-term value: 1880 mg/m<sup>3</sup>, 1000 ppm

• Additional information: The lists that were valid during the creation were used as basis.

- Exposure controls
- Personal protective equipment:
- General protective and hygienic measures: Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.
- · Breathing equipment: Not required.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

### • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

Printing date 05/19/2020

Revision date 05/19/2020

(Contd. from page 4)

### Trade name: Palmitelaidic Acid-d13

· Eye protection:



Tightly sealed goggles

#### 9 Physical and chemical properties · Information on basic physical and chemical properties · General Information · Appearance: Form: A solution in ethanol Color: Colorless · Odor: Alcohol-like · Structural Formula C16H17D13O2 · Molecular Weight 267.5 · Odor threshold: Not determined. · pH-value: Not determined. · Change in condition Melting point/Melting range: -114.5 °C (-174.1 °F) Boiling point/Boiling range: 78 °C (172.4 °F) · Flash point: 13 °C (55.4 °F) · Flammability (solid, gaseous): Not applicable. · Ignition temperature: 425 °C (797 °F) · Decomposition temperature: Not determined. · Auto igniting: Not determined. • Danger of explosion: Product is not explosive. However, formation of explosive air/ vapor mixtures are possible. · Explosion limits: Lower: 3.5 Vol % Upper: 15 Vol % · Vapor pressure at 20 °C (68 °F): 59 hPa (44.3 mm Hg) 0.79 g/cm3 (6.59255 lbs/gal) · Density at 20 °C (68 °F): Relative density Not determined. · Vapor density Not determined. · Evaporation rate Not determined. · Solubility in / Miscibility with Water at 20 °C (68 °F): 1,000 g/l · Partition coefficient (n-octanol/water): Not determined. · Viscosity: Dynamic at 20 °C (68 °F): 1.2 mPas Kinematic: Not determined. Organic solvents: 99.0 % (Contd. on page 6)

US

Printing date 05/19/2020

Revision date 05/19/2020

Trade name: Palmitelaidic Acid-d13

		(Contd. from page 5
VOC content:	99.00 % 782.1 g/l / 6.53 lb/gal	
Solids content: • Other information	1.0 % No further relevant information available.	

# 10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · **Incompatible materials:** No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### **11 Toxicological information**

· Information on toxicological effects

· Acute toxicity:

#### · LD/LC50 values that are relevant for classification:

64-17-5 Ethyl al Oral	TDLO	1.14 ml/kg (man)
Orai	LD50	
		7,060 mg/kg (rat)
	TDLO	650 (man)
Dermal	LD50	40,000 mg/kg (rat)
Inhalative	LC50/4 h	5,900 mg/m³ (rat)
	LC50	20,000 mg/m³/10h (rat)
	TCLO	1,800 mg/m³/30m (hmn)
	LCLO	29,300 mg/m³/7h (mouse)
	TCLO	1,800 (hmn)
	LC50	10 h - 20,000 mg/m³ (rat)
	LD50 Inhalation TCLO	1,800 mg/m³/30m (hmn)
	LC50/4 h	20,000 mg/l (rat)
Irritation of skin	Irritation	20 mg/24h (rabbit)
	TDLO	1,800 mg/kg (wmn)
Irritation of eyes	Irritation	500 mg/24h (rabbit)
	Intraperitoneal LD50	280 mg/kg (rat)
	Data	500 mg/24h (rabbit)

• on the skin: No irritant effect. • on the eye: No irritating effect.

• Sensitization: No sensitizing effects known.

(Contd. on page 7)

Printing date 05/19/2020

Revision date 05/19/2020

Trade name: Palmitelaidic Acid-d13

(Contd. from page 6)

1

· Additional toxicological information:

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

### · NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

# **12 Ecological information**

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Assessment by list): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

# **13 Disposal considerations**

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	
DOT, IMDG, IATA	UN1170
UN proper shipping name	
DOT	Ethanol solutions
IMDG	ETHANOL SOLUTION (ETHYL ALCOHO
	SOLUTION)
	Ethanol solution

Printing date 05/19/2020

Revision date 05/19/2020

Trade name: Palmitelaidic Acid-d13

	(Contd. from page
Transport hazard class(es)	
DOT	
RAMABE LOUD	
Class Label	3 Flammable liquids 3
IMDG, IATA	
Class Label	3 Flammable liquids 3
Packing group DOT, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code EMS Number:	): 33 F-E,S-D
Stowage Category	A
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
IMDG Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
ΙΑΤΑ	
Remarks:	When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.
UN "Model Regulation":	UN 1170 ETHANOL SOLUTION (ETHYL ALCOHO SOLUTION), 3, II

(Contd. on page 9)

US

Printing date 05/19/2020

#### Revision date 05/19/2020

#### Trade name: Palmitelaidic Acid-d13

(Contd. from page 8)

### **15 Regulatory information**

- $^{\cdot}$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $^{\cdot}$  Sara
- Section 355 (extremely hazardous substances):

None of the ingredients is listed.

• Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

ACTIVE

None of the ingredients is listed.

· Hazardous Air Pollutants

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

64-17-5 Ethyl alcohol

#### · Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value established by ACGIH)

A3

#### · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms



· Signal word Danger

· Hazard statements

Highly flammable liquid and vapor.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

(Contd. on page 10)

Printing date 05/19/2020

Revision date 05/19/2020

#### Trade name: Palmitelaidic Acid-d13

(Contd. from page 9)

Wear protective gloves/protective clothing/eye protection/face protection. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- · Date of preparation / last revision 05/19/2020 / -

· Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety **OSHA: Occupational Safety & Health** TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flam. Liq. 2: Flammable liquids - Category 2 \* \* Data compared to the previous version altered.