

Page 1/11

Safety Data Sheet acc. to OSHA HCS

Printing date 07/09/2024 Revision date 07/09/2024

1 Identification

- · Product identifier
- · Trade name: 1-Palmitoyl-d9-2-Palmitoyl-sn-glycero-3-PC
- · Synonym

(7R)-4-hydroxy-N,N,N-trimethyl-10-oxo-7-[(1-oxohexadecyl)oxy]-3,5,9-trioxa-4-phosphapentacosan-22,22,23,23,24,24,25,25,25-d9-1-aminium, 4-oxide, inner salt; DPPC-d9; PC(16:0-d9/16:0); 16:0-d9/16: 0-PC

- · Article number: 28154
- · Application of the substance / the mixture

This product is for research use - Not for human or veterinary diagnostic or therapeutic use.

- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108

USA

- · Information department: Product safety department
- · Emergency telephone number:

During normal opening times: +1 (734) 971-3335

US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

· Classification of the substance or mixture



GHS06 Skull and crossbones

Acute Toxicity - Inhalation 3 H331 Toxic if inhaled.



GHS08 Health hazard

Carcinogenicity 2

H351 Suspected of causing cancer.

Toxic to Reproduction 2

H361 Suspected of damaging fertility or the unborn child.

Specific Target Organ Toxicity - Repeated Exposure H372 Causes damage to the central nervous

system, the kidneys, the liver and the respiratory system through prolonged or repeated exposure.

(Contd. on page 2)

ÚS

Printing date 07/09/2024 Revision date 07/09/2024

Trade name: 1-Palmitoyl-d9-2-Palmitoyl-sn-glycero-3-PC

(Contd. from page 1)



Acute Toxicity - Oral 4 H302 Harmful if swallowed.
Skin Irritation 2 H315 Causes skin irritation.

Eye Irritation 2A H319 Causes serious eye irritation.

Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness.

· Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms







GHS06 GHS07 GHS08

Signal word Danger

· Hazard-determining components of labeling:

Chloroform

· Hazard statements

H302 Harmful if swallowed.

H331 Toxic if inhaled.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H351 Suspected of causing cancer.

H361 Suspected of damaging fertility or the unborn child.

H336 May cause drowsiness or dizziness.

H372 Causes damage to the central nervous system, the kidneys, the liver and the respiratory system through prolonged or repeated exposure.

· Precautionary statements

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.

P330 Rinse mouth.

P302+P352 If on skin: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P321 Specific treatment (see on this label).

P314 Get medical advice/attention if you feel unwell.

P362+P364 Take off contaminated clothing and wash it before reuse.
P332+P313 If skin irritation occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

(Contd. on page 3)

(Contd. from page 2)

Safety Data Sheet acc. to OSHA HCS

Printing date 07/09/2024 Revision date 07/09/2024

Trade name: 1-Palmitoyl-d9-2-Palmitoyl-sn-glycero-3-PC

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Classification system:

· NFPA ratings (scale 0 - 4)



Health = 2 Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 2 Fire = 0Reactivity = 0

- Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable. · **vPvB**: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous compon	ents:	
CAS: 67-66-3 RTECS: FS9100000	Chloroform	99.9%
Other ingredients		

1-Palmitoyl-d9-2-Palmitoyl-sn-glycero-3-PC

0.1%

4 First-aid measures

- Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Immediately call a doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed

No further relevant information available.

(Contd. on page 4)

Printing date 07/09/2024 Revision date 07/09/2024

Trade name: 1-Palmitoyl-d9-2-Palmitoyl-sn-glycero-3-PC

(Contd. from page 3)

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

Use fire fighting measures that suit the environment.

A solid water stream may be inefficient.

- · Special hazards arising from the substance or mixture
- 67-56-1During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

· PAC-1:		
67-66-3 Chloroform	2 ppm	
· PAC-2:		
67-66-3 Chloroform	64 ppm	
· PAC-3:		
67-66-3 Chloroform	3,200 ppm	

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

Information about protection against explosions and fires:

Keep respiratory protective device available.

- Conditions for safe storage, including any incompatibilities
- · **Storage:** Store in accordance with information listed on the product insert.
- · Requirements to be met by storerooms and receptacles: No special requirements.

(Contd. on page 5)

Printing date 07/09/2024 Revision date 07/09/2024

Trade name: 1-Palmitoyl-d9-2-Palmitoyl-sn-glycero-3-PC

(Contd. from page 4)

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

67-66-3 Chloroform

PEL Ceiling limit value: 240 mg/m³, 50 ppm

REL Short-term value: 9.78* mg/m³, 2* ppm *60-min; See Pocket Guide App. A

TLV Long-term value: 10 ppm

А3

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 6)

(Contd. from page 5)

Safety Data Sheet acc. to OSHA HCS

Printing date 07/09/2024 Revision date 07/09/2024

Trade name: 1-Palmitoyl-d9-2-Palmitoyl-sn-glycero-3-PC

Eye protection: Safety glasses



Tightly sealed goggles

9 Physical and chemical properties

· Information on basic physical and chemical properties

General Information

· Appearance:

Form: Liquid

Color: According to product specification

· Odor: Pleasant

Structural Formula
 Molecular Weight
 Odor threshold:

C40H71D9NO8P
743.1 g/mol
Not determined.

• Formulation A solution in Chloroform

• **pH-value:** Not determined.

· Change in condition

Melting point/Melting range: $-63.5 \,^{\circ}\text{C} \, (-82.3 \,^{\circ}\text{F})$ Boiling point/Boiling range: $61 \,^{\circ}\text{C} \, (141.8 \,^{\circ}\text{F})$

· Flash point: Not applicable.

· Flammability (solid, gaseous): Not applicable.

• **Auto igniting:** 982 °C (1,799.6 °F)

· Decomposition temperature: Not determined.

Ignition temperature: Product is not selfigniting.

Danger of explosion:
 Product does not present an explosion hazard.

· Explosion limits:

Lower: Not determined. **Upper:** Not determined.

· Vapor pressure at 20 °C (68 °F): 211 hPa (158.3 mm Hg)

Density at 20 °C (68 °F): 1.48 g/cm³ (12.3506 lbs/gal)

Relative density
 Vapor density
 Evaporation rate
 Not determined.
 Not determined.

· Solubility in / Miscibility with

Water at 20 °C (68 °F): 8 g/l

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic at 20 °C (68 °F): 0.56 mPas
Kinematic: Not determined.
SOLUBILITY Ethanol: 30 mg/ml

(Contd. on page 7)

Printing date 07/09/2024 Revision date 07/09/2024

Trade name: 1-Palmitoyl-d9-2-Palmitoyl-sn-glycero-3-PC

	(Contd. from page
· Solvent content: VOC content:	0.00 % 0.0 g/l / 0.00 lb/gal
Solids content:	0.1 %
· Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50	· LD/LC50 values that are relevant for classification:		
ATE (Acu	te Toxicity	y Estimate)	
Oral	LD50	909 mg/kg (rat)	
Inhalative	LC50/4 h	3.1 mg/l (rat)	
27.22.2			

Į			
I	67-66-3 C	hloroform	
Ļ			
I	Oral	LD50	908 mg/kg (rat)
ı			OECD Test Guideline 401
ı			OLOD Test Guideline 401
ı	Inhalativa	LC50/4 h	3.1 mg/l (rat)
ı	IIIIIaiaiive	LC30/4 11	
ı			Expert judgment

- Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Toxic Harmful Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)	
67-66-3 Chloroform	2B
· NTP (National Toxicology Program)	
67-66-3 Chloroform	R
	(Contd. on page 8)

Printing date 07/09/2024 Revision date 07/09/2024

Trade name: 1-Palmitoyl-d9-2-Palmitoyl-sn-glycero-3-PC

(Contd. from page 7)

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

٠ ل	JN-N	lum	ber
-----	------	-----	-----

· DOT, IMDG, IATA UN1888

· UN proper shipping name

DOT, IATAIMDGChloroform solutionCHLOROFORM solution

- · Transport hazard class(es)
- · DOT



· Class 6.1 Toxic substances

(Contd. on page 9)

Printing date 07/09/2024 Revision date 07/09/2024

Trade name: 1-Palmitoyl-d9-2-Palmitoyl-sn-glycero-3-PC

	(Contd. from page
Label	6.1
IMDG, IATA	
9	
Class	6.1 Toxic substances
Label	6.1
Packing group DOT, IMDG, IATA	III
Environmental hazards:	Not applicable.
Special precautions for user Hazard identification number (Kemler code) EMS Number:	F-A,S-A
Segregation groups	(SGG10) Liquid halogenated hydrocarbons
Stowage Category Stowage Code	A SW2 Clear of living quarters.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT Quantity limitations	On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L
IMDG Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
IATA Remarks:	When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara
- Section 355 (extremely hazardous substances):

67-66-3 Chloroform

(Contd. on page 10)

Printing date 07/09/2024 Revision date 07/09/2024

Trade name: 1-Palmitoyl-d9-2-Palmitoyl-sn-glycero-3-PC

(Contd. from page 9) Section 313 (Specific toxic chemical listings): 67-66-3 Chloroform TSCA (Toxic Substances Control Act): 67-66-3 Chloroform **ACTIVE** · Hazardous Air Pollutants 67-66-3 Chloroform · Proposition 65 · Chemicals known to cause cancer: 67-66-3 Chloroform · Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. · Chemicals known to cause developmental toxicity: 67-66-3 Chloroform · Carcinogenic categories · EPA (Environmental Protection Agency) 67-66-3 Chloroform B2, L, NL TLV (Threshold Limit Value) 67-66-3 Chloroform А3 · NIOSH-Ca (National Institute for Occupational Safety and Health) 67-66-3 Chloroform · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- · Date of preparation / last revision 07/09/2024 / -
- · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

IMDG: International Maritime Code for DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, ÉU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

Printing date 07/09/2024 Revision date 07/09/2024

Trade name: 1-Palmitoyl-d9-2-Palmitoyl-sn-glycero-3-PC

(Contd. from page 10)

vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit

PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Acute Toxicity - Oral 4: Acute toxicity - Category 4
Acute Toxicity - Inhalation 3: Acute toxicity - Category 3
Skin Irritation 2: Skin corrosion/irritation - Category 2
Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A
Carcinogenicity 2: Carcinogenicity - Category 2
Toxic to Reproduction 2: Reproductive toxicity - Category 2
Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 1
Specific Target Organ Toxicity - Repeated Exposure 1: Specific target organ toxicity (repeated exposure) - Category 1