

	according to	p Regulation (EC) No. 1907/2006 as amended by (EC) No. 2015/83	0 and US OSHA HCS 2015				
	Section 1. Ide	entification of the Substance/Mixture and of th	ne Company/Undertaking				
1.1	Product Code:	28682					
	Product Name:	Short-chain Fatty Acid Mixture 3					
1.2	Relevant identified uses of t	he substance or mixture and uses advised ag	ainst:				
	Relevant identified uses:	For research use only, not for human or vetering	nary use.				
1.3	Details of the Supplier of the	e Safety Data Sheet:					
	Company Name:	Cayman Chemical Company					
		1180 E. Ellsworth Rd.					
	Web site address:	Ann Arbor, MI 48108 www.caymanchem.com					
	Information:	Cayman Chemical Company	+1 (734)971-3335				
1.4	Emergency telephone numb						
	Emergency Contact:	CHEMTREC Within USA and Canada:	+1 (800)424-9300				
		CHEMTREC Outside USA and Canada:	+1 (703)527-3887				
		Section 2. Hazards Identification	ation				
2.1	Classification of the Substar						
	Skin Corrosion/Irritation	Category 3					
	Skin Corrosion/Irritation, Category 3 Serious Eve Damage/Eve Irritation, Category 2						
2.2	Serious Eye Damage/Eye Irritation, Category 2						
2.2	Label Elements:						
	GHS Signal Word:	Warning					
	GHS Hazard Phrases:						
	H316: Causes mild skin irritation.						
	H319: Causes serious eye irritation.						
	GHS Precautionary Phrases:						
	P264: Wash {hands} thoroughly after handling.						
	P280: Wear {protective gloves/protective clothing/eye protection/face protection}.						
	GHS Response Phrases:						
	P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.						
	P332+313: If skin irritation occurs, get medical advice/attention.						
	P337+313: If eye irritation persists, get medical advice/attention.						
	GHS Storage and Disposa						
		Storage and Section 13 for Disposal information.					

Multi-region format



2.3	Adverse Human Health	Causes mild skin irritation.
	Effects and Symptoms:	Causes serious eye irritation.
		Material may be irritating to the mucous membranes and upper respiratory tract.
		May be harmful by inhalation, ingestion, or skin absorption.
		May cause respiratory system irritation.

To the best of our knowledge, the toxicological properties have not been thoroughly investigated.

Section 3. Composition/Information on Ingredients

CAS # / RTECS #	Hazardous Components (Chemical Name)/ REACH Registration No.	Concentration	EC No./ EC Index No.	GHS Classification
64-19-7 AF1225000	Acetic acid 01-2119475328-30-0000	0.1 %	200-580-7 607-002-00-6	Flam. Liq. 3: H226 Skin Corr. 1A: H314
79-09-4 UE5950000	Propionic acid 01-2119486971-24	0.1 %	201-176-3 607-089-00-0	Skin Corr. 1B: H314
79-31-2 NQ4375000	iso-Butyric acid 01-2119488973-18	0.1 %	201-195-7 607-063-00-9	Acute Tox.(O) 4: H302 Acute Tox.(D) 4: H312
107-92-6 ES5425000	Butyric acid 01-2119488986-11	0.1 %	203-532-3 607-135-00-X	Skin Corr. 1B: H314
503-74-2 NY1400000	Isopentanoic acid	0.1 %	207-975-3 NA	Skin Corr. 1C: H314 Eye Damage 1: H318
109-52-4 YV6100000	Pentanoic acid 01-2119448010-56	0.1 %	203-677-2 607-143-00-3	Skin Corr. 1B: H314 Aquatic (C) 3: H412
7732-18-5 ZC0110000	Water na	99.0 %	231-791-2 NA	No GHS classifications apply.
64-18-6 LQ4900000	Formic acid 01-2119491174-37	0.1 %	200-579-1 607-001-00-0	Skin Corr. 1A: H314
646-07-1 NR2975000	4-Methylvaleric acid	0.1 %	211-464-0 NA	Acute Tox.(D) 3: H311 Skin Corr. 1C: H314 Eye Damage 1: H318
142-62-1 MO5250000	Hexanoic acid 01-2119978228-24	0.1 %	205-550-7 NA	Skin Corr. 1C: H314
111-14-8 MJ1575000	Heptanoic acid 01-2119463877-21	0.1 %	203-838-7 607-196-00-2	Skin Corr. 1B: H314

Section 4. First Aid Measures

4.1 Description of First Aid

Remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Get immediate medical attention.
Immediately wash skin with soap and plenty of water for at least 15 minutes. Remove contaminated clothing. Get medical attention if symptoms occur. Wash clothing before reuse.
Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Have eyes examined and tested by medical personnel.
Wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by medical personnel.



		Section 5. Fir	e Fighting Measures				
5.1	Suitable Extinguishing	Use alcohol-resistant foam	, carbon dioxide, water, or dry chemical spray.				
	Media:	Use water spray to cool fire	e-exposed containers.				
	Unsuitable Extinguishing	A solid water stream may b	e inefficient.				
	Media:						
5.2	Flammable Properties and	No data available.					
	Hazards:						
		No data available.					
	Flash Pt:	No data.					
	Explosive Limits:	LEL: No data.	UEL: No data.				
	-	No data.					
5.3	-		ntained breathing apparatus pressure-demand (N	IIOSH approved or			
		-	tive gear to prevent contact with skin and eyes.				
		Section 6. Accide	ental Release Measures				
6.1	Protective Precautions,	5	g dust, and provide adequate ventilation.				
			ar a NIOSH approved self-contained breathing ap				
	Emergency Procedures:	and appropriate personal p	protection (rubber boots, safety goggles, and hea	vy rubber gloves).			
6.2	Environmental	Take steps to avoid releas	e into the environment, if safe to do so.				
	Precautions:						
6.3	Methods and Material For						
	Containment and Cleaning Transfer to a chemical waste container for disposal in accordance with local regulations.						
	Up:						
		Section 7. Ha	andling and Storage				
7.1 Precautions To Be Taken Avoid breathing dust/fume/gas/mist/vapours/spray.							
		Avoid prolonged or repeate					
7.2	Precautions To Be Taken Keep container tightly closed.						
			formation listed on the product insert.				
3.1		on 8. Exposure C	Controls/Personal Protection				
	Exposure Parameters: # Chemical Name	Jurisdiction	Recommended Exposure Limits	Notations			
64-1		ACGIH TLV	TLV: 10 ppm	Notations			
04-1			STEL: 15 ppm				
		Europe	TWA: 25 mg/m3 (10 ppm)				
		France VL	STEL: 25 mg/m3 (10 ppm)				
		OSHA PELs	PEL: 10 ppm	1			
79-0	9-4 Propionic acid	ACGIH TLV	TLV: 10 ppm				
		Europe	TWA: 31 mg/m3 (10 ppm) STEL: 62 mg/m3 (20 ppm)				
				1			
		France VL	TWA: 31 mg/m3 (10 ppm)				
		France VL	STEL: 62 mg/m3 (20 ppm)				
		Britain EH40	STEL: 62 mg/m3 (20 ppm) TWA: 31 mg/m3 (10 ppm)				
		Britain EH40	STEL: 62 mg/m3 (20 ppm) TWA: 31 mg/m3 (10 ppm) STEL: 46 mg/m3 (15 ppm)				
64-1	8-6 Formic acid		STEL: 62 mg/m3 (20 ppm) TWA: 31 mg/m3 (10 ppm) STEL: 46 mg/m3 (15 ppm) TLV: 5 ppm				
64-1	8-6 Formic acid	Britain EH40 ACGIH TLV	STEL: 62 mg/m3 (20 ppm) TWA: 31 mg/m3 (10 ppm) STEL: 46 mg/m3 (15 ppm) TLV: 5 ppm STEL: 10 ppm				
64-1	8-6 Formic acid	Britain EH40	STEL: 62 mg/m3 (20 ppm) TWA: 31 mg/m3 (10 ppm) STEL: 46 mg/m3 (15 ppm) TLV: 5 ppm				



Revision: 12/14/2019

etc.): levels otection equipment ion: Safet Gloves: Comp ctive Clothing:Lab of Equipment NIOS oe): nic/Maintenan Do no s: Facili Wash No da	s below recommended e y glasses patible chemical-resistan coat H approved respirator, a ot take internally. ities storing or utilizing the n thoroughly after handling ata available. on 9. Physical a and Chemical Properties [] Gas [X] Liqui A solution in water	t gloves as conditions warrant. is material should be equipped with an eyewash and a safety s ng. Ind Chemical Properties
Controls Use percent levels otection equipment form: Safet Gloves: Competitive Clothing:Lab of Equipment NIOS of Picture Clothing: Lab of Equipment NIOS of Picture Clothing Clother Clothing: Facility Wash No da Section Con Basic Physical a ates:	brocess enclosures, loca s below recommended e s y glasses patible chemical-resistan coat SH approved respirator, a of take internally. ities storing or utilizing the n thoroughly after handlin ata available. on 9. Physical a and Chemical Properties [] Gas [X] Liqui A solution in water	STEL: () I exhaust ventilation, or other engineering controls to control air xposure limits. t gloves as conditions warrant. is material should be equipped with an eyewash and a safety sing. und Chemical Properties s
Controls Use percent levels otection equipment form: Safet Gloves: Competitive Clothing:Lab of Equipment NIOS of Picture Clothing: Lab of Equipment NIOS of Picture Clothing Clother Clothing: Facility Wash No da Section Con Basic Physical a ates:	s below recommended e y glasses patible chemical-resistan coat H approved respirator, a ot take internally. ities storing or utilizing the n thoroughly after handling ata available. on 9. Physical a and Chemical Properties [] Gas [X] Liqui A solution in water	STEL: () I exhaust ventilation, or other engineering controls to control air xposure limits. t gloves as conditions warrant. is material should be equipped with an eyewash and a safety sing. und Chemical Properties s
Controls Use percent levels otection equipment form: Safet Gloves: Competitive Clothing:Lab of Equipment NIOS of Picture Clothing: Lab of Equipment NIOS of Picture Clothing Clother Clothing: Facility Wash No da Section Con Basic Physical a ates:	s below recommended e y glasses patible chemical-resistan coat H approved respirator, a ot take internally. ities storing or utilizing the n thoroughly after handling ata available. on 9. Physical a and Chemical Properties [] Gas [X] Liqui A solution in water	xposure limits. It gloves as conditions warrant. is material should be equipped with an eyewash and a safety s ing. Ind Chemical Properties s
etc.): levels otection equipment ion: Safet Bloves: Comp ctive Clothing:Lab of Equipment NIOS oe): nic/Maintenan Do no s: Facili Wash No da Sectio on Basic Physical a	s below recommended e y glasses patible chemical-resistan coat H approved respirator, a ot take internally. ities storing or utilizing the n thoroughly after handling ata available. on 9. Physical a and Chemical Properties [] Gas [X] Liqui A solution in water	xposure limits. It gloves as conditions warrant. is material should be equipped with an eyewash and a safety s ing. Ind Chemical Properties s
otection equipment ion: Safet Sloves: Comp ctive Clothing:Lab of Equipment NIOS be): nic/Maintenan Do no s: Facili Wash No da Sectio on Basic Physical a	ty glasses patible chemical-resistan coat Coat Coat Coat Coat Coat Coat Coat C	t gloves as conditions warrant. is material should be equipped with an eyewash and a safety s ng. Ind Chemical Properties
otection equipment ion: Safet iloves: Comp ctive Clothing:Lab of Equipment NIOS be): nic/Maintenan Do no s: Facili Wash No da Section on Basic Physical a	ty glasses patible chemical-resistan coat 3H approved respirator, a ot take internally. ities storing or utilizing th in thoroughly after handlin ata available. on 9. Physical a on Chemical Properties [] Gas [X] Liqui A solution in water	as conditions warrant. is material should be equipped with an eyewash and a safety s ng. Ind Chemical Properties s
ion: Safet Gloves: Comp ctive Clothing:Lab of Equipment NIOS oe): nic/Maintenan Do no s: Facili Wash No da Section on Basic Physical a	ty glasses patible chemical-resistan coat 3H approved respirator, a ot take internally. ities storing or utilizing th in thoroughly after handlin ata available. on 9. Physical a on Chemical Properties [] Gas [X] Liqui A solution in water	as conditions warrant. is material should be equipped with an eyewash and a safety s ng. Ind Chemical Properties s
Gloves: Comp ctive Clothing:Lab of Equipment NIOS pe): nic/Maintenan Do no p: Facili Wash No da Section on Basic Physical a ates:	patible chemical-resistan coat BH approved respirator, a ot take internally. Ities storing or utilizing th in thoroughly after handlin ata available. On 9. Physical a on Chemical Propertie [] Gas [X] Liqui A solution in water	as conditions warrant. is material should be equipped with an eyewash and a safety s ng. Ind Chemical Properties s
ctive Clothing:Lab of Equipment NIOS pe): nic/Maintenan Do no s: Facili Wash No da Sectio on Basic Physical a ates:	coat Coat Coat SH approved respirator, a ot take internally. Ities storing or utilizing th in thoroughly after handlin ata available. Con 9. Physical a on 6 Chemical Properties [] Gas [X] Liqui A solution in water	as conditions warrant. is material should be equipped with an eyewash and a safety s ng. Ind Chemical Properties s
Equipment NIOS oe): nic/Maintenan Do no s: Facili Wash No da Section on Basic Physical a ates:	H approved respirator, a ot take internally. ities storing or utilizing th n thoroughly after handlir ata available. On 9. Physical a ond Chemical Propertie [] Gas [X] Liqui A solution in water	is material should be equipped with an eyewash and a safety s ^{ng.} Ind Chemical Properties s
oe): nic/Maintenan Do no s: Facili Wash No da Sectic on Basic Physical a ates:	ot take internally. ities storing or utilizing th n thoroughly after handlin ata available. on 9. Physical a nd Chemical Propertie [] Gas [X] Liqui A solution in water	is material should be equipped with an eyewash and a safety s ^{ng.} Ind Chemical Properties s
nic/Maintenan Do no s: Facili Wash No da Sectic on Basic Physical a ates:	ities storing or utilizing th n thoroughly after handlin ata available. On 9. Physical a and Chemical Propertie []Gas [X] Liqui A solution in water	ng. Ind Chemical Properties
:: Facili Wash No da Sectio on Basic Physical a ates:	ities storing or utilizing th n thoroughly after handlin ata available. On 9. Physical a and Chemical Propertie []Gas [X] Liqui A solution in water	ng. Ind Chemical Properties
Wash No da Sectic on Basic Physical a ates:	n thoroughly after handlin ata available. On 9. Physical a ind Chemical Properties []Gas [X] Liqui A solution in water	ng. Ind Chemical Properties
No da Sectic on Basic Physical a ates:	ata available. on 9. Physical a nd Chemical Propertie []Gas [X] Liqui A solution in water	nd Chemical Properties
Sectio on Basic Physical a ates:	on 9. Physical a nd Chemical Propertie []Gas [X] Liqui A solution in water	s
on Basic Physical a ates:	nd Chemical Propertie	s
ates:	[] Gas [X] Liqui A solution in water	
	A solution in water	d [] Solid
and Odor:		
	No data.	
nt:	No data.	
it:	No data.	
	No data.	
Rate:	No data.	
y (solid, gas):	No data available.	
imits:	LEL: No data.	UEL: No data.
sure (vs. Air or mm	No data.	
,		
itv (vs. Air = 1):	No data.	
	No data	
	No data.	
D4.	No data	
ion Temperature:		
	No data.	
atile:	No data.	
	ity (vs. Air = 1): wity (Water = 1): Water: ter Partition n Pt: tion Temperature: nation atile:	Avity (Water = 1):No data.Water:No data.Water:No data.ter PartitionNo data.P Pt:No data.tion Temperature:No data.No data.No data.No data.



Revision: 12/14/2019

			Section 10. Stabilit	ty and Reacti	vity				
.1	Reactivity	/:	No data available.						
.2	Stability:		Unstable [] Stable [X]						
0.3 Stability Note(s):		Note(s):	Stable if stored in accordance wit	h information listed	on the product	insert.			
Polymo		zation:	Will occur [] Will not occur	[X]					
10.5 Incompatibility - Materials To Avoid:		ns To Avoid:	No data available.						
		ibility - Materials	No data available.						
		:							
.6	Hazardou	S	No data available.						
	Decompo								
	Byproduc	yproducts:							
			Section 11. Toxicolo	ogical Informa	ation				
.1	Informatio	on on	The toxicological effects of this p	roduct have not beer	n thoroughly st	udied.			
	Toxicolog	gical Effects:							
CAS #		Hazardous Com	ponents (Chemical Name)	NTP	IARC	ACGIH	OSHA		
64-'	19-7	Acetic acid		n.a.	n.a.	n.a.	n.a.		
79-09-4 79-31-2		Propionic acid		n.a.	n.a.	n.a.	n.a.		
		iso-Butyric acid		n.a.	n.a.	n.a.	n.a.		
107-92-6		Butyric acid		n.a.	n.a.	n.a.	n.a.		
503-	-74-2	Isopentanoic acid Pentanoic acid		n.a.	n.a.	n.a.	n.a.		
109-	-52-4			n.a.			n.a.		
7732	2-18-5	Water		n.a.	n.a.	n.a.	n.a. n.a.		
64-	18-6	Formic acid		n.a.					
646-	-07-1	4-Methylvaleric acid Hexanoic acid		n.a.	n.a.	n.a.	n.a.		
142-	-62-1			n.a.					
111-14-8		Heptanoic acid		n.a.	n.a.	n.a.	n.a.		
			Section 12 Feelo	l nicol Informat	ion				
			Section 12. Ecolog		1011				
.1	Toxicity:		Avoid release into the environment.						
•	Densisten		Runoff from fire control or dilution water may cause pollution.						
	Persisten Degradab		No data available.						
	Bioaccum		No data available.						
	Potential:								
	Mobility in		No data available.						
	-								
	assessme		s no data avaliable.						
			No data available.						
12.4 Mobili 12.5 Result assess		f PBT and vPvB							

Multi-region format



Page: 6 of 7

Revision: 12/14/2019

	Section 13. Dispos	al Considerat	ions		
13.1 Waste D	isposal Method: Dispose in accordance with loca	al, state, and federal r	egulations.		
	Section 14. Tran	sport Informat	ion		
14.1 LAND T	RANSPORT (US DOT):				
DOT Prope	r Shipping Name: Not dangerous goods.				
DOT Hazaro	d Class:				
UN/NA Nun	nber:				
14.1 LAND T	RANSPORT (European ADR/RID):				
ADR/RID SI	hipping Name: Not dangerous goods.				
UN Number					
Hazard Clas					
	ANSPORT (ICAO/IATA):				
	Shipping Name: Not dangerous goods.				
UN Number Hazard Clas		Packing Grou	ip:		
Additional Trai		and state and fodora	Iroquiationa		
Information:		ical, state, and levera	regulations.		
	Section 15. Regul	atory Informa	tion		
EPA SARA (Su	perfund Amendments and Reauthorization Act of				
CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)	
64-19-7	Acetic acid	No	Yes 5000 LB	No	
79-09-4	Propionic acid	No	Yes 5000 LB	No	
79-31-2	iso-Butyric acid	No	Yes 5000 LB	No	
107-92-6	7-92-6 Butyric acid		Yes 5000 LB	No	
503-74-2 Isopentanoic acid		No	No	No	
109-52-4	109-52-4 Pentanoic acid		No	No	
7732-18-5	Water	No	No	No	
64-18-6	Formic acid	No	Yes 5000 LB	Yes	
646-07-1	4-Methylvaleric acid	No	No	No	
142-62-1	142-62-1 Hexanoic acid		No	No	
111-14-8 Heptanoic acid		No	No	No	
		1	ł		
CAS # Hazardous Components (Chemical Name)		Other US EPA or State Lists			
64-19-7	Acetic acid	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No			
79-09-4	Propionic acid	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No			
79-31-2	iso-Butyric acid	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No			
107-92-6	Butyric acid	CAA HAP,ODC: N Inventory; CA PR	o; CWA NPDES: No DP.65: No	; TSCA: Yes -	
503-74-2	Isopentanoic acid	CAA HAP,ODC: N Inventory; CA PR	o; CWA NPDES: No DP.65: No	; TSCA: Yes -	
109-52-4	Pentanoic acid	CAA HAP,ODC: N	o; CWA NPDES: No	; TSCA: Yes -	

Multi-region format



Revision: 12/14/2019

		Inventory; CA PROP.65: No		
7732-18-5 Water		CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No		
64-18-6 Formic acid		CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No		
646-07-1 4-Methylvaleric a	acid	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory: Active; CA PROP.65: No		
142-62-1 Hexanoic acid		CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No		
111-14-8 Heptanoic acid		CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No		
Regulatory Information Statement:	This SDS was prepared in ac No.1272/2008.	cordance with 29 CFR 1910.1200 and Regulation (EC)		
	Section 16. O	ther Information		
Revision Date:	12/14/2019			
Additional Information About This Product:	No data available.			
		ect to such information, and we assume no liability resulting from its r own investigations to determine the suitability of the information fo		