

Page: 1 of 8

Revision: 10/26/2019

according to Regulation (EC) No. 1907/2006 as amended by (EC) No. 2015/830 and US OSHA HCS 2015

Section 1. Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product Code: 29362

Product Name: Ganglioside Mixture

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant identified uses: For research use only, not for human or veterinary use.

1.3 Details of the Supplier of the Safety Data Sheet:

Company Name: Cayman Chemical Company

1180 E. Ellsworth Rd. Ann Arbor, MI 48108

Web site address: www.caymanchem.com

Information: Cayman Chemical Company +1 (734)971-3335

1.4 Emergency telephone number:

Emergency Contact: CHEMTREC Within USA and Canada: +1 (800)424-9300

CHEMTREC Outside USA and Canada: +1 (703)527-3887

Section 2. Hazards Identification

2.1 Classification of the Substance or Mixture:

Flammable Liquids, Category 2

Acute Toxicity: Inhalation, Category 3
Acute Toxicity: Oral, Category 3
Acute Toxicity: Skin, Category 3

Skin Corrosion/Irritation, Category 2

Serious Eye Damage/Eye Irritation, Category 2

Carcinogenicity, Category 2

Toxic To Reproduction, Category 2

Specific Target Organ Toxicity (single exposure), Category 1

Specific Target Organ Toxicity (repeated exposure), Category 1

2.2 Label Elements:









GHS Signal Word: Danger

GHS Hazard Phrases:

H225: Highly flammable liquid and vapor.

H301: Toxic if swallowed.

H311: Toxic in contact with skin.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

H331: Toxic if inhaled.

H351: Suspected of causing cancer.

H361: Suspected of damaging fertility or the unborn child.

H370: Causes damage to organs.

H372: Causes damage to organs through prolonged or repeated exposure.

GHS Precautionary Phrases:

P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and understood.





Revision: 10/26/2019

P210: Keep away from {heat/sparks/open flames/hot surfaces}. - No smoking.

P260: Do not breathe {dust/fume/gas/mist/vapors/spray}.

P264: Wash {hands} thoroughly after handling.

P280: Wear {protective gloves/protective clothing/eye protection/face protection}.

GHS Response Phrases:

P301+310: IF SWALLOWED: Immediately P311: Call a POISON CENTER or doctor/physician.

P302+352: IF ON SKIN: Wash with plenty of soap and water.

P303+361+353: IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with

water/shower.

P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

P308+311: If exposed of concerned: Call a {POISON CENTER/Doctor/...}.

P313: Get medical advice/attention.

P314: Get medical attention/advice if you feel unwell.

P321: Specific treatment {see ... on this label}.

P330: Rinse mouth.

P332+313: If skin irritation occurs, get medical advice/attention.

P337+313: If eye irritation persists, get medical advice/attention.

P361+364: Take off immediately all contaminated clothing and wash it before reuse.

P362+364: Take off contaminated clothing and wash it before reuse.

GHS Storage and Disposal Phrases:

Please refer to Section 7 for Storage and Section 13 for Disposal information.

2.3 Adverse Human Health Causes damage to organs through prolonged or repeated exposure.

Effects and Symptoms: Causes skin and serious eye irritation.

Material may be irritating to the mucous membranes and upper respiratory tract.

May be fatal or cause blindness if swallowed.

May cause eye, skin, or respiratory system irritation.

Suspected of causing cancer.

Suspected of damaging fertility or the unborn child. Toxic if inhaled, swallowed, or in contact with skin.

To the best of our knowledge, the toxicological properties have not been thoroughly investigated.

Section 3. Composition/Information on Ingredients

CAS#/ RTECS#	Hazardous Components (Chemical Name)/ REACH Registration No.	Concentration	EC No./ EC Index No.	GHS Classification
NA NA	Ganglioside Mixture	0.05 %	NA NA	No data available.
67-66-3 FS9100000	Chloroform 01-2119486657-20	64.484 %	200-663-8 602-006-00-4	Acute Tox.(O) 4: H302 Acute Tox.(I) 3: H331 Eye Damage 2: H319 Skin Corr. 2: H315 Carcinogen 2: H351 Toxic Repro. 2: H361d STOT (RE) 1: H372
67-56-1 PC1400000	Methanol 01-2119392409-28-0000	32.242 %	200-659-6 603-001-00-X	Flam. Liq. 2: H225 Acute Tox.(O) 3: H301 Acute Tox.(D) 3: H311 Acute Tox.(I) 3: H331 STOT (SE) 1: H370
7732-18-5	Water	3.224 %	231-791-2	No GHS classifications app

Multi-region format



Page: 3 of 8

Revision: 10/26/2019

ZC0110000 na NA

Section 4. First Aid Measures

4.1 Description of First Aid

Measures:

In Case of Inhalation: Remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel.

Get immediate medical attention.

In Case of Skin Contact: Immediately wash skin with soap and plenty of water for at least 15 minutes. Remove contaminated

clothing. Get medical attention if symptoms occur. Wash clothing before reuse.

In Case of Eye Contact: Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Have eyes examined

and tested by medical personnel.

In Case of Ingestion: Wash out mouth with water provided person is conscious. Never give anything by mouth to an

unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by

medical personnel.

4.2 Important Symptoms and Overexposure may cause: confusion, dermatitis, headache, drowsiness, dizziness, gastrointestinal

Effects, Both Acute and disturbance, optic nerve damage (blindness), nausea, unconsciousness, vomiting, visual

Delayed: disturbance, weakness. May cause convulsions.

Once methanol is absorbed into the body, it is very slowly eliminated.

Section 5. Fire Fighting Measures

5.1 Suitable Extinguishing Use alcohol-resistant foam, carbon dioxide, water, or dry chemical spray.

Media: Use water spray to cool fire-exposed containers.

Unsuitable Extinguishing A solid water stream may be inefficient.

Media:

5.2 Flammable Properties and Can release vapors that form explosive mixtures at temperatures at or above the flashpoint.

Hazards: Container explosion may occur under fire conditions.

Emits toxic fumes under fire conditions.

Sensitive to static discharge.

Vapors can travel to a source of ignition and flash back.

No data available.

Flash Pt: No data.

Explosive Limits: LEL: No data. UEL: No data.

Autoignition Pt: No data.

5.3 Fire Fighting Instructions: As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or

equivalent), and full protective gear to prevent contact with skin and eyes.

Note: Flammable.

Section 6. Accidental Release Measures

6.1 Protective Precautions, Avoid breathing vapors and provide adequate ventilation.

Protective Equipment and As conditions warrant, wear a NIOSH approved self-contained breathing apparatus, or respirator,

Emergency Procedures: and appropriate personal protection (rubber boots, safety goggles, and heavy rubber gloves).

6.2 Environmental Take steps to avoid release into the environment, if safe to do so.

Precautions:

6.3 Methods and Material For Contain spill and collect, as appropriate.

Containment and Cleaning Transfer to a chemical waste container for disposal in accordance with local regulations.

Up:





Revision: 10/26/2019

Section 7. Handling and Storage

7.1 Precautions To Be Taken Avoid breathing dust/fume/gas/mist/vapours/spray.

in Handling: Avoid prolonged or repeated exposure.

Keep away from sources of ignition.

Take precautionary measures against static discharge.

7.2 Precautions To Be Taken Keep away from heat, sparks, and flame.

in Storing: Keep container tightly closed.

Store in accordance with information listed on the product insert.

Section 8. Exposure Controls/Personal Protection

8.1 Exposure Parameters:

CAS#	Chemical Name	Jurisdiction	Recommended Exposure Limits	Notations
67-66-3	Chloroform	ACGIH TLV	TLV: 10 ppm	
		Europe	TWA: 10 mg/m3 (2 ppm)	Skin Absorption
		France VL	TWA: 10 mg/m3 (2 ppm) STEL: 250 mg/m3 (50 ppm)	
		OSHA PELs	CEIL: 50 ppm	
		Britain EH40	TWA: 9.9 mg/m3 (2 ppm) STEL: ()	Skin Absorption
67-56-1	Methanol	ACGIH TLV	TLV: 200 ppm STEL: 250 ppm	
		Europe	TWA: 260 mg/m3 (200 ppm)	Skin Absorption
		France VL	TWA: 260 mg/m3 (200 ppm) STEL: 1300 mg/m3 (1000 ppm)	
		OSHA PELs	PEL: 200 ppm	
		Britain EH40	TWA: 266 mg/m3 (200 ppm) STEL: 333 mg/m3 (250 ppm)	Skin Absorption

8.2 Exposure Controls:

8.2.1 Engineering Controls Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne

(Ventilation etc.): levels below recommended exposure limits.

8.2.2 Personal protection equipment:

Eye Protection: Safety glasses

Protective Gloves: Compatible chemical-resistant gloves

Other Protective Clothing: Lab coat

Respiratory Equipment NIOSH approved respirator, as conditions warrant.

(Specify Type):

Work/Hygienic/Maintenan Do not take internally.

ce Practices: Facilities storing or utilizing this material should be equipped with an eyewash and a safety shower.

Wash thoroughly after handling.

No data available.



Page: 5 of 8

Revision: 10/26/2019

Section 9. Physical and Chemical Properties

9.1 Information on Basic Physical and Chemical Properties

Physical States: [] Gas [X] Liquid [] Solid

Appearance and Odor: A solution in chloroform:methanol:water (2:1:0.1)

pH: No data.
Melting Point: No data.
Boiling Point: No data.
Flash Pt: No data.
Evaporation Rate: No data.

Flammability (solid, gas): No data available.

Explosive Limits: LEL: No data. UEL: No data.

Vapor Pressure (vs. Air or mm No data.

Hg):

Vapor Density (vs. Air = 1):No data.Specific Gravity (Water = 1):No data.Solubility in Water:No data.Octanol/Water PartitionNo data.

Coefficient:

Autoignition Pt: No data.

Decomposition Temperature: No data.

Viscosity: No data.

9.2 Other Information

Percent Volatile: No data.

Section 10. Stability and Reactivity

10.1 Reactivity: No data available.

10.2 Stability: Unstable [] Stable [X]

10.3 Stability Note(s): Stable if stored in accordance with information listed on the product insert.

Polymerization: Will occur [] Will not occur [X]

10.4 Conditions To Avoid: heat, flames, and sparks

10.5 Incompatibility - Materials acids

To Avoid: acid anhydrides

acid chlorides alkali metals oxidizing agents reducing agents

rubber

various plastics

10.6 Hazardous carbon dioxide

Decomposition or carbon monoxide **Byproducts:** hydrogen chloride gas





Revision: 10/26/2019

Section 11. Toxicological Information

11.1 Information on The toxicological effects of this product have not been thoroughly studied.

Toxicological Effects: Chloroform - Toxicity Data: Oral LDLO (man): 2514 mg/kg; Oral LD50 (rat): 695 mg/kg;

Intraperitoneal LD50 (rat): 894 mg/kg; Oral LD50 (mouse): 36 mg/kg; Intraperitoneal LD50

(mouse): 623 mg/kg;

Methanol - Toxicity Data: Oral LD50 (rat): 5,600 mg/kg; Oral LD50 (rabbit): 14,200 mg/kg; Oral

LDLO (man): 6422 mg/kg; Intraperitoneal LD50 (mouse): 10765 mg/kg;

Inhalation LC50 (rat): 64,000 ppm (4h); Inhalation LC50 (mouse): 61,100 ppm (134 m); Skin LD50

(rabbit): 15,800 mg/kg; Oral LDLO (human): 143 mg/kg;

Methanol - Irritation Data: Skin (rabbit): 20 mg (24h) moderate; Eyes (rabbit): 40 mg moderate;

Eyes (rabbit): 100 mg (24h) moderate;

Chronic Toxicological

Effects:

Chloroform - Investigated as an agricultural chemical, drug, mutagen, primary irritant, reproductive

effector, and tumorigen.

Methanol - Investigated as a drug, mutagen, primary irritant, reproductive effector, and tumorigen. Only select Registry of Toxic Effects of Chemical Substances (RTECS) data is presented here.

See actual entry in RTECS for complete information.

Chloroform RTECS Numberf: FS9100000 Methanol RTECS Number: PC1400000

Carcinogenicity: NTP? No IARC Monographs? No OSHA Regulated? No

CAS#	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
NA	Ganglioside Mixture	n.a.	n.a.	n.a.	n.a.
67-66-3	Chloroform	Possible	2B	A3	n.a.
67-56-1	Methanol	n.a.	n.a.	n.a.	n.a.
7732-18-5	Water	n.a.	n.a.	n.a.	n.a.

Section 12. Ecological Information

12.1 Toxicity: Avoid release into the environment.

Runoff from fire control or dilution water may cause pollution.

12.2 Persistence and

No data available.

Degradability:

12.3 Bioaccumulative

No data available.

Potential:

12.4 Mobility in Soil: No data available.

12.5 Results of PBT and vPvB No data available.

assessment:

12.6 Other adverse effects: No data available.

Section 13. Disposal Considerations

13.1 Waste Disposal Method: Dispose in accordance with local, state, and federal regulations.





Revision: 10/26/2019

Section 14. Transport Information

14.1 LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Chloroform solution

DOT Hazard Class: 6.1 POISON

UN/NA Number: UN1888 Packing Group: III



14.1 LAND TRANSPORT (European ADR/RID):

ADR/RID Shipping Name: Chloroform solution

UN Number: 1888 Packing Group: III

Hazard Class: 6.1 - POISON

14.3 AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: Chloroform solution

UN Number:1888Packing Group:IIIHazard Class:6.1 - POISONIATA Classification:6.1

Additional Transport Transport in accordance with local, state, and federal regulations.

Information: When sold in quantities of less than or equal to 1 mL, or 1 g, with an Excepted Quantity Code of

E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.

Section 15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS#	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
NA	Ganglioside Mixture	No	No	No
67-66-3	Chloroform	Yes 10000 LB	Yes 10 LB	Yes
67-56-1	Methanol	No	Yes 5000 LB	Yes
7732-18-5	Water	No	No	No

CAS#	Hazardous Components (Chemical Name)	Other US EPA or State Lists
NA	Ganglioside Mixture	CAA HAP,ODC: No; CWA NPDES: No; TSCA: No; CA PROP.65: No
67-66-3	Chloroform	CAA HAP,ODC: HAP: VHAP; CWA NPDES: Yes; TSCA: Yes - Inventory, 8A CAIR; CA PROP.65: Yes: Canc+RDTox.
67-56-1	Methanol	CAA HAP,ODC: HAP: VHAP; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: Yes: RDTox.
7732-18-5	Water	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No



Page: 8 of 8

Revision: 10/26/2019

Regulatory Information This SDS was prepared in accordance with 29 CFR 1910.1200 and Regulation (EC)

Statement: No.1272/2008.

Section 16. Other Information

Revision Date: 10/26/2019

Additional Information About

No data available.

This Product:

Company Policy or Disclaimer: DISCLAIMER: This information is believed to be accurate and represents the best information

currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for

their particular purposes.