

Page 1/11

Safety Data Sheet

acc. to OSHA HCS

Printing date 04/05/2020 Revision date 04/05/2020 **1** Identification · Product identifier · Trade name: Leukotriene B4-d4 MaxSpec® Standard • Synonym 5S,12R-dihydroxy-6Z,8E,10E,14Z-eicosatetraenoic-6,7,14,15-d4 acid; LTB4-d4 · Article number: 29629 · CAS Number: 75-05-8 · EC number: 200-835-2 · Index number: 608-001-00-3 • Application of the substance / the mixture For research use only - not for human or veterinary use. · Details of the supplier of the safety data sheet · Manufacturer/Supplier: Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA · Information department: Product safety department · Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970 2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flam. Lig. 2 H225 Highly flammable liquid and vapor.

GHS07

Acute Tox. 4 H312 Harmful in contact with skin.

Acute Tox, 4 H332 Harmful if inhaled.

Eye Irrit. 2A H319 Causes serious eye irritation.

- · Label elements
- · GHS label elements


The substance is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 2) us

Printing date 04/05/2020

Revision date 04/05/2020

Trade name: Leukotriene B4-d4 MaxSpec® Standard



· Other hazards

- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 3)

119

Printing date 04/05/2020

Revision date 04/05/2020

Trade name: Leukotriene B4-d4 MaxSpec® Standard

(Contd. from page 2)

3 Composition/information on ingredients

- · Chemical characterization: Substances
- CAS No. Description 75-05-8 Acetonitrile
- Identification number(s)
- EC number: 200-835-2
- · Index number: 608-001-00-3

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately rinse with water.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing: If symptoms persist consult doctor.

- Information for doctor:
- **Most important symptoms and effects, both acute and delayed** May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects. No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture
- Can release vapors that form explosive mixtures at temperatures at or above the flashpoint. Container explosion may occur under fire conditions.
- Emits toxic fumes under fire conditions.

Sensitive to static discharge.

Vapors can travel to a source of ignition and flash back.

- Advice for firefighters
- Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

• **Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away.

(Contd. on page 4)

US

Printing date 04/05/2020

Revision date 04/05/2020

Trade name: Leukotriene B4-d4 MaxSpec® Standard

	(Contd. from page 3)
Environmental precautions:	
Dilute with plenty of water.	
Do not allow to enter sewers/ surface or ground water.	
Methods and material for containment and cleaning up:	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binder	ers, sawdust).
Dispose contaminated material as waste according to item 13.	
Ensure adequate ventilation.	
Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
Protective Action Criteria for Chemicals	
PAC-1:	
	13 ppm
PAC-2:	
	50 ppm
PAC-3:	
	150 ppm

7 Handling and storage

- · Handling:
- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
 Protect against electrostatic charges.
- **Conditions for safe storage, including any incompatibilities** Keep away from heat, sparks and flame. Keep container tightly closed. Store in accordance with information listed on the product insert.
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Control parameters

• Components with limit values that require monitoring at the workplace:

75-05-8 Acetonitrile

PEL Long-term value: 70 mg/m³, 40 ppm

(Contd. on page 5)

US

Printing date 04/05/2020

Revision date 04/05/2020

Trade name: Leukotriene B4-d4 MaxSpec® Standard

REL Long-term value: 34 mg/m², 20 ppm TLV Long-term value: 34 mg/m², 20 ppm Additional information: The lists that were valid during the creation were used as basis. Exposure controls Personal protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all solied and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin. Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. Protection of hands: Image: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. Penetration time of glove material The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer of the protective gloves and has to be bound out by the manufacturer of the protective gloves and has to be		(Contd. from page 4)
Skin • Additional information: The lists that were valid during the creation were used as basis. • Exposure controls • Personal protective equipment: • General protective and hygienic measures: • Keep away from foodsturfs, beverages and feed. Immediately remove all solied and contaminated clothing. • Wash hands before breaks and at the end of work. Avoid contact with the eyes. • Avoid contact with the eyes and skin. • Breathing equipment: • n case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. • Protection of hands: • Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation the chemical mixture. • Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves • The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. • Penetration time of glove material The secto threak through time has to be found out by the manufacturer of the protective gloves and has to be observed. • Eye protection: • General Information<		
Exposure controls Personal protective equipment: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all solied and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes. Avoid contact with the eyes. Protective and volue and contaminated clothing. Protective and the end of work. Protective and the eyes and stin. Pratting equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the gloves material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Perpretection: Perparation: Appearance: Prom: A solution in acetonitrile Color: Colorless Odor: Aromatic Odor threshold: Not determined. PH-value: Not determined.		
 Personal protective equipment: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all solied and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin. Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation of the chemical mixture. Selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. Prestration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye protection: Tightly sealed goggles Promition on basic physical and chemical properties General Information A solution in acetonitrile Color: Coloriess Odor:	• Additional information: The lists that	t were valid during the creation were used as basis.
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. Penetration time of glove material The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye protection: Other Sectors: Physical and chemical properties Information on basic physical and chemical properties General Information Appearance: Form: A solution in acetonitrile Color: Colorless Odor: Aromatic Odor threshold: Not determined. PH-value: Not determined. Change in condition Meting point/Meting range: -46 °C (-50.8 °F)	 Personal protective equipment: General protective and hygienic me Keep away from foodstuffs, beverages Immediately remove all soiled and con Wash hands before breaks and at the Avoid contact with the eyes. Avoid contact with the eyes and skin. Breathing equipment: In case of brief exposure or low pollu exposure use respiratory protective de 	s and feed. taminated clothing. end of work. ution use respiratory filter device. In case of intensive or longer
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. • Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. • Eye protection: • Physical and Chemical properties • Information on basic physical and chemical properties • General Information • Appearance: Form: A solution in acetonitrile Color: Colorless • Odor: Aromatic • Odor threshold: Not determined. • PH-value: Not determined. • Change in condition Melting point/Melting range: -46 °C (-50.8 °F)	Protective gloves	
 Information on basic physical and chemical properties General Information Appearance: Form: A solution in acetonitrile Color: Colorless Odor: Aromatic Odor threshold: Not determined. pH-value: Not determined. Change in condition method for the solution of the solutio	Due to missing tests no recommend preparation/ the chemical mixture. Selection of the glove material on co degradation • Material of gloves The selection of the suitable gloves do quality and varies from manufacturer to • Penetration time of glove material The exact break through time has to b to be observed. • Eye protection:	dation to the glove material can be given for the product/ the onsideration of the penetration times, rates of diffusion and the oes not only depend on the material, but also on further marks of o manufacturer.
 Information on basic physical and chemical properties General Information Appearance: Form: A solution in acetonitrile Color: Colorless Odor: Aromatic Odor threshold: Not determined. pH-value: Not determined. Change in condition method for the solution of the solutio		rties
Form: A solution in acetonitrile Color: Colorless Odor: Aromatic Odor threshold: Not determined. PH-value: Not determined. Change in condition Melting point/Melting range: -46 °C (-50.8 °F)	 Information on basic physical and c General Information 	
Color: Colorless Odor: Aromatic Odor threshold: Not determined. • pH-value: Not determined. • Change in condition Melting point/Melting range: -46 °C (-50.8 °F)		A solution in acetonitrile
Odor threshold: Not determined. pH-value: Not determined. Change in condition Melting point/Melting range: -46 °C (-50.8 °F)	Color:	Colorless
 pH-value: Not determined. Change in condition Melting point/Melting range: -46 °C (-50.8 °F) 	• • • • • •	
· Change in condition Melting point/Melting range: -46 °C (-50.8 °F)		
Melting point/Melting range:-46 °C (-50.8 °F)	•	INOT DETERMINED.
		-46 °C (-50.8 °F)

Printing date 04/05/2020

Revision date 04/05/2020

Trade name: Leukotriene B4-d4 MaxSpec® Standard

	(Contd. from page
Boiling point/Boiling range:	81 °C (177.8 °F)
· Flash point:	5 °C (41 °F)
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	525 °C (977 °F)
· Decomposition temperature:	Not determined.
· Auto igniting:	Not determined.
· Danger of explosion:	Product is not explosive. However, formation of explosive air vapor mixtures are possible.
· Explosion limits:	
Lower:	4.4 Vol %
Upper:	16 Vol %
· Vapor pressure at 20 °C (68 °F):	97 hPa (72.8 mm Hg)
[.] Density at 20 °C (68 °F):	0.7822 g/cm³ (6.52746 lbs/gal)
Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
 Solubility in / Miscibility with 	
Water:	Fully miscible.
· Partition coefficient (n-octanol/wat	er): Not determined.
· Viscosity:	
Dynamic at 20 °C (68 °F):	0.39 mPas
Kinematic:	Not determined.
VOC content:	0.00 %
	0.0 g/l / 0.00 lb/gal
Solids content:	0.0 %
 Other information 	No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · **Incompatible materials:** No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 7)

US

Printing date 04/05/2020

Revision date 04/05/2020

Trade name: Leukotriene B4-d4 MaxSpec® Standard

(Contd. from page 6)

LD/LC50 values	that are r	relevant for classification:
ATE (Acute Tox	icity Estin	nate)
Oral	LD50	2,730 mg/kg (rat)
Dermal	LD50	1,250 mg/kg (rabbit)
Inhalative	LC50/4 h	11 mg/l
75-05-8 Acetoni	trile	
Oral	TDLO	64 ml/kg (man)
	LD50	2,460 mg/kg (rat)
Dermal	LD50	980 mg/kg (rabbit)
Inhalative	LC50/4 h	7,551 mg/m³ (rat)
	LC50	7,551 mg/m³/8h (rat)
	TCLO	160 mg/m³/4h (hmn)
	LC50/4 h	7,551 mg/l (rat)
Irritation of eyes	Irritation	100 μl/24 hr (rabbit)
	Irritation	100 ìl/24 hr (rabbit)
	LD50	50 /mg/kg (rabbit)
Primary irritant		
on the skin: No on the eye: Irrita		
		ng effects known.
Additional toxic		
Carcinogenic ca	ategories	
•	-	cy for Research on Cancer)
None of the ingre	edients is l	isted.
NTP (National T	oxicology	/ Program)
None of the ingre	edients is l	isted.
OSHA-Ca (Occu	pational	Safety & Health Administration)
None of the ingre	dionte ie l	istad

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 2 (Assessment by list): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

(Contd. on page 8)

Printing date 04/05/2020

Revision date 04/05/2020

Trade name: Leukotriene B4-d4 MaxSpec® Standard

(Contd. from page 7)

· Results of PBT and vPvB assessment

- · PBT: Not applicable.
- · vPvB: Not applicable.

• Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number · DOT, IMDG, IATA	UN1648	
· UN proper shipping name · DOT, IATA · IMDG	Acetonitrile solution ACETONITRILE solution	
Transport hazard class(es)		
Class	3 Flammable liquids	
· Label · IMDG, IATA	3	
Class	3 Flammable liquids	
Label	3	
 Packing group DOT, IMDG, IATA 	II	
· Environmental hazards:	Not applicable.	
• Special precautions for user • Hazard identification number (Keml • EMS Number: • Stowage Category	Warning: Flammable liquids ler code): 33 F-E,S-D B	

Printing date 04/05/2020

Revision date 04/05/2020

Trade name: Leukotriene B4-d4 MaxSpec® Standard

	(Contd. from page
· Stowage Code	SW2 Clear of living quarters.
 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code 	Not applicable.
· Transport/Additional information:	
· DOT · Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
 IMDG Limited quantities (LQ) Excepted quantities (EQ) 	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· IATA · Remarks:	When sold in quantities of less than or equal to 1 mL or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimi Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.
· UN "Model Regulation":	UN 1648 ACETONITRILE SOLUTION, 3, II

15 Regulatory information

 $^{\cdot}$ Safety, health and environmental regulations/legislation specific for the substance or mixture $^{\cdot}$ Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

75-05-8 Acetonitrile

· TSCA (Toxic Substances Control Act):

· Hazardous Air Pollutants

75-05-8 Acetonitrile

Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

(Contd. on page 10)

ACTIVE

US

Printing date 04/05/2020

Revision date 04/05/2020

Trade name: Leukotriene B4-d4 MaxSpec® Standard

(Contd. from page 9)

CBD, D

A4

· Carcinogenic categories

· EPA (Environmental Protection Agency)

• TLV (Threshold Limit Value established by ACGIH)

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms



· Signal word Danger

· Hazard-determining components of labeling: Acetonitrile · Hazard statements Highly flammable liquid and vapor. Harmful in contact with skin or if inhaled. Causes serious eye irritation. Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell. Specific treatment (see on this label). Take off contaminated clothing and wash it before reuse. If eye irritation persists: Get medical advice/attention. In case of fire: Use for extinction: CO2, powder or water spray. Store in a well-ventilated place. Keep cool. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 11)

US

Printing date 04/05/2020

Revision date 04/05/2020

Trade name: Leukotriene B4-d4 MaxSpec® Standard

			(Contd. f	rom page 10)
[.] Department issuir	ng SDS: Environment protecti	on department.		
· Contact: -				
Date of preparatio	n / last revision 04/05/2020	/ -		
 Abbreviations and 				
	ritime Code for Dangerous Goods			
DOT: US Department of				
IATA: International Air T				
	erence of Governmental Industrial H	vgienists		
	entory of Existing Commercial Chem			
CAS: Chemical Abstrac	ts Service (division of the American	Chemical Society)		
NFPA: National Fire Pro	otection Association (USA)			
HMIS: Hazardous Mater	rials Identification System (USA)			
VOC: Volatile Organic C	Compounds (USA, EU)			
LC50: Lethal concentrat				
LD50: Lethal dose, 50 p	ercent			
PBT: Persistent, Bioacc				
	nd very Bioaccumulative			
	te for Occupational Safety			
OSHA: Occupational Sa				
TLV: Threshold Limit Va				
PEL: Permissible Expos				
REL: Recommended Ex				
Flam. Liq. 2: Flammable				
Acute Tox. 4: Acute toxi				
Eye Irrit. 2A: Serious ey	e damage/eye irritation – Category 2	A		
				US