

Page 1/10

Safety Data Sheet acc. to OSHA HCS

Printing date 04/27/2021

Revision date 04/27/2021

1 Identification

· Product identifier

- Trade name: Deoxycholic Acid-d4 MaxSpec® Standard
- Synonym (3α,5β,12α)-3,12-dihydroxy-cholan-24-oic-2,2,4,4-d4 acid; Cholanoic Acid-d4; DCA-d4
- · Article number: 31350

· Application of the substance / the mixture This product is for research use - Not for human or veterinary diagnostic or therapeutic use. It is the responsibility of the purchaser to determine suitability for other applications.

- · Details of the supplier of the safety data sheet · Manufacturer/Supplier: Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA
- · Information department: Product safety department

· Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CĂNADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

Classification of the substance or mixture



GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS08 Health hazard

STOT SE 1 H370 Causes damage to the central nervous system and the visual organs.

· Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



· Signal word Danger

- · Hazard-determining components of labeling: Methanol
- Hazard statements

H225 Highly flammable liquid and vapor.

(Contd. on page 2)

Revision date 04/27/2021

Printing date 04/27/2021 Trade name: Deoxycholic Acid-d4 MaxSpec® Standard (Contd. from page 1) H370 Causes damage to the central nervous system and the visual organs. Precautionary statements P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ventilating/lighting/equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P260 Do not breathe dust/fume/gas/mist/vapors/spray. P264 Wash thoroughly after handling. P270 Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. P280 P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF exposed: Call a POISON CENTER or doctor/physician. P307+P311 Specific treatment (see on this label). P321 In case of fire: Use for extinction: CO2, powder or water spray. P370+P378 P403+P235 Store in a well-ventilated place. Keep cool. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: • NFPA ratings (scale 0 - 4) Health = 0Fire = 3 Reactivity = 0 · HMIS-ratings (scale 0 - 4) HEALTH *0 Health = *0 FIRE Fire = 3 3 Reactivity = 0 REACTIVITY 0 · Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

 Dangerous component 	ents:	
CAS: 67-56-1 RTECS: PC1400000	Methanol	99.99%
· Other ingredients		
112076-61-6 Deoxyc	holic Acid-d4	0.01%
		US -

(Contd. on page 3)

Printing date 04/27/2021

Revision date 04/27/2021

Trade name: Deoxycholic Acid-d4 MaxSpec® Standard

(Contd. from page 2)

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- **Most important symptoms and effects, both acute and delayed** May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects. No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture
- Can release vapors that form explosive mixtures at temperatures at or above the flashpoint. Container explosion may occur under fire conditions.
- Emits toxic fumes under fire conditions.

Sensitive to static discharge.

Vapors can travel to a source of ignition and flash back.

67-56-1During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. 	
Wear protective equipment. Keep unprotected persons away.	
Environmental precautions:	
Dilute with plenty of water.	
Do not allow to enter sewers/ surface or ground water.	
Methods and material for containment and cleaning up:	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust)	
Dispose contaminated material as waste according to item 13.	
Ensure adequate ventilation.	
· Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
Protective Action Criteria for Chemicals	
PAC-1:	
67-56-1 Methanol	530 ppm
(Cont	d. on page 4)

Printing date 04/27/2021

Revision date 04/27/2021

Trade name: Deoxycholic Acid-d4 MaxSpec® Standard

(Contd. from page 3)

2,100 ppm

7200* ppm

· PAC-3:

· PAC-2:

67-56-1 Methanol

67-56-1 Methanol

7 Handling and storage

- · Handling:
- Precautions for safe handling Store upright and unopened at -20C. Warm to room temperature before opening. Light sensitive. Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
 Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

• **Conditions for safe storage, including any incompatibilities** Keep away from heat, sparks and flame. Keep container tightly closed. Store in accordance with information listed on the product insert.

· Storage:

• Requirements to be met by storerooms and receptacles: Store in a cool location.

· Information about storage in one common storage facility: Not required.

- Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Control parameters Components with limit values that require monitoring at the workplace: 67-56-1 Methanol PEL Long-term value: 260 mg/m³, 200 ppm REL Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin Short-term value: 328 mg/m³, 250 ppm TLV Long-term value: 262 mg/m³, 200 ppm Skin: BEI · Ingredients with biological limit values: 67-56-1 Methanol BEI 15 mg/L Medium: urine Time: end of shift Parameter: Methanol (background, nonspecific) (Contd. on page 5)

Printing date 04/27/2021

Revision date 04/27/2021

Trade name: Deoxycholic Acid-d4 MaxSpec® Standard

(Contd. from page 4)

· Additional information: The lists that were valid during the creation were used as basis.

- Exposure controls
- Personal protective equipment:

• General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Tightly sealed goggles

Information on basic physical and General Information	chemical properties	
Appearance:		
Form:	Liquid	
Color:	According to product specification	
Odor:	Alcohol-like	
Structural Formula	C24H36D4O4	
Molecular Weight	396.6	
Odor threshold:	Not determined.	
Formulation	A solution in methanol at 100 µg/ml	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	-98 °C (-144.4 °F)	

Printing date 04/27/2021

Revision date 04/27/2021

Trade name: Deoxycholic Acid-d4 MaxSpec® Standard

	(Contd. from page 5
Boiling point/Boiling range:	64.7 °C (148.5 °F)
· Flash point:	11 °C (51.8 °F)
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	455 °C (851 °F)
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
[.] Danger of explosion:	Product is not explosive. However, formation of explosive air vapor mixtures are possible.
 Explosion limits: Lower: Upper: 	5.5 Vol % 44 Vol %
· Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)
 Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate 	0.79 g/cm³ (6.59255 lbs/gal) Not determined. Not determined. Not determined.
 Solubility in / Miscibility with Water: 	Fully miscible.
· Partition coefficient (n-octanol/wate	er): Not determined.
[·] Viscosity: Dynamic: Kinematic:	Not determined. Not determined.
 Solvent content: Organic solvents: VOC content: 	100.0 % 99.99 % 999.9 g/l / 8.34 lb/gal
Solids content:	0.0 %
· Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 7)

US

Printing date 04/27/2021

Revision date 04/27/2021

Trade name: Deoxycholic Acid-d4 MaxSpec® Standard

(Contd. from page 6)

		classification:
67-56-1 Methan		440
Oral	LDLO	143 mg/kg (hmn)
	TDLO	5 ml/kg (rat)
Dennel	LD50	5,600 mg/kg (rat)
Dermal	LD50	15,800 mg/kg (rabbit)
Inhalative	LC50/4 h	64,000 mg/m ³ (rat)
	LC50	61,100 mg/m³/134 m (mouse)
Irritation of skin	Irritation	20 mg/24h (rabbit)
	Irritation	(rabbit)
lastic tiese - C	Irritation	5.63 mg/kg/exempt preparation (rabbit)
Irritation of eyes		40 mg (rabbit)
	Intraperitoneal TDLO	
	Intraperitoneal LD50	
	Subcutaneous LD50 Data	143 mg/kg/human (mouse) 20 mg/24h (rabbit)
on the eye: No i	lo sensitizing effects kr	
Additional toxic		gers according to internally approved calculation methods
Additional toxic The product sho preparations: Carcinogenic ca	ows the following dan ategories	
Additional toxic The product sho preparations: Carcinogenic ca IARC (Internatio	ows the following dan ategories onal Agency for Rese	
Additional toxic The product sho preparations: Carcinogenic ca IARC (Internation None of the ingre	ows the following dan ategories onal Agency for Rese edients is listed.	
Additional toxic The product sho preparations: Carcinogenic ca IARC (Internation None of the ingree NTP (National T	ows the following dan ategories onal Agency for Rese edients is listed. Toxicology Program)	
Additional toxic The product sho preparations: Carcinogenic ca IARC (Internation None of the ingre	ows the following dan ategories onal Agency for Rese edients is listed. Toxicology Program)	
Additional toxic The product sho preparations: Carcinogenic ca IARC (Internation None of the ingree NTP (National T None of the ingree	ows the following dan ategories onal Agency for Rese edients is listed. Toxicology Program)	arch on Cancer)
Additional toxic The product sho preparations: Carcinogenic ca IARC (Internation None of the ingree NTP (National T None of the ingree	ows the following dan ategories onal Agency for Rese edients is listed. Toxicology Program) edients is listed. upational Safety & He	arch on Cancer)

- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

(Contd. on page 8)

Printing date 04/27/2021

Revision date 04/27/2021

(Contd. from page 7)

Trade name: Deoxycholic Acid-d4 MaxSpec® Standard

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number · DOT, IMDG, IATA	UN1230	
UN proper shipping name DOT, IATA IMDG	Methanol solution METHANOL solution	
Transport hazard class(es)		
DOT		
RAMABLE LOUD		
Class Label	3 Flammable liquids 3, 6.1	
IMDG		
Class	3 Flammable liquids	
· Label	3/6.1	
Class	3 Flammable liquids	
Label	3 (6.1)	

US

Safety Data Sheet acc. to OSHA HCS

Printing date 04/27/2021

Revision date 04/27/2021

Trade name: Deoxycholic Acid-d4 MaxSpec® Standard

	(Contd. from page a
· Packing group · DOT, IMDG, IATA	II
· Environmental hazards:	Not applicable.
 Special precautions for user Hazard identification number (Kemler co EMS Number: Stowage Category Stowage Code 	Warning: Flammable liquids ode): 336 F-E,S-D B SW2 Clear of living quarters.
 Transport in bulk according to Annex II MARPOL73/78 and the IBC Code 	of Not applicable.
· Transport/Additional information:	
· DOT · Quantity limitations	On passenger aircraft/rail: 1 L On cargo aircraft only: 60 L
 IMDG Limited quantities (LQ) Excepted quantities (EQ) 	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· IATA · Remarks:	When sold in quantities of less than or equal to 1 mL or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.
· UN "Model Regulation":	UN 1230 METHANOL SOLUTION, 3 (6.1), II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara	
 Section 355 (extremely hazardous substances): 	
None of the ingredients is listed.	
 Section 313 (Specific toxic chemical listings): 	
67-56-1 Methanol	
· TSCA (Toxic Substances Control Act):	
67-56-1 Methanol	ACTIVE
· Hazardous Air Pollutants	
67-56-1 Methanol	
Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
	(Contd. on page 1

Printing date 04/27/2021

Revision date 04/27/2021

Trade name: Deoxycholic Acid-d4 MaxSpec® Standard

(Contd. from page 9)

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

Chemicals known to cause developmental toxicity:

67-56-1 Methanol

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- · Date of preparation / last revision 04/27/2021 / -

 Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Investment of Existing Commercial Chi

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA)
- VOC: Volatile Organic Compounds (USA, EU)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety
- OSHA: Occupational Institute for Occupational OSHA: Occupational Safety & Health
- TLV: Threshold Limit Value
- PEL: Permissible Exposure Limit
- REL: Recommended Exposure Limit
- BEI: Biological Exposure Limit
- Flam. Liq. 2: Flammable liquids Category 2
- STOT SE 1: Specific target organ toxicity (single exposure) Category 1
- ** Data compared to the previous version altered.