

Page 1/10

# Safety Data Sheet acc. to OSHA HCS

Printing date 04/27/2021

Revision date 04/27/2021

# 1 Identification

#### Product identifier

- Trade name: <u>Taurochenodeoxycholic Acid-d4 MaxSpec® Standard</u>
- · Synonym

2-[[(3α,5β,7α)-3,7-dihydroxy-24-oxocholan-24-yl-2,2,4,4-d4]amino]-ethanesulfonic acid; Taurochenodeoxycholate-d4; TCDCA-d4

- · Article number: 31362
- Application of the substance / the mixture

This product is for research use - Not for human or veterinary diagnostic or therapeutic use. It is the responsibility of the purchaser to determine suitability for other applications.

- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA
- · Information department: Product safety department

• Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

## 2 Hazard(s) identification

#### · Classification of the substance or mixture

GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS08 Health hazard

STOT SE 1 H370 Causes damage to the central nervous system and the visual organs.

#### · Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms



· Signal word Danger

• **Hazard-determining components of labeling:** Methanol

(Contd. on page 2)

US

Printing date 04/27/2021

Revision date 04/27/2021

# Trade name: Taurochenodeoxycholic Acid-d4 MaxSpec® Standard

	(Contd. from page 1)
• Hazard staten	
	ammable liquid and vapor. damage to the central nervous system and the visual organs.
· Precautionary	
Precautionary P210	
P233	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P233 P240	Keep container tightly closed.
P240 P241	Ground/bond container and receiving equipment.
P241 P242	Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.
P242 P243	Take precautionary measures against static discharge.
P243 P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
	353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with
1 303 1 301 1	water/shower.
P307+P311	IF exposed: Call a POISON CENTER or doctor/physician.
P321	Specific treatment (see on this label).
P370+P378	In case of fire: Use for extinction: CO2, powder or water spray.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
Classification	system:
· NFPA ratings	(scale 0 - 4)
<b></b>	
	ealth = 0
	ire = 3 eactivity = 0
	eactivity - 0
· HMIS-ratings	(scale 0 - 4)
HEALTH *0	Health = *0
	Fire = 3
	Reactivity = 0
Other hazards	
	T and vPvB assessment
PBT: Not appli	
· <b>vPvB:</b> Not app	licable.
3 Compositio	n/information on ingredients
	racterization: Mixtures
-	lixture of the substances listed below with nonhazardous additions.
<ul> <li>Dangerous co</li> </ul>	omponents:

 CAS: 67-56-1
 Methanol
 99.99%

 RTECS: PC1400000
 Other ingredients
 207294-24-3
 Taurochenodeoxycholic Acid-d4
 0.01%

(Contd. on page 3)

US

Printing date 04/27/2021

#### Revision date 04/27/2021

#### Trade name: Taurochenodeoxycholic Acid-d4 MaxSpec® Standard

(Contd. from page 2)

#### **4 First-aid measures**

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- **Most important symptoms and effects, both acute and delayed** May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects. No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

### **5** Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. **Special hazards arising from the substance or mixture**
- Can release vapors that form explosive mixtures at temperatures at or above the flashpoint. Container explosion may occur under fire conditions.
- Emits toxic fumes under fire conditions.

Sensitive to static discharge.

Vapors can travel to a source of ignition and flash back.

67-56-1During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

### 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.	
Wear protective equipment. Keep unprotected persons away.	
· Environmental precautions:	
Dilute with plenty of water.	
Do not allow to enter sewers/ surface or ground water.	
• Methods and material for containment and cleaning up:	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust)	
Dispose contaminated material as waste according to item 13.	
Ensure adequate ventilation.	
Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
· Protective Action Criteria for Chemicals	
PAC-1:	
67-56-1 Methanol	530 ppm
(Coni	d. on page 4

Printing date 04/27/2021

Revision date 04/27/2021

#### Trade name: Taurochenodeoxycholic Acid-d4 MaxSpec® Standard

(Contd. from page 3)

2,100 ppm

7200\* ppm

· PAC-3:

· PAC-2:

67-56-1 Methanol

67-56-1 Methanol

## 7 Handling and storage

- · Handling:
- Precautions for safe handling
   Ensure good ventilation/exhaustion at the workplace.
   Store upright and unopened at -20C.
   Warm to room temperature before opening.
   Light sensitive.
   Prevent formation of aerosols.
   Information about protection against explosions and fires:
- Keep ignition sources away Do not smoke. Protect against electrostatic charges.
- Keep respiratory protective device available.
- Conditions for safe storage, including any incompatibilities
   Keep away from heat, sparks and flame.
   Keep container tightly closed.
   Store in accordance with information listed on the product insert.
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Control parameters · Components with limit values that require monitoring at the workplace: 67-56-1 Methanol PEL Long-term value: 260 mg/m<sup>3</sup>, 200 ppm REL Short-term value: 325 mg/m<sup>3</sup>, 250 ppm Long-term value: 260 mg/m<sup>3</sup>, 200 ppm Skin Short-term value: 328 mg/m<sup>3</sup>, 250 ppm TLV Long-term value: 262 mg/m<sup>3</sup>, 200 ppm Skin: BEI · Ingredients with biological limit values: 67-56-1 Methanol BEI 15 mg/L Medium: urine Time: end of shift Parameter: Methanol (background, nonspecific) (Contd. on page 5)

Printing date 04/27/2021

Revision date 04/27/2021

#### Trade name: Taurochenodeoxycholic Acid-d4 MaxSpec® Standard

(Contd. from page 4)

Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- Personal protective equipment:

• General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

#### Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

#### Eye protection:



Tightly sealed goggles

Information on basic physical and General Information Appearance:	chemical properties	
Form:	Liquid	
Color:	Colorless	
Odor:	Alcohol-like	
Structural Formula	C26H41D4NO6S	
Molecular Weight	503.7	
Odor threshold:	Not determined.	
Formulation	A solution in methanol at 100 µg/ml	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	-98 °C (-144.4 °F)	

Printing date 04/27/2021

Revision date 04/27/2021

#### Trade name: Taurochenodeoxycholic Acid-d4 MaxSpec® Standard

	(Contd. from page 5)
Boiling point/Boiling range:	64.7 °C (148.5 °F)
· Flash point:	11 °C (51.8 °F)
<ul> <li>Flammability (solid, gaseous):</li> </ul>	Not applicable.
· Ignition temperature:	455 °C (851 °F)
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/ vapor mixtures are possible.
<ul> <li>Explosion limits: Lower: Upper:</li> </ul>	5.5 Vol % 44 Vol %
· Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)
<ul> <li>Density at 20 °C (68 °F):</li> <li>Relative density</li> <li>Vapor density</li> <li>Evaporation rate</li> </ul>	0.79 g/cm <sup>3</sup> (6.59255 lbs/gal) Not determined. Not determined. Not determined.
<ul> <li>Solubility in / Miscibility with Water:</li> </ul>	Fully miscible.
· Partition coefficient (n-octanol/wate	r): Not determined.
<ul> <li>Viscosity:</li> <li>Dynamic:</li> <li>Kinematic:</li> </ul>	Not determined. Not determined.
<ul> <li>Solvent content: Organic solvents: VOC content:</li> </ul>	100.0 % 99.99 % 789.9 g/l / 6.59 lb/gal
Solids content:	0.1 %
· Other information	No further relevant information available.

# 10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 7)

US

Printing date 04/27/2021

#### Revision date 04/27/2021

### Trade name: Taurochenodeoxycholic Acid-d4 MaxSpec® Standard

(Contd. from page 6)

67-56-1 Methan		classification:
Oral	LDLO	143 mg/kg (hmn)
	TDLO	5 ml/kg (rat)
	LD50	5,600 mg/kg (rat)
Dermal	LD50	15,800 mg/kg (rabbit)
Inhalative	LC50/4 h	64,000 mg/m³ (rat)
	LC50	61,100 mg/m³/134 m (mouse)
Irritation of skin	Irritation	20 mg/24h (rabbit)
	Irritation	(rabbit)
	Irritation	5.63 mg/kg/exempt preparation (rabbit)
Irritation of eyes	Irritation	40 mg (rabbit)
	Intraperitoneal TDLO	5 mg/kg (rat)
	Intraperitoneal LD50	10,765 mg/kg (mouse)
	Subcutaneous LD50	143 mg/kg/human (mouse)
	Data	20 mg/24h (rabbit)
on the skin: No on the eye: No	irritant effect. rritating effect.	
on the eye: No i Sensitization: N Additional toxic	irritant effect. rritating effect. Io sensitizing effects ki cological information:	
on the skin: No on the eye: No Sensitization: N Additional toxic The product sho	irritant effect. rritating effect. lo sensitizing effects ki cological information ows the following dan	
on the skin: No on the eye: No i Sensitization: N Additional toxic The product sho preparations: Carcinogenic c	irritant effect. rritating effect. lo sensitizing effects ki cological information ows the following dan	ers according to internally approved calculation methods
on the skin: No on the eye: No i Sensitization: N Additional toxic The product sho preparations: Carcinogenic c	irritant effect. rritating effect. Io sensitizing effects ki cological information ows the following dan ategories onal Agency for Rese	ers according to internally approved calculation methods
on the skin: No on the eye: No i Sensitization: N Additional toxic The product sho preparations: Carcinogenic c IARC (Internatio None of the ingre	irritant effect. rritating effect. lo sensitizing effects ki cological information ows the following dan ategories onal Agency for Rese edients is listed.	ers according to internally approved calculation methods
on the skin: No on the eye: No i Sensitization: N Additional toxic The product sho preparations: Carcinogenic c IARC (Internatio None of the ingre	irritant effect. rritating effect. Io sensitizing effects ki cological information ows the following dan ategories onal Agency for Rese edients is listed. Toxicology Program)	ers according to internally approved calculation methods
on the skin: No on the eye: No i Sensitization: N Additional toxic The product sho preparations: Carcinogenic ca IARC (Internatio None of the ingree NTP (National T None of the ingree	irritant effect. rritating effect. lo sensitizing effects ki cological information ows the following dan ategories onal Agency for Rese edients is listed. oxicology Program) edients is listed.	gers according to internally approved calculation methods arch on Cancer)
on the skin: No on the eye: No i Sensitization: N Additional toxic The product she preparations: Carcinogenic ca IARC (Internation None of the ingree NTP (National T None of the ingree OSHA-Ca (Occur	irritant effect. rritating effect. Io sensitizing effects ki cological information ows the following dan ategories onal Agency for Rese edients is listed. Toxicology Program) edients is listed. upational Safety & He	gers according to internally approved calculation methods arch on Cancer)
on the skin: No on the eye: No i Sensitization: N Additional toxic The product sho preparations: Carcinogenic ca IARC (Internatio None of the ingree NTP (National T None of the ingree	irritant effect. rritating effect. Io sensitizing effects ki cological information ows the following dan ategories onal Agency for Rese edients is listed. Toxicology Program) edients is listed. upational Safety & He	gers according to internally approved calculation methods arch on Cancer)

- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

(Contd. on page 8)

Printing date 04/27/2021

Revision date 04/27/2021

(Contd. from page 7)

#### Trade name: Taurochenodeoxycholic Acid-d4 MaxSpec® Standard

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

## **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number · DOT, IMDG, IATA	UN1230	
<ul> <li>UN proper shipping name</li> <li>DOT, IATA</li> <li>IMDG</li> </ul>	Methanol solution METHANOL solution	
· Transport hazard class(es)		
·DOT		
RAMARE LODO		
· Class	3 Flammable liquids	
·Label	3, 6.1	
· Class	3 Flammable liquids	
·Label	3/6.1	
· IATA		
3 6		
Class	3 Flammable liquids	
· Label	3 (6.1)	

Printing date 04/27/2021

Revision date 04/27/2021

#### Trade name: Taurochenodeoxycholic Acid-d4 MaxSpec® Standard

	(Contd. from page
<ul> <li>Packing group</li> <li>DOT, IMDG, IATA</li> </ul>	II
· Environmental hazards:	Not applicable.
<ul> <li>Special precautions for user</li> <li>Hazard identification number (Kemler cod</li> <li>EMS Number:</li> <li>Stowage Category</li> <li>Stowage Code</li> </ul>	Warning: Flammable liquids e): 336 F-E,S-D B SW2 Clear of living quarters.
<ul> <li>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</li> </ul>	Not applicable.
· Transport/Additional information:	
· DOT · Quantity limitations	On passenger aircraft/rail: 1 L On cargo aircraft only: 60 L
<ul> <li>IMDG</li> <li>Limited quantities (LQ)</li> <li>Excepted quantities (EQ)</li> </ul>	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· IATA · Remarks:	When sold in quantities of less than or equal to 1 mL or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimi Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.
· UN "Model Regulation":	UN 1230 METHANOL SOLUTION, 3 (6.1), II

# 15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara · Section 355 (extremely hazardous substances): None of the ingredients is listed. · Section 313 (Specific toxic chemical listings): 67-56-1 Methanol · TSCA (Toxic Substances Control Act): 67-56-1 Methanol · Hazardous Air Pollutants 67-56-1 Methanol · Proposition 65 · Chemicals known to cause cancer: None of the ingredients is listed. (Contd. on page 10)

Printing date 04/27/2021

Revision date 04/27/2021

Trade name: Taurochenodeoxycholic Acid-d4 MaxSpec® Standard

(Contd. from page 9)

• Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

67-56-1 Methanol

Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **16 Other information**

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- Date of preparation / last revision 04/27/2021 / -

Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit BEI: Biological Exposure Limit** Flam. Liq. 2: Flammable liquids - Category 2 STOT SE 1: Specific target organ toxicity (single exposure) - Category 1

\*\* Data compared to the previous version altered.

US ·