

## Safety Data Sheet

acc. to OSHA HCS

Printing date 08/09/2020

Revision date 08/09/2020

### **1** Identification

#### Product identifier

- · Trade name: Glycochenodeoxycholic Acid MaxSpec® Standard
- · **Synonym** N-[(3α,5β,7α)-3,7-dihydroxy-24-oxocholan-24-yl]-glycine; GCDCA; NSC 681056
- · Article number: 31363
- · Application of the substance / the mixture For research use only not for human or veterinary use.
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA
- Information department: Product safety department
   Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

## 2 Hazard(s) identification

#### · Classification of the substance or mixture

GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS08 Health hazard

STOT SE 1 H370 Causes damage to the central nervous system and the visual organs.

#### · Label elements

- · GHS label elements
- The product is classified and labeled according to the Globally Harmonized System (GHS).
- Hazard pictograms



- · Signal word Danger
- Hazard-determining components of labeling: Methanol

#### · Hazard statements

Highly flammable liquid and vapor. Causes damage to the central nervous system and the visual organs.

(Contd. on page 2)

US

Printing date 08/09/2020

Revision date 08/09/2020

#### Trade name: Glycochenodeoxycholic Acid MaxSpec® Standard

(Contd. from page	1)
Precautionary statements	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Keep container tightly closed.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Do not breathe dust/fume/gas/mist/vapors/spray.	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
IF exposed: Call a POISON CENTER or doctor/physician.	
Specific treatment (see on this label).	
In case of fire: Use for extinction: CO2, powder or water spray.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulations.	
· Classification system:	
· NFPA ratings (scale 0 - 4)	
Health = 0 Fire = 3 Reactivity = 0	
· HMIS-ratings (scale 0 - 4)	
HEALTH <sup>*</sup> <sup>0</sup> Health = *0	
FIRE $3$ Fire = 3	
REACTIVITY O Reactivity = 0	
· Other hazards	
· Results of PBT and vPvB assessment	
<ul> <li>• PBT: Not applicable.</li> <li>• vPvB: Not applicable.</li> </ul>	
3 Composition/information on ingredients	
s composition/information on ingredients	
· Chemical characterization: Mixtures	
• Description: Mixture of the substances listed below with nonhazardous additions.	_
· Dangerous components:	
CAS: 67-56-1 Methanol 99.99%	2
RTECS: PC1400000	

· Other ingredients

640-79-9 Glycochenodeoxycholic Acid

## 4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately rinse with water.

(Contd. on page 3)

0.01%

US

Printing date 08/09/2020

Revision date 08/09/2020

(Contd. from page 2)

#### Trade name: Glycochenodeoxycholic Acid MaxSpec® Standard

- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects. No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

### **5 Fire-fighting measures**

- · Extinguishing media
- Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture
- Can release vapors that form explosive mixtures at temperatures at or above the flashpoint.
- Container explosion may occur under fire conditions.
- Emits toxic fumes under fire conditions.
- Sensitive to static discharge.
- Vapors can travel to a source of ignition and flash back.
- 67-56-1During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away. • Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. · Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals · PAC-1: 67-56-1 Methanol 530 ppm · PAC-2: 67-56-1 Methanol 2,100 ppm · PAC-3: 67-56-1 Methanol 7200\* ppm

(Contd. on page 4)

Printing date 08/09/2020

#### Revision date 08/09/2020

### Trade name: Glycochenodeoxycholic Acid MaxSpec® Standard

(Contd. from page 3)

#### 7 Handling and storage

#### · Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
   Protect against electrostatic charges.
   Keep respiratory protective device available.
- Conditions for safe storage, including any incompatibilities
   Keep away from heat, sparks and flame.
   Keep container tightly closed.
   Store in accordance with information listed on the product insert.
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

#### · Control parameters

· Com	ponents with limit values that require monitoring at the workplace:
67-5	6-1 Methanol
PEL	Long-term value: 260 mg/m <sup>3</sup> , 200 ppm
REL	Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin
TLV	Short-term value: 328 mg/m³, 250 ppm Long-term value: 262 mg/m³, 200 ppm Skin; BEI
· Ingre	edients with biological limit values:
67-5	6-1 Methanol
	15 mg/L Medium: urine Time: end of shift Parameter: Methanol (background, nonspecific)
· Addi	tional information: The lists that were valid during the creation were used as basis.
· Pers · Gene Keep Imme	osure controls onal protective equipment: eral protective and hygienic measures: o away from foodstuffs, beverages and feed. ediately remove all soiled and contaminated clothing. h hands before breaks and at the end of work.

(Contd. on page 5)

Printing date 08/09/2020

Revision date 08/09/2020

#### Trade name: Glycochenodeoxycholic Acid MaxSpec® Standard

(Contd. from page 4)

#### · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

### Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

#### 9 Physical and chemical properties

Information on basic physical and chemical properties	
· General Information	

· Appearance:		
Form:	Liquid	
Color:	Colorless	
· Odor:	Alcohol-like	
• Structural Formula	C26H43NO5	
• Molecular Weight	449.6	
<ul> <li>Odor threshold:</li> </ul>	Not determined.	
• Formulation	A solution in methanol at 100 µg/ml	
· pH-value:	Not determined.	
· Change in condition		
Melting point/Melting range:	-98 °C (-144.4 °F)	
Boiling point/Boiling range:	64.7 °C (148.5 °F)	
· Flash point:	11 °C (51.8 °F)	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:	455 °C (851 °F)	
· Decomposition temperature:	Not determined.	
		(Contd. on page 6)

Printing date 08/09/2020

Revision date 08/09/2020

### Trade name: Glycochenodeoxycholic Acid MaxSpec® Standard

	(Contd. from page
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air vapor mixtures are possible.
<sup>·</sup> Explosion limits: Lower: Upper:	5.5 Vol % 44 Vol %
· Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)
<ul> <li>Density at 20 °C (68 °F):</li> <li>Relative density</li> <li>Vapor density</li> <li>Evaporation rate</li> </ul>	0.79 g/cm <sup>3</sup> (6.59255 lbs/gal) Not determined. Not determined. Not determined.
<ul> <li>Solubility in / Miscibility with Water:</li> </ul>	Fully miscible.
· Partition coefficient (n-octanol/water	r): Not determined.
· Viscosity: Dynamic: Kinematic:	Not determined. Not determined.
<ul> <li>Solvent content: Organic solvents: VOC content:</li> </ul>	100.0 % 99.99 % 789.9 g/l / 6.59 lb/gal
Solids content: · Other information	0.0 % No further relevant information available.

## **10 Stability and reactivity**

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · **Incompatible materials:** No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

Informatic Acute toxi	on on toxicological icity:	effects	
LD/LC50 v	alues that are relev	ant for classification:	
67-56-1 M	ethanol		
Oral	LDLO	143 mg/kg (hmn)	
	TDLO	5 ml/kg (rat)	
	LD50	5,600 mg/kg (rat)	

Printing date 08/09/2020

Revision date 08/09/2020

#### Trade name: Glycochenodeoxycholic Acid MaxSpec® Standard

		(Contd. from page 6)	)
Dermal	LD50	15,800 mg/kg (rabbit)	]
Inhalative	LC50/4 h	64,000 mg/m³ (rat)	
	LC50	61,100 mg/m³/134 m (mouse)	
Irritation of skin	Irritation	20 mg/24h (rabbit)	
	Irritation	(rabbit)	
	Irritation	5.63 mg/kg/exempt preparation (rabbit)	
Irritation of eyes	Irritation	40 mg (rabbit)	
	Intraperitoneal TDLO	5 mg/kg (rat)	
	Intraperitoneal LD50	10,765 mg/kg (mouse)	
	Subcutaneous LD50	143 mg/kg/human (mouse)	
	Data	20 mg/24h (rabbit)	
		·	- C

- Primary irritant effect:
- on the skin: No irritant effect.
- · on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

· Carcinogenic categories

IARC (International	Agency for Res	earch on Cancer)
---------------------	----------------	------------------

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## **12 Ecological information**

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

(Contd. on page 8)

Printing date 08/09/2020

Revision date 08/09/2020

## Trade name: Glycochenodeoxycholic Acid MaxSpec® Standard

(Contd. from page 7)

## **13 Disposal considerations**

· Waste treatment methods

#### · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number DOT, IMDG, IATA	UN1230	
· UN proper shipping name · DOT, IATA · IMDG	Methanol solution METHANOL solution	
Transport hazard class(es)		
DOT		
TUMIARE CODO 3 6		
Class	3 Flammable liquids	
	3, 6.1	
IMDG		
Class	3 Flammable liquids	
Label	3/6.1	
Class	3 Flammable liquids	
Label	3 (6.1)	
Packing group DOT, IMDG, IATA	II	
Environmental hazards:	Not applicable.	
Special precautions for user Hazard identification number (Kemler code EMS Number:	Warning: Flammable liquids <b>a):</b> 336 F-E,S-D	

Printing date 08/09/2020

Revision date 08/09/2020

#### Trade name: Glycochenodeoxycholic Acid MaxSpec® Standard

	(Contd. from page 8
<ul> <li>Stowage Category</li> <li>Stowage Code</li> </ul>	B SW2 Clear of living quarters.
<ul> <li>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</li> </ul>	Not applicable.
· Transport/Additional information:	
· DOT · Quantity limitations	On passenger aircraft/rail: 1 L On cargo aircraft only: 60 L
<ul> <li>IMDG</li> <li>Limited quantities (LQ)</li> <li>Excepted quantities (EQ)</li> </ul>	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· IATA · Remarks:	When sold in quantities of less than or equal to 1 mL or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.
· UN "Model Regulation":	UN 1230 METHANOL SOLUTION, 3 (6.1), II

### 15 Regulatory information

 $^{\cdot}$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $^{\cdot}$  Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

67-56-1 Methanol

· TSCA (Toxic Substances Control Act):

67-56-1 Methanol

· Hazardous Air Pollutants

67-56-1 Methanol

Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

67-56-1 Methanol

(Contd. on page 10)

ACTIVE

US

Printing date 08/09/2020

Revision date 08/09/2020

### Trade name: Glycochenodeoxycholic Acid MaxSpec® Standard

(Contd. from page 9)

- · Carcinogenic categories
- EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

## · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

### GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



· Signal word Danger

- Hazard-determining components of labeling: Methanol
- Hazard statements Highly flammable liquid and vapor. Causes damage to the central nervous system and the visual organs.

 Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF exposed: Call a POISON CENTER or doctor/physician. Specific treatment (see on this label). In case of fire: Use for extinction: CO2, powder or water spray. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- Contact: -
- · Date of preparation / last revision 08/09/2020 / -
- Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 11)

<sup>-</sup> US

Printing date 08/09/2020

Revision date 08/09/2020

## Trade name: Glycochenodeoxycholic Acid MaxSpec® Standard

DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit	(Contd. from page 10)
PEL: Permissible Exposure Limit	