

Printing date 08/30/2020 Revision date 08/30/2020

### 1 Identification

- · Product identifier
- · Trade name: 4-fluoro MDMB-BUTICA N-(4-hydroxybutyl) metabolite
- · Synonym

methyl (S)-2-(1-(4-hydroxybutyl)-1H-indole-3-carboxamido)-3,3-dimethylbutanoate; 4-fluoro MDMB-BICA N-(4-hydroxybutyl) metabolite

- · Article number: 31541
- · Application of the substance / the mixture

API intended for use in a product approved in a NDA, ANDA, or equivalent.

For research use only - not for human or veterinary use.

- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA
- · Information department: Product safety department
- · Emergency telephone number:

During normal opening times: +1 (734) 971-3335

US/CANADA: 800-424-9300

Outside US/CANADA: 703-741-5970

## 2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS07

Acute Tox. 4 H312 Harmful in contact with skin.

Acute Tox. 4 H332 Harmful if inhaled.

Eye Irrit. 2A H319 Causes serious eye irritation.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms





GHS02 GHS07

(Contd. on page 2)

Printing date 08/30/2020 Revision date 08/30/2020

### Trade name: 4-fluoro MDMB-BUTICA N-(4-hydroxybutyl) metabolite

(Contd. from page 1)

· Signal word Danger

#### Hazard-determining components of labeling:

Acetonitrile

#### · Hazard statements

Highly flammable liquid and vapor.

Harmful in contact with skin or if inhaled.

Causes serious eye irritation.

### · Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Call a poison center/doctor if you feel unwell.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 2 Fire = 3 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 2 Fire = 3 Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

## 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 3)

Printing date 08/30/2020 Revision date 08/30/2020

Trade name: 4-fluoro MDMB-BUTICA N-(4-hydroxybutyl) metabolite

		(Contd. from page 2)
· Dangerous compo	nents:	
CAS: 75-05-8 RTECS: AL7700000	Acetonitrile	99.0%
· Other ingredients		
4-fluoro MDMB-BUT	TCA N-(4-hydroxybutyl) metabolite	1.0%

## 4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately rinse with water.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed

May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects. No further relevant information available.

Indication of any immediate medical attention and special treatment needed. No further relevant information available.

## **5 Fire-fighting measures**

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Special hazards arising from the substance or mixture

Can release vapors that form explosive mixtures at temperatures at or above the flashpoint.

Container explosion may occur under fire conditions.

Emits toxic fumes under fire conditions.

Sensitive to static discharge.

Vapors can travel to a source of ignition and flash back.

- Advice for firefighters
- · **Protective equipment:** Mouth respiratory protective device.

### 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

(Contd. on page 4)

Printing date 08/30/2020 Revision date 08/30/2020

#### Trade name: 4-fluoro MDMB-BUTICA N-(4-hydroxybutyl) metabolite

(Contd. from page 3)

#### · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

#### Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

· PAC-1:		
75-05-8	Acetonitrile	13 ppm
· PAC-2:		
75-05-8	Acetonitrile	50 ppm
· PAC-3:		
75-05-8	Acetonitrile	150 ppm

## 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

#### Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

### · Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks and flame.

Keep container tightly closed.

Store in accordance with information listed on the product insert.

- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Components with limit values that	t require monitoring at the workplace:
-------------------------------------	--

#### 75-05-8 Acetonitrile

PEL Long-term value: 70 mg/m³, 40 ppm
REL Long-term value: 34 mg/m³, 20 ppm
TLV Long-term value: 34 mg/m³, 20 ppm
Skin

· Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 5)

Printing date 08/30/2020 Revision date 08/30/2020

#### Trade name: 4-fluoro MDMB-BUTICA N-(4-hydroxybutyl) metabolite

(Contd. from page 4)

- · Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

#### · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Tightly sealed goggles

### 9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid
Color: Colorless
Odor: Characteristic
Structural Formula C20H28N2O4

· Molecular Weight 360.5

· Odor threshold: Not determined.

• **Formulation** A solution in acetonitrile

· pH-value: Not determined.

· Change in condition

Melting point/Melting range: -46 °C (-50.8 °F)

(Contd. on page 6)

Printing date 08/30/2020 Revision date 08/30/2020

## Trade name: 4-fluoro MDMB-BUTICA N-(4-hydroxybutyl) metabolite

	(Contd. from page 9
Boiling point/Boiling range:	81 °C (177.8 °F)
· Flash point:	5 °C (41 °F)
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	525 °C (977 °F)
Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air vapor mixtures are possible.
· Explosion limits: Lower: Upper:	4.4 Vol % 16 Vol %
· Vapor pressure at 20 °C (68 °F):	97 hPa (72.8 mm Hg)
<ul> <li>Density at 20 °C (68 °F):</li> <li>Relative density</li> <li>Vapor density</li> <li>Evaporation rate</li> </ul>	0.7822 g/cm³ (6.52746 lbs/gal) Not determined. Not determined. Not determined.
· Solubility in / Miscibility with Water:	Fully miscible.
· Partition coefficient (n-octanol/wate	er): Not determined.
· Viscosity: Dynamic at 20 °C (68 °F): Kinematic:	0.39 mPas Not determined.
Solvent content: VOC content:	0.00 % 0.0 g/l / 0.00 lb/gal
Solids content: · Other information	0.1 % No further relevant information available.

## 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

He

Printing date 08/30/2020 Revision date 08/30/2020

Trade name: 4-fluoro MDMB-BUTICA N-(4-hydroxybutyl) metabolite

(Contd. from page 6)

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:					
ATE (Acute To	xicity Estir	mate)			
Oral	LD50	2,485 mg/kg (rat)			
Dermal	LD50	990 mg/kg (rabbit)			
Inhalative	LC50/4 h	11.1 mg/l			

75-05-8 Acetoni	75-05-8 Acetonitrile						
Oral	TDLO	64 ml/kg (man)					
	2,460 mg/kg (rat)						
Dermal	LD50	980 mg/kg (rabbit)					
Inhalative	LC50/4 h	7,551 mg/m³ (rat)					
	LC50	7,551 mg/m³/8h (rat)					
	TCLO	160 mg/m³/4h (hmn)					
Irritation of eyes	Irritation	100 μl/24 hr (rabbit)					
	Irritation	100 ìl/24 hr (rabbit)					

- · Primary irritant effect:
- on the skin: No irritant effect.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful Irritant

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · **Mobility in soil** No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

(Contd. on page 8)

Printing date 08/30/2020 Revision date 08/30/2020

### Trade name: 4-fluoro MDMB-BUTICA N-(4-hydroxybutyl) metabolite

(Contd. from page 7)

Danger to drinking water if even small quantities leak into the ground.

- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

•							4.5
и	4	rai	ารท	Ort	Harr	orma	TION
		ши	100	OI L	ш	Ullila	

Ш	N.	Nı	ım	be	r
u	I VI -	IVI	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	иe	

· DOT, IMDG, IATA UN1648

· UN proper shipping name

DOT, IATAIMDGAcetonitrile solutionACETONITRILE solution

· Transport hazard class(es)

· DOT



· Class 3 Flammable liquids

· Label

· IMDG, IATA



· Class 3 Flammable liquids

· Label 3

· Packing group

· DOT, IMDG, IATA

• Environmental hazards: Not applicable.

· Special precautions for user Warning: Flammable liquids

· Hazard identification number (Kemler code): 33

EMS Number: F-E,S-D

· Stowage Category B

(Contd. on page 9)

Printing date 08/30/2020 Revision date 08/30/2020

Trade name: 4-fluoro MDMB-BUTICA N-(4-hydroxybutyl) metabolite

	(Contd. from page 8
· Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· DOT · Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· IATA · Remarks:	When sold in quantities of less than or equal to 1 mL or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.
· UN "Model Regulation":	UN 1648 ACETONITRILE SOLUTION, 3, II

		_			4			4.0
1	5	к	ean	ы	rorv	ınt	orma	ation

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara
- Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

75-05-8 Acetonitrile

TSCA (Toxic Substances Control Act):

75-05-8 Acetonitrile ACTIVE

· Hazardous Air Pollutants

75-05-8 Acetonitrile

Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

(Contd. on page 10)

Printing date 08/30/2020 Revision date 08/30/2020

Trade name: 4-fluoro MDMB-BUTICA N-(4-hydroxybutyl) metabolite

(Contd. from page 9)

### · Carcinogenic categories

· EPA	(Environmental Protection Agency)	
75-0	5-8 Acetonitrile	CBD, D
	ATT TO THE STATE OF THE ACCUMU	

#### TLV (Threshold Limit Value established by ACGIH)

75-05-8 Acetonitrile A4

### · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

#### · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms





GHS02 GHS07

#### · Signal word Danger

#### · Hazard-determining components of labeling:

Acetonitrile

#### · Hazard statements

Highly flammable liquid and vapor.

Harmful in contact with skin or if inhaled.

Causes serious eye irritation.

### **Precautionary statements**

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Call a poison center/doctor if you feel unwell.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 11)

Printing date 08/30/2020 Revision date 08/30/2020

### Trade name: 4-fluoro MDMB-BUTICA N-(4-hydroxybutyl) metabolite

(Contd. from page 10)

· Department issuing SDS: Environment protection department.

Contact: -

· Date of preparation / last revision 08/30/2020 / -

· Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flam. Lig. 2: Flammable liquids - Category 2

Acute Tox. 4: Acute toxicity - Category 4

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

\* Data compared to the previous version altered.

- US