

Page 1/10

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/10/2020

Revision date 10/10/2020

1 Identification

Product identifier

- · Trade name: Glycolithocholic Acid MaxSpec® Standard
- · Synonym N-[(3α,5β)-3-hydroxy-24-oxocholan-24-yl]-glycine; Lithocholylglycine
- · Article number: 31601
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA
- · Information department: Product safety department
- Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

· Classification of the substance or mixture



Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS08 Health hazard

STOT SE 1 H370 Causes damage to the central nervous system and the visual organs.

· Label elements

- · GHS label elements
- The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



- · Signal word Danger
- Hazard-determining components of labeling: Methanol
- · Hazard statements

Highly flammable liquid and vapor.

Causes damage to the central nervous system and the visual organs.

- · Precautionary statements
- Keep away from heat/sparks/open flames/hot surfaces. No smoking.

(Contd. on page 2)

US

Printing date 10/10/2020

Revision date 10/10/2020

Trade name: Glycolithocholic Acid MaxSpec® Standard

Kaan aantai	(Contd. from page
	ner tightly closed.
	d container and receiving equipment.
	on-proof electrical/ventilating/lighting/equipment.
	n-sparking tools.
	utionary measures against static discharge.
	the dust/fume/gas/mist/vapors/spray.
	ughly after handling.
	drink or smoke when using this product.
	tive gloves/protective clothing/eye protection/face protection.
	hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
	Call a POISON CENTER or doctor/physician.
	atment (see on this label).
	re: Use for extinction: CO2, powder or water spray.
	ell-ventilated place. Keep cool.
Store locked	
	contents/container in accordance with local/regional/national/international regulations.
Classificati	on system: gs (scale 0 - 4)
030	Health = 0 Fire = 3 Reactivity = 0
HMIS-rating	gs (scale 0 - 4)
HEALTH *(P Health = *0
	Fire = 3
	Reactivity = 0
Other haza	rds
Deculto of	PBT and vPvB assessment
Results of	oplicable.
PBT: Not ap	

· Description: Mixture of the substances listed below with nonhazardous additions.

 Dangerous compone 	ents:	
CAS: 67-56-1 RTECS: PC1400000		99.99%
· Other ingredients		
CAS: 474-74-8 RTECS: MC0594200	Glycolithocholic Acid	0.01%

4 First-aid measures

· Description of first aid measures

· General information: Immediately remove any clothing soiled by the product.

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water.

(Contd. on page 3)

US

Printing date 10/10/2020

Revision date 10/10/2020

(Contd. from page 2)

Trade name: Glycolithocholic Acid MaxSpec® Standard

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects. No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture
- Can release vapors that form explosive mixtures at temperatures at or above the flashpoint.
- Container explosion may occur under fire conditions.
- Emits toxic fumes under fire conditions.
- Sensitive to static discharge.
- Vapors can travel to a source of ignition and flash back.
- 67-56-1During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- **Protective equipment:** Mouth respiratory protective device.

6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away. Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdu Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals 	st).
· PAC-1:	
67-56-1 Methanol	530 ppm
PAC-2:	
67-56-1 Methanol	2,100 ppm
PAC-3:	
67-56-1 Methanol	7200* ppm
•	

(Contd. on page 4)

Printing date 10/10/2020

· Handling:

7 Handling and storage

Revision date 10/10/2020

Trade name: Glycolithocholic Acid MaxSpec® Standard


Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Store upright and unopened at -20C. (Contd. from page 3)

Ligh Prev	e upright and unopened at -20C. m to room temperature before opening. t sensitive. ent formation of aerosols.	
Kee Prot	rmation about protection against explosions and fires: o ignition sources away - Do not smoke. ect against electrostatic charges. o respiratory protective device available.	
Kee Kee Stor Stor Req Info Kee Stor	ditions for safe storage, including any incompatibilities o away from heat, sparks and flame. o container tightly closed. e in accordance with information listed on the product insert. age: uirements to be met by storerooms and receptacles: Store in a cool location. rmation about storage in one common storage facility: Not required. her information about storage conditions: o receptacle tightly sealed. e in cool, dry conditions in well sealed receptacles. cific end use(s) No further relevant information available.	
	oosure controls/personal protection	
	itional information about design of technical systems: No further data; see iten	n 7
· Con · Com	trol parameters ponents with limit values that require monitoring at the workplace:	
· Con · Con 67-5	trol parameters ponents with limit values that require monitoring at the workplace: 6-1 Methanol	
· Con · Com 67-5 PEL	trol parameters ponents with limit values that require monitoring at the workplace: 6-1 Methanol Long-term value: 260 mg/m ³ , 200 ppm Short-term value: 325 mg/m ³ , 250 ppm Long-term value: 260 mg/m ³ , 200 ppm	
· Con · Con 67-5 PEL REL	trol parameters ponents with limit values that require monitoring at the workplace: 6-1 Methanol Long-term value: 260 mg/m ³ , 200 ppm Short-term value: 325 mg/m ³ , 250 ppm	
· Con · Con 67-5 PEL REL TLV	trol parameters ponents with limit values that require monitoring at the workplace: 6-1 Methanol Long-term value: 260 mg/m ³ , 200 ppm Short-term value: 325 mg/m ³ , 250 ppm Long-term value: 260 mg/m ³ , 200 ppm Skin Short-term value: 328 mg/m ³ , 250 ppm Long-term value: 328 mg/m ³ , 250 ppm Long-term value: 262 mg/m ³ , 200 ppm	
· Con · Com 67-5 PEL REL TLV	trol parameters ponents with limit values that require monitoring at the workplace: 6-1 Methanol Long-term value: 260 mg/m ³ , 200 ppm Short-term value: 325 mg/m ³ , 250 ppm Long-term value: 260 mg/m ³ , 200 ppm Skin Short-term value: 328 mg/m ³ , 250 ppm Long-term value: 328 mg/m ³ , 250 ppm Long-term value: 262 mg/m ³ , 200 ppm Skin; BEI	
· Con · Com 67-5 PEL REL TLV · Ingr 67-5	trol parameters ponents with limit values that require monitoring at the workplace: 6-1 Methanol Long-term value: 260 mg/m³, 200 ppm Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin Short-term value: 328 mg/m³, 250 ppm Long-term value: 262 mg/m³, 200 ppm Skin; BEI edients with biological limit values: 6-1 Methanol 15 mg/L Medium: urine Time: end of shift	
· Con 67-5 PEL REL TLV	trol parameters ponents with limit values that require monitoring at the workplace: 6-1 Methanol Long-term value: 260 mg/m³, 200 ppm Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin Short-term value: 328 mg/m³, 250 ppm Long-term value: 262 mg/m³, 200 ppm Skin; BEI edients with biological limit values: 6-1 Methanol 15 mg/L Medium: urine Time: end of shift Parameter: Methanol (background, nonspecific)	
· Con · Con 67-5 PEL REL TLV · Ingr 67-5 BEI · Add	trol parameters ponents with limit values that require monitoring at the workplace: 6-1 Methanol Long-term value: 260 mg/m ³ , 200 ppm Short-term value: 325 mg/m ³ , 250 ppm Long-term value: 260 mg/m ³ , 200 ppm Skin Short-term value: 328 mg/m ³ , 250 ppm Long-term value: 262 mg/m ³ , 200 ppm Skin; BEI edients with biological limit values: 6-1 Methanol 15 mg/L Medium: urine Time: end of shift Parameter: Methanol (background, nonspecific) itional information: The lists that were valid during the creation were used as basis	
· Con · Con 67-5 PEL REL TLV · Ingr 67-5 BEI · Add · Exp	trol parameters ponents with limit values that require monitoring at the workplace: 6-1 Methanol Long-term value: 260 mg/m ³ , 200 ppm Short-term value: 325 mg/m ³ , 250 ppm Long-term value: 260 mg/m ³ , 200 ppm Skin Short-term value: 328 mg/m ³ , 250 ppm Long-term value: 262 mg/m ³ , 200 ppm Skin; BEI edients with biological limit values: 6-1 Methanol 15 mg/L Medium: urine Time: end of shift Parameter: Methanol (background, nonspecific) itional information: The lists that were valid during the creation were used as basic psure controls	
· Con · Com 67-5 PEL REL TLV · Ingr 67-5 BEI · Add · Exp · Pers	trol parameters ponents with limit values that require monitoring at the workplace: 6-1 Methanol Long-term value: 260 mg/m ³ , 200 ppm Short-term value: 325 mg/m ³ , 250 ppm Long-term value: 260 mg/m ³ , 200 ppm Skin Short-term value: 328 mg/m ³ , 250 ppm Long-term value: 262 mg/m ³ , 200 ppm Skin; BEI edients with biological limit values: 6-1 Methanol 15 mg/L Medium: urine Time: end of shift Parameter: Methanol (background, nonspecific) itional information: The lists that were valid during the creation were used as basis	
· Con 67-5 PEL REL TLV · Ingr 67-5 BEI · Add · Exp · Pers · Gen	trol parameters ponents with limit values that require monitoring at the workplace: 6-1 Methanol Long-term value: 260 mg/m³, 200 ppm Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin Short-term value: 328 mg/m³, 250 ppm Long-term value: 262 mg/m³, 200 ppm Skin; BEI edients with biological limit values: 6-1 Methanol 15 mg/L Medium: urine Time: end of shift Parameter: Methanol (background, nonspecific) itional information: The lists that were valid during the creation were used as basic posure controls conal protective equipment:	

Printing date 10/10/2020

Revision date 10/10/2020

Trade name: Glycolithocholic Acid MaxSpec® Standard



Printing date 10/10/2020

Revision date 10/10/2020

Trade name: Glycolithocholic Acid MaxSpec® Standard

	(Contd. from page 5
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air, vapor mixtures are possible.
· Explosion limits: Lower: Upper:	5.5 Vol % 44 Vol %
· Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)
 Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate 	0.79 g/cm³ (6.59255 lbs/gal) Not determined. Not determined. Not determined.
 Solubility in / Miscibility with Water: 	Fully miscible.
· Partition coefficient (n-octanol/wate	er): Not determined.
[·] Viscosity: Dynamic: Kinematic:	Not determined. Not determined.
 Solvent content: Organic solvents: VOC content: 	100.0 % 99.99 % 789.9 g/l / 6.59 lb/gal
Solids content: · Other information	0.1 % No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

Toxicological information Information on toxicological effects Acute toxicity:			
• LD/LC50 values that are relevant for classification: 67-56-1 Methanol			
			Oral
	TDLO	5 ml/kg (rat)	
	I		(Contd. on page

Printing date 10/10/2020

Revision date 10/10/2020

Trade name: Glycolithocholic Acid MaxSpec® Standard

			(Contd. from page 6)
	LD50	5,600 mg/kg (rat)	
Dermal	LD50	15,800 mg/kg (rabbit)	
Inhalative	LC50/4 h	64,000 mg/m³ (rat)	
	LC50	61,100 mg/m³/134 m (mouse)	
Irritation of skin	Irritation	20 mg/24h (rabbit)	
	Irritation	(rabbit)	
	Irritation	5.63 mg/kg/exempt preparation (rabbit)	
Irritation of eyes	Irritation	40 mg (rabbit)	
	Intraperitoneal TDLO	5 mg/kg (rat)	
	Intraperitoneal LD50	10,765 mg/kg (mouse)	
	Subcutaneous LD50	143 mg/kg/human (mouse)	
	Data	20 mg/24h (rabbit)	

• Primary irritant effect:

· on the skin: No irritant effect.

• on the eye: No irritating effect.

• Sensitization: No sensitizing effects known.

Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Carcinogenic categories

· IARC (International Agency for Research on Cancer)
None of the ingredients is listed.
· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

(Contd. on page 8)

Printing date 10/10/2020

Revision date 10/10/2020

Trade name: Glycolithocholic Acid MaxSpec® Standard

(Contd. from page 7)

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number DOT, IMDG, IATA	UN1230
UN proper shipping name DOT, IATA IMDG	Methanol solution METHANOL solution
Transport hazard class(es)	
DOT	
TOXIC 3 6	
Class	3 Flammable liquids
Label	3, 6.1
IMDG	
Class Label	3 Flammable liquids 3/6.1
ΙΑΤΑ	
Class	3 Flammable liquids
Label	3 (6.1)
Packing group DOT, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user Hazard identification number (Kemler code): EMS Number:	Warning: Flammable liquids 336 F-E,S-D

Printing date 10/10/2020

Revision date 10/10/2020

Trade name: Glycolithocholic Acid MaxSpec® Standard

	(Contd. from page 8
 Stowage Category Stowage Code 	B SW2 Clear of living quarters.
 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code 	Not applicable.
· Transport/Additional information:	
· DOT · Quantity limitations	On passenger aircraft/rail: 1 L On cargo aircraft only: 60 L
 IMDG Limited quantities (LQ) Excepted quantities (EQ) 	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· IATA · Remarks:	When sold in quantities of less than or equal to 1 mL or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.
· UN "Model Regulation":	UN 1230 METHANOL SOLUTION, 3 (6.1), II

15 Regulatory information

 $^{\cdot}$ Safety, health and environmental regulations/legislation specific for the substance or mixture $^{\cdot}$ Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

• Section 313 (Specific toxic chemical listings):

67-56-1 Methanol

· TSCA (Toxic Substances Control Act):

67-56-1 Methanol

· Hazardous Air Pollutants

67-56-1 Methanol

Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

67-56-1 Methanol

(Contd. on page 10)

ACTIVE

US

Printing date 10/10/2020

Revision date 10/10/2020

Trade name: Glycolithocholic Acid MaxSpec® Standard

(Contd. from page 9)

· Carcinogenic categories

• EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact: -

Date of preparation / last revision 10/10/2020 / -

· Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit** BEI: Biological Exposure Limit Flam. Liq. 2: Flammable liquids – Category 2 STOT SE 1: Specific target organ toxicity (single exposure) – Category 1 * Data compared to the previous version altered.

US