

Multi-region format

			Supersedes Revision: 07/21/201			
	acc	ording to Regulation (EC) No. 1907/2006 as amended by	(EC) No. 1272/2008			
	Section 1. Identification of the Substance/Mixture and of the Company/Undertaking					
1	Product Code: Product Name: Synonyms:	338410 9(S)-HODE-d4 9S-hydroxy-10E,12Z-octadecadienoic-9,10,12	2,13-d4 acid;			
2	Relevant identified uses o	f the substance or mixture and uses advised ag	jainst:			
	Relevant identified uses	For research use only, not for human or veteri	nary use.			
3	Details of the Supplier of the Safety Data Sheet:					
	Company Name:	Cayman Chemical Company 1180 E. Ellsworth Rd. Ann Arbor, MI 48108				
	Web site address:	www.caymanchem.com				
	Information:	Cayman Chemical Company	+1 (734)971-3335			
4	Emergency telephone nun	nber:				
	Emergency Contact:	CHEMTREC Within USA and Canada: CHEMTREC Outside USA and Canada:	+1 (800)424-9300 +1 (703)527-3887			
		Section 2. Hazards Identific	ation			
	/ JAL					
	GHS Signal Word: GHS Hazard Phrases:	Danger				
	-	-				
	GHS Hazard Phrases:	quid and vapor.				
	GHS Hazard Phrases: H225: Highly flammable li GHS Precaution Phrases	quid and vapor.	Э.			
	GHS Hazard Phrases: H225: Highly flammable li GHS Precaution Phrases P210: Keep away from {hr P280: Wear {protective gl	quid and vapor. s: eat/sparks/open flames/hot surfaces} No smoking oves/protective clothing/eye protection/face protect	-			
	GHS Hazard Phrases: H225: Highly flammable li GHS Precaution Phrases P210: Keep away from {h P280: Wear {protective glu GHS Response Phrases	quid and vapor. s: eat/sparks/open flames/hot surfaces} No smoking oves/protective clothing/eye protection/face protecti : CIN (or hair): Remove/take off immediately all conta	ion}.			
	GHS Hazard Phrases: H225: Highly flammable li GHS Precaution Phrases P210: Keep away from {he P280: Wear {protective gle GHS Response Phrases P303+361+353: IF ON Se	quid and vapor. :: eat/sparks/open flames/hot surfaces} No smoking oves/protective clothing/eye protection/face protecti	ion}.			



Revision: 04/07/2015 Supersedes Revision: 07/21/2010

2.3 Adverse Human Health Material may be irritating to the mucous membranes and upper respiratory tract. Effects and Symptoms:

May be harmful by inhalation, ingestion, or skin absorption.

May cause eye, skin, or respiratory system irritation.

To the best of our knowledge, the toxicological properties have not been thoroughly investigated.

		Sect	tion 3. Composition	/Information	on Ingredie	nts		
		1	•	1				
	CAS # / Hazardous Comp RTECS # REACH Registra 64-17-5 Ethyl alcohol KQ6300000		oonents (Chemical Name)/ tion No.	Concentration 99.99 %	EC No./ EC Index No.	GHS Classification		
					200-578-6 603-002-00-5	Flam. Liq. 2: H225		
89095 NA	5-25-6	9(S)-HODE-d4		0.01 %	NA NA	No data available.		
			Section 4. Fi	rst Aid Meas	ures			
4.1	Descri Measu	ption of First Aid res:	No data available.					
	In Cas	e of Inhalation:	Remove to fresh air. If not br Get immediate medical atten	0.0	al respiration or gi	ve oxygen by trained personnel.		
	In Cas	e of Skin Contact:	Immediately wash skin with s clothing. Get medical attentic			5 minutes. Remove contaminate before reuse.		
	In Case of Eye Contact: Hold eyelids apart a and tested by medi			art and flush eyes with plenty of water for at least 15 minutes. Have eyes examined edical personnel.				
	In Cas	e of Ingestion:	Wash out mouth with water p unconscious person. Get me medical personnel.	-	-	ive anything by mouth to an ng unless directed to do so by		
4.2	-	s, Both Acute and	May cause anemia, cough, C (weakness, exhaustion), live	-		-		
			Section 5. Fire	Fighting Me	asures			
5.1	Suitable Extinguishing Use alcohol-resistant foam, carbon dioxide, water, or dry chemical spray. Media: Use water spray to cool fire-exposed containers. Unsuitable Extinguishing A solid water stream may be inefficient. Media: Media:				l spray.			
5.2	Flammable Properties and Can release vapors that form explosive mixtures at temperatures at or above the flashpoint. Hazards: Container explosion may occur under fire conditions. Emits toxic fumes under fire conditions. Sensitive to static discharge. Vapors can travel to a source of ignition and flash back.							
	-	Pt: sive Limits: Inition Pt:	14.00 C Method Used: Cl LEL: 3.3% at 25.0 C 363.00 C	•	at 25.0 C			
5.3	Fire Fi	ghting Instructions	: As in any fire, wear self-cont equivalent), and full protectiv Note: Flammable as diluted	e gear to prevent c	-			



			Soction 6 Ac	aidantal Dalassa Ma				
				cidental Release Me				
6.1		ive Precautions,		ors and provide adequate venti				
	Protective Equipment and As conditions warrant, wear a NIOSH approved self-contained breathing apparatus, or respirator							
	Emerge	ency Procedures:	and appropriate pers	onal protection (rubber boots,	safety goggles, and heavy	rubber gloves).		
6.2	Environ	imental	Take steps to avoid r	elease into the environment, if	safe to do so.			
	Precaut	tions:						
6.3	Method	s and Material For	Contain spill and coll	ect, as appropriate.				
	Contain	Containment and Cleaning Transfer to a chemical waste container for disposal in accordance with local regulations.						
	Up:	Up:						
			Section 7.	Handling and Stor	age			
7.1	Precautions To Be Taken Avoid breathing dust/fume/gas/mist/vapours/spray.							
	in Hand		Avoid prolonged or re	• • • •				
		-	Keep away from sour	ces of ignition.				
			Take precautionary m	neasures against static dischar	ge.			
7.2	Precaut	tions To Be Taken	Keep away from heat	, sparks, and flame.				
	in Stori	ng:	Keep container tightly	closed.				
			Store in accordance w	vith information listed on the p	oduct insert.			
	Other P	recautions:	Hygroscopic.					
			ion 9 Even	ra Controla/Dorocon	Drotoction			
3.1	Fxposur	re Parameters:		re Controls/Persona				
CAS		Partial Chemical	Name	Britain EH40	France VL	Europe		
64	-17-5	Ethyl alcohol		TWA: 1920 mg/m3 (1000 ppm)	TWA: 1900 mg/m3 (1000	No data.		
				STEL: ()	ppm)			
					STEL: 9500 mg/m3 (5000			
					ppm)			
	55-25-6	9(S)-HODE-d4		No data.	No data.	No data.		
CAS		Partial Chemical Name		OSHA TWA	ACGIH TWA	Other Limits		
64	-17-5	Ethyl alcohol		PEL: 1000 ppm	TLV: 1000 ppm	No data.		
	55-25-6	9(S)-HODE-d4		No data.	No data.	No data.		
8.2	Exposu	re Controls:						
8.2.1	Enginee	ering Controls	Use process enclosur	es, local exhaust ventilation, o	r other engineering control	s to control airborr		
	(Ventilation etc.): levels below recomm			ended exposure limits.				
3.2.2	Persona	al protection equip	oment:					
	Eye Pro	otection:	Safety glasses					
	Protecti	ive Gloves:	Compatible chemical-	resistant gloves				
	Other Protective Clothing:Lab coat							
	Respiratory Equipment NIOSH approved respirator, as conditions warrant.							
	(Specify Type):							
	Work/Hygienic/Maintenan Do not take internally.							
	ce Prac	tices:	Facilities storing or ut	ilizing this material should be e	equipped with an eyewash	facility and a safet		
	shower.							
			Wash thoroughly afte	r handling.				
			No data available.					
						Multi-region forr		



		Supersedes Revision: 07/21/2010				
	S	Section 9. Physical and Chemical Properties				
9.1	Information on Basic Phy	Information on Basic Physical and Chemical Properties				
	Physical States:	[]Gas [X]Liquid []Solid				
	Appearance and Odor:	A solution in ethanol				
	Melting Point:	No data.				
	Boiling Point:	No data.				
	Flash Pt:	14.00 C Method Used: Closed Cup				
	Evaporation Rate:	No data.				
	Explosive Limits:	LEL: 3.3% at 25.0 C UEL: 19% at 25.0 C				
	Vapor Pressure (vs. Air o	or mm 43 MM_HG at 20.0 C				
	Hg):					
	Vapor Density (vs. Air = ²	1): No data.				
	Specific Gravity (Water =	1): No data.				
	Solubility in Water:	No data.				
	Autoignition Pt:	363.00 C				
9.2	Other Information					
	Percent Volatile:	No data.				
	Molecular Formula & We	ight: C18H28D4O3 300.5				
		Section 10. Stability and Reactivity				
0.1	Reactivity:	No data available.				
0.2	Stability:	Unstable [] Stable [X]				
0.3	Stability Note(s):	Stable if stored in accordance with information listed on the product insert.				
	Polymerization:	Will occur [] Will not occur [X]				
10.4	Conditions To Avoid:	heat, flames and sparks				
10.5	Incompatibility - Material	s alkali metals				
	To Avoid:	ammonia				
		peroxides				
		strong oxidizing agents				
10.6	Hazardous	carbon dioxide				
	Decomposition Or	carbon monoxide				
	Byproducts:					



CHIMICAL				S	upersedes Revis	ion: 07/21/2010
		Section 11. Toxicologic	cal Informa	ation		
Toxicologic	Information on Toxicological Effects:The toxicological effects of this product have not been thoroughly studied Ethanol - Toxicity Data: Oral TDLO (man): 1.14 ml/kg; Oral TDLO (man) (rat): 7,060 mg/kg; Oral LD50 (mouse): 3,450 mg/kg; Oral LD50 (mouse) (rabbit): 6,300 mg/kg; Inhalation LC50 (rat): 20,000 ppm (10h); Inhalation ppm (30m); Inhalation TCLO (human): 2,500 mg/m3 (20m); Inhalation L (6h); Inhalation LCLO (mouse): 29,300 ppm (7h); Ethanol - Irritation Data: Eyes (rabbit): 500 mg (24h) mild; Skin (rabbit): Ethanol - Investigated as a mutagen, reproductive effector, and tumorig			man): 650 mg/ł ouse): 10.5 ml/ lation TCLO (h on LC50 (rat): bit): 20 mg (24 lorigen.	kg; Oral LD50 human): 1,800 5,900 mg/m3 h) moderate;	
CAS # Ha	azardous Com	ponents (Chemical Name)	NTP	IARC	ACGIH	OSHA
64-17-5 Eth	hyl alcohol		n.a.	1	A4	n.a.
890955-25-6 9(\$	S)-HODE-d4		n.a.	n.a.	n.a.	n.a.
ł		Section 12. Ecologica	l Informat	ion	•	•
12.1 Toxicity:		Avoid release into the environment.		-		
		Runoff from fire control or dilution wat	er may cause p	ollution.		
12.2 Persistence Degradabili	Persistence and No data available.					
-	2.3 Bioaccumulative No data available.					
12.4 Mobility in S	Soil:	No data available.				
2.5 Results of PBT and vPvB No data available. assessment:						
12.6 Other adver	se effects:	No data available.				
		Section 13. Disposal C	considerat	ions		
13.1 Waste Disp	osal Method:	Dispose in accordance with local, stat	e, and federal r	egulations.		
		Section 14. Transport	rt Informat	ion		
14.1 LAND TRAI	NSPORT (US I	DOT):				
DOT Proper Sh	nipping Name:	Ethyl alcohol solution				
DOT Hazard Cl	lass:	3 FLAMMABLE LIC	QUID			
UN/NA Numbe	r:	1170	Packing Grou	ıp:	II	
14.1 LAND TRAI ADR/RID Shipp	-	opean ADR/RID): Ethyl alcohol solution				
UN Number:		1170	Packing Grou	ıp:	Ш	
Hazard Class:		3 - FLAMMABLE LIQUID	0	-		
					Ν	Iulti-region for



Revision: 04/07/2015 Supersedes Revision: 07/21/2010

14.3 AIR TRANSPORT (ICAO/IATA): ICAO/IATA Shipping Name: Ethyl alcohol solution **UN Number:** 1170 Packing Group: Ш Hazard Class: 3 - FLAMMABLE LIQUID IATA Classification: 3 Transport in accordance with local, state, and federal regulations. Additional Transport Information: When sold in quantities of less than or equal to 1 mL, or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity. Section 15. Regulatory Information EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists CAS # Hazardous Components (Chemical Name) S. 302 (EHS) S. 304 RQ S. 313 (TRI) 64-17-5 Ethyl alcohol No No No 890955-25-6 9(S)-HODE-d4 No No No CAS # Hazardous Components (Chemical Name) Other US EPA or State Lists CAA HAP.ODC: No: CWA NPDES: No: TSCA: Yes -64-17-5 Ethyl alcohol Inventory; CA PROP.65: No 890955-25-6 9(S)-HODE-d4 CAA HAP, ODC: No; CWA NPDES: No; TSCA: No; CA PROP.65: No This SDS was prepared in accordance with 29 CFR 1910.1200 and Regulation (EC) **Regulatory Information** No.1272/2008. Statement: Section 16. Other Information Revision Date: 04/07/2015 Additional Information About No data available. This Product: Company Policy or Disclaimer: DISCLAIMER: This information is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.

Multi-region format