

Multi-region format

Revision: 04/06/2015 Supersedes Revision: 02/19/2001

	HEMICAL		Supersedes Revision: 02/19/2001					
	acc	ording to Regulation (EC) No. 1907/2006 as amended by ((EC) No. 1272/2008					
	Section 1. Identification of the Substance/Mixture and of the Company/Undertaking							
.1	Product Code:	34001						
	Product Name:	(S)-HETE HPLC Mixture						
.2	Relevant identified uses of	f the substance or mixture and uses advised aga	ainst:					
	Relevant identified uses	: For research use only, not for human or veterir	nary use.					
.3	Details of the Supplier of	the Safety Data Sheet:						
	Company Name:	Cayman Chemical Company 1180 E. Ellsworth Rd. Ann Arbor, MI 48108						
	Web site address:	www.caymanchem.com						
	Information:	Cayman Chemical Company	+1 (734)971-3335					
1.4	Emergency telephone nu	nber:						
	Emergency Contact:	CHEMTREC Within USA and Canada:	+1 (800)424-9300					
		CHEMTREC Outside USA and Canada:	+1 (703)527-3887					
		Section 2. Hazards Identifica	ation					
2.1	Classification of the Subs	tance or Mixture:						
2.1.1	Classification according	to Regulation (EC) No 1272/2008 [CLP]:						
	Flammable Liquids, Cat	egory 2						
.2	Label Elements:							
	GHS Signal Word:	Danger						
	GHS Hazard Phrases:							
	H225: Highly flammable liquid and vapor.							
	GHS Precaution Phrases:							
	P210: Keep away from {heat/sparks/open flames/hot surfaces} No smoking.							
	P280: Wear {protective gloves/protective clothing/eye protection/face protection}.							
	GHS Response Phrases: P303+361+353: IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.							
	GHS Storage and Disposal Phrases:							
	Please refer to Section 7 for Storage and Section 13 for Disposal information.							
2.3	Adverse Human Health	Material may be irritating to the mucous membrane	es and upper respiratory tract.					
	Effects and Symptoms:	May be harmful by inhalation, ingestion, or skin ab	•					
		May cause eye, skin, or respiratory system irritation						
		To the best of our knowledge, the toxicological pro	perties have not been thoroughly investigated					



Revision: 04/06/2015 Supersedes Revision: 02/19/2001

CAS #				1	1	1			
RTECS		Hazardous Comp REACH Registrat	oonents (Chemical Name)/ tion No.	Concentration	EC No./ EC Index No.	GHS Classification			
64-17 KQ6300		Ethyl alcohol		99.99 %	200-578-6 603-002-00-5	Flam. Liq. 2: H225			
70608- JX3873(5(S)-HETE		0.002 %	NA NA	Skin Corr. 2: H315 Eye Damage 2A: H319 STOT (SE) 3: H335 H336			
98462-03-4 8(S)-HETE NA		8(S)-HETE			NA NA	Skin Corr. 2: H315 Eye Damage 2A: H319 STOT (SE) 3: H335 H336			
54886- NA	-50-9	11(S)-HETE		0.002 %	NA NA	No data available.			
54397- NA	-83-0	12(S)-HETE		0.002 %	NA NA	No data available.			
54845- NA	-95-3	15(S)-HETE		0.002 %	NA NA	Flam. Liq. 2: H225 Skin Corr. 2: H315 Eye Damage 2A: H319 STOT (SE) 3: H335 H336			
			Section 4. Fi	rst Ald Meas	ures				
.1	Descri	ption of First Aid	No data available.						
ļ	Measu	res:							
ļ	In Cas	e of Inhalation:			al respiration or gi	ve oxygen by trained personne			
			Get immediate medical atter	ition.					
ļ	In Cas	e of Skin Contact:	-			5 minutes. Remove contaminat			
			clothing. Get medical attention if symptoms occur. Wash clothing before reuse.						
I	In Cas	e of Eye Contact:	Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Have eyes examine and tested by medical personnel.						
I	uncoi		Nash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so b medical personnel.						
			medical personnel.		NOT induce vomiti	ng unless directed to do so by			
l.2	Import	ant Symptoms and	-						
I	-	s, Both Acute and	medical personnel.	CNS depression, dro	owsiness, headach	e, heart damage, lassitude			
I	Effects	s, Both Acute and	medical personnel. I May cause anemia, cough, C	CNS depression, dro r damage, narcosis,	owsiness, headach reproductive effec	e, heart damage, lassitude			
	Effects Delaye	s, Both Acute and	medical personnel. I May cause anemia, cough, ((weakness, exhaustion), live	CNS depression, dro r damage, narcosis, e Fighting Me	owsiness, headach reproductive effect asures	e, heart damage, lassitude cts, teratogenic effects.			
i.1	Effects Delaye	s, Both Acute and ed: le Extinguishing	medical personnel. I May cause anemia, cough, C (weakness, exhaustion), live Section 5. Fire	CNS depression, dro r damage, narcosis, e Fighting Me carbon dioxide, wate	wsiness, headach reproductive effec asures er, or dry chemical	e, heart damage, lassitude cts, teratogenic effects.			
.1 :	Effects Delaye Suitab Media: Unsuit	s, Both Acute and ed: le Extinguishing able Extinguishing	medical personnel. I May cause anemia, cough, ((weakness, exhaustion), live Section 5. Fire Use alcohol-resistant foam,	CNS depression, dro r damage, narcosis, e Fighting Me carbon dioxide, wate exposed containers	wsiness, headach reproductive effec asures er, or dry chemical	e, heart damage, lassitude cts, teratogenic effects.			
.1 :	Effects Delaye Suitab Media: Unsuit Media:	s, Both Acute and ed: le Extinguishing able Extinguishing	medical personnel. May cause anemia, cough, C (weakness, exhaustion), live Section 5. Fire Use alcohol-resistant foam, Use water spray to cool fire- A solid water stream may be	CNS depression, dro r damage, narcosis, e Fighting Me carbon dioxide, wate exposed containers e inefficient.	owsiness, headach reproductive effect asures er, or dry chemical	e, heart damage, lassitude ets, teratogenic effects.			
.1 :	Effects Delaye Suitab Media: Unsuit Media: Flamm	s, Both Acute and ed: le Extinguishing able Extinguishing able Properties an	medical personnel. I May cause anemia, cough, C (weakness, exhaustion), live Section 5. Fire Use alcohol-resistant foam, Use water spray to cool fire- A solid water stream may be	CNS depression, dro r damage, narcosis, e Fighting Me carbon dioxide, wate exposed containers e inefficient. n explosive mixtures	owsiness, headach reproductive effect ASUIES er, or dry chemical	e, heart damage, lassitude ets, teratogenic effects.			
5.1 5 5.2	Effects Delaye Suitab Media: Unsuit Media:	s, Both Acute and ed: le Extinguishing able Extinguishing able Properties an	medical personnel. May cause anemia, cough, C (weakness, exhaustion), live Section 5. Fire Use alcohol-resistant foam, Use water spray to cool fire- A solid water stream may be dCan release vapors that form Container explosion may oc	CNS depression, dro r damage, narcosis, e Fighting Me carbon dioxide, wate exposed containers e inefficient. n explosive mixtures cur under fire condit	owsiness, headach reproductive effect ASUIES er, or dry chemical	e, heart damage, lassitude ets, teratogenic effects.			
5.1 5 1 1 5.2 1	Effects Delaye Suitab Media: Unsuit Media: Flamm	s, Both Acute and ed: le Extinguishing able Extinguishing able Properties an	medical personnel. May cause anemia, cough, C (weakness, exhaustion), live Section 5. Fire Use alcohol-resistant foam, Use water spray to cool fire- A solid water stream may be dCan release vapors that form Container explosion may oc Emits toxic fumes under fire	CNS depression, dro r damage, narcosis, e Fighting Me carbon dioxide, wate exposed containers e inefficient. n explosive mixtures cur under fire condit conditions.	owsiness, headach reproductive effect ASUIES er, or dry chemical	e, heart damage, lassitude ets, teratogenic effects.			
5.1	Effects Delaye Suitab Media: Unsuit Media: Flamm	s, Both Acute and ed: le Extinguishing able Extinguishing able Properties an	medical personnel. May cause anemia, cough, C (weakness, exhaustion), live Section 5. Fire Use alcohol-resistant foam, Use water spray to cool fire- A solid water stream may be dCan release vapors that form Container explosion may oc Emits toxic fumes under fire Sensitive to static discharge	CNS depression, dro r damage, narcosis, e Fighting Me carbon dioxide, wate exposed containers e inefficient. n explosive mixtures cur under fire condit conditions.	evesiness, headach reproductive effect asures er, or dry chemical s at temperatures a ions.	e, heart damage, lassitude ets, teratogenic effects.			
5.1	Effects Delaye Suitab Media: Unsuit Media: Flamm Hazarc	s, Both Acute and ed: le Extinguishing able Extinguishing able Properties an Is:	medical personnel. May cause anemia, cough, C (weakness, exhaustion), live Section 5. Fire Use alcohol-resistant foam, Use water spray to cool fire- A solid water stream may be dCan release vapors that forr Container explosion may oc Emits toxic fumes under fire Sensitive to static discharge Vapors can travel to a source	CNS depression, dro r damage, narcosis, e Fighting Me carbon dioxide, wate exposed containers e inefficient. n explosive mixtures cur under fire condit conditions. e of ignition and flas	evesiness, headach reproductive effect asures er, or dry chemical s at temperatures a ions.	e, heart damage, lassitude ets, teratogenic effects.			
5.1	Effects Delaye Suitab Media: Unsuit Media: Flamm	s, Both Acute and ed: le Extinguishing able Extinguishing able Properties an Is:	medical personnel. May cause anemia, cough, C (weakness, exhaustion), live Section 5. Fire Use alcohol-resistant foam, Use water spray to cool fire- A solid water stream may be dCan release vapors that form Container explosion may oc Emits toxic fumes under fire Sensitive to static discharge	CNS depression, dro r damage, narcosis, e Fighting Me carbon dioxide, wate exposed containers e inefficient. n explosive mixtures cur under fire condit conditions. e of ignition and flas	evesiness, headach reproductive effect asures er, or dry chemical s at temperatures a ions.	e, heart damage, lassitude ets, teratogenic effects.			



Revision: 04/06/2015

		Supersedes Revision: 02/19/2001
	Explosive Limits:	LEL: 3.3% at 25.0 C UEL: 19.0% at 25.0 C
	Autoignition Pt:	363.00 C
5.3	Fire Fighting Instructions	As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or
		equivalent), and full protective gear to prevent contact with skin and eyes.
		Note: Flammable as diluted in ethanol.
		Section 6. Accidental Release Measures
6.1	Protective Precautions,	Avoid breathing vapors and provide adequate ventilation.
	Protective Equipment and	As conditions warrant, wear a NIOSH approved self-contained breathing apparatus, or respirator,
	Emergency Procedures:	and appropriate personal protection (rubber boots, safety goggles, and heavy rubber gloves).
6.2	Environmental	Take steps to avoid release into the environment, if safe to do so.
	Precautions:	
6.3	Methods and Material For	Contain spill and collect, as appropriate.
	Containment and Cleanin	gTransfer to a chemical waste container for disposal in accordance with local regulations.
	Up:	
		Section 7. Handling and Storage
7.1	Precautions To Be Taken	Avoid breathing dust/fume/gas/mist/vapours/spray.
	in Handling:	Avoid prolonged or repeated exposure.
		Keep away from sources of ignition.
		Take precautionary measures against static discharge.
7.2	Precautions To Be Taken	Keep away from heat, sparks, and flame.
	in Storing:	Keep container tightly closed.
		Store in accordance with information listed on the product insert.
	Other Precautions:	Hygroscopic.
	Sect	ion 8. Exposure Controls/Personal Protection
8.1	Exposure Parameters:	·

CAS #	Partial Chemical Name	Britain EH40	France VL	Europe
64-17-5	Ethyl alcohol	TWA: 1920 mg/m3 (1000 ppm) STEL: ()	TWA: 1900 mg/m3 (1000 ppm) STEL: 9500 mg/m3 (5000 ppm)	No data.
70608-72-9	5(S)-HETE	No data.	No data.	No data.
98462-03-4	8(S)-HETE	No data.	No data.	No data.
54886-50-9	11(S)-HETE	No data.	No data.	No data.
54397-83-0	12(S)-HETE	No data.	No data.	No data.
54845-95-3	15(S)-HETE	No data.	No data.	No data.
CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
64-17-5	Ethyl alcohol	PEL: 1000 ppm	TLV: 1000 ppm	No data.
70608-72-9	5(S)-HETE	No data.	No data.	No data.
98462-03-4	8(S)-HETE	No data.	No data.	No data.
54886-50-9	11(S)-HETE	No data.	No data.	No data.
54397-83-0	12(S)-HETE	No data.	No data.	No data.
54845-95-3	15(S)-HETE	No data.	No data.	No data.



Revision: 04/06/2015

Cay	man	Revision: 04/06/2015 Supersedes Revision: 02/19/2001
8.2	Exposure Controls:	· · · · · · · · · · · · · · · · · · ·
8.2.1	Engineering Controls	Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne
	(Ventilation etc.):	levels below recommended exposure limits.
8.2.2	Personal protection equ	lipment:
	Eye Protection:	Safety glasses
	Protective Gloves:	Compatible chemical-resistant gloves
	Other Protective Clothin	ıg:Lab coat
	Respiratory Equipment	NIOSH approved respirator, as conditions warrant.
	(Specify Type):	
	Work/Hygienic/Maintena	an Do not take internally.
	ce Practices:	Facilities storing or utilizing this material should be equipped with an eyewash and a safety shower
		Wash thoroughly after handling.
		No data available.
	ç	Section 9. Physical and Chemical Properties
9.1	Information on Basic Phy	ysical and Chemical Properties
	Physical States:	[]Gas [X]Liquid []Solid
	Appearance and Odor:	A solution in ethanol
	Melting Point:	No data.
	Boiling Point:	No data.
	Flash Pt:	14.00 C Method Used: Closed Cup
	Evaporation Rate:	No data.
	Explosive Limits:	LEL: 3.3% at 25.0 C UEL: 19.0% at 25.0 C
	Vapor Pressure (vs. Air	or mm 43 MM_HG at 20.0 C
	Hg):	
	Vapor Density (vs. Air =	1): No data.
	Specific Gravity (Water :	= 1): No data.
	Solubility in Water:	No data.
	Autoignition Pt:	363.00 C
9.2	Other Information	
	Percent Volatile:	No data.
		Section 10. Stability and Reactivity
10.1	Reactivity:	No data available.
10.2	Stability:	Unstable [] Stable [X]
10.3	Stability Note(s):	Stable if stored in accordance with information listed on the product insert.
	Polymerization:	Will occur [] Will not occur [X]
10.4	Conditions To Avoid:	heat, flames and sparks
10.5	Incompatibility - Materia	Is alkali metals
	To Avoid:	ammonia
		peroxides
		strong oxidizing agents
10.6	Hazardous	carbon dioxide
	Decomposition Or	carbon monoxide
	Byproducts:	



Revision:	04/06/2015
Supersedes Revision:	02/19/2001

CHIMICK!		Continue		l l.afa		ipersedes Revis	ion: 02/19/200
			11. Toxicologica				
Toxico Chroni Effects		Ethanol - Toxicit (rat): 7,060 mg/k (rabbit): 6,300 m ppm (30m); Inha (6h); Inhalation I Ethanol - Irritatio Ethanol - Investi Only select Regi See actual entry Ethanol RTECS	I effects of this product I y Data: Oral TDLO (mai g; Oral LD50 (mouse): : g/kg; Inhalation LC50 (r ilation TCLO (human): 2 LCLO (mouse): 29,300 p on Data: Eyes (rabbit): 5 gated as a mutagen, rep stry of Toxic Effects of C in RTECS for complete Number: KQ6300000	n): 1.14 ml/kg; 3,450 mg/kg; rat): 20,000 pp 2,500 mg/m3 (opm (7h); 00 mg (24h) r oroductive effe Chemical Sub e information.	; Oral TDLO (n Oral LD50 (mc om (10h); Inha 20m); Inhalatio nild; Skin (rabb ector, and tum stances (RTEC	nan): 650 mg/ł puse): 10.5 ml/ lation TCLO (h on LC50 (rat): pit): 20 mg (24 origen.	kg; Oral LD50 human): 1,800 5,900 mg/m3 h) moderate;
Carcinogenic	-		ARC Monographs? No		egulated? No		
CAS #	Hazardous Com	ponents (Chemi	cal Name)	NTP	IARC	ACGIH	OSHA
64-17-5	Ethyl alcohol			n.a.	1	A4	n.a.
70608-72-9	5(S)-HETE			n.a.	n.a.	n.a.	n.a.
98462-03-4	8(S)-HETE			n.a.	n.a.	n.a.	n.a.
54886-50-9	11(S)-HETE			n.a.	n.a.	n.a.	n.a.
54397-83-0	12(S)-HETE			n.a.	n.a.	n.a.	n.a.
54845-95-3	15(S)-HETE		n.a.	n.a. n.a.	n.a.		
Degrad Potent 2.4 Mobilit 2.5 Result assess	Degradability: 2.3 Bioaccumulative No data available. Potential: Potential: 2.4 Mobility in Soil: No data available. 2.5 Results of PBT and vPvB No data available. assessment: Volta available.						
13.1 Waste	Disposal Method:	Dispose in accor	rdance with local, state,	and federal re	egulations.		
		Section	n 14. Transport	Informat	ion		
14.1 LAND	TRANSPORT (US I	DOT):					
-	er Shipping Name:	-					
DOT Haza UN/NA Nu		3 1170	FLAMMABLE LIQU			Ш	
		FL96MM9BEE LIOUD	•	'acking Grou	ь .		



Page: 6 of 7

14.1 LAND	FRANSPORT (Euro	opean ADR/RID):			
ADR/RID S	Shipping Name:	Ethyl Alcohol Solution			
UN Numbe	er:	1170	Packing Grou	Packing Group:	
Hazard Cla	iss:	3 - FLAMMABLE LIQUID			
14.3 AIR TR	ANSPORT (ICAO/I	ATA):			
ΙCAΟ/ΙΑΤΑ	Shipping Name:	Ethyl Alcohol Solution			
UN Numbe	er:	1170	Packing Grou	ıp:	II
Hazard Cla	iss:	3 - FLAMMABLE LIQUID	IATA Classifi	cation:	3
Additional Tra	nsport	Transport in accordance with lo		-	
Information:		When sold in quantities of less	•		
		E1, E2, E4, or E5, this item mee			
		Therefore packaging does not h	have to be labeled as	Dangerous Goods/E:	xcepted Quantity.
		Section 15. Regul	atory Information	tion	
EPA SARA (Si	uperfund Amendm	ents and Reauthorization Act	of 1986) Lists		
CAS #	Hazardous Com	ponents (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
64-17-5	Ethyl alcohol		No	No	No
70608-72-9	5(S)-HETE		No	No	No
98462-03-4	8(S)-HETE		No	No	No
54886-50-9	11(S)-HETE		No	No	No
54397-83-0	12(S)-HETE		No	No	No
54845-95-3	15(S)-HETE		No	No	No
CAS #	Hazardous Com	ponents (Chemical Name)	Other US EPA or S	State Lists	
64-17-5	Ethyl alcohol		CAA HAP,ODC: No Inventory; CA PRO	o; CWA NPDES: No DP.65: No	; TSCA: Yes -
70608-72-9	5(S)-HETE		CAA HAP,ODC: No PROP.65: No	p; CWA NPDES: No	; TSCA: No; CA
98462-03-4	8(S)-HETE		CAA HAP,ODC: N PROP.65: No	o; CWA NPDES: No	; TSCA: No; CA
54886-50-9	11(S)-HETE		CAA HAP,ODC: N PROP.65: No	o; CWA NPDES: No	; TSCA: No; CA
54397-83-0	12(S)-HETE		CAA HAP,ODC: N PROP.65: No	o; CWA NPDES: No	; TSCA: No; CA
54845-95-3	15(S)-HETE		CAA HAP,ODC: N PROP.65: No	o; CWA NPDES: No	; TSCA: No; CA
Pogulatory Inf		This CDC was propored in case		010 1000 and Degui	lation (EC)

Regulatory Information Statement: This SDS was prepared in accordance with 29 CFR 1910.1200 and Regulation (EC) No.1272/2008.



Revision: 04/06/2015 Supersedes Revision: 02/19/2001

Section 16. Other Information			
Revision Date:	04/06/2015		
Additional Information About This Product:	No data available.		
Company Policy or Disclaimer:	DISCLAIMER: This information is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.		