

Revision: 04/09/2015 Supersedes Revision: 01/11/2007

	200	cording to Regulation (EC) No. 1907/2006 as amended by (	Supersedes Revision: 01/11/2007			
		Identification of the Substance/Mixture and of th				
			le company/ondertaking			
.1	Product Code: Product Name:	34002 (±)-HETE HPLC Mixture				
2						
.2	Relevant identified uses	<ul><li>bf the substance or mixture and uses advised aga</li><li>For research use only, not for human or veterir</li></ul>				
		-	lary use.			
.3	Details of the Supplier of	the Safety Data Sneet:				
	Company Name:	Cayman Chemical Company 1180 E. Ellsworth Rd. Ann Arbor, MI 48108				
	Web site address:	www.caymanchem.com				
	Information:	Cayman Chemical Company	+1 (734)971-3335			
1.4	Emergency telephone nu	mber:				
	Emergency Contact:	CHEMTREC Within USA and Canada:	+1 (800)424-9300			
		CHEMTREC Outside USA and Canada:	+1 (703)527-3887			
		Section 2. Hazards Identification	ation			
2.1	Classification of the Subs	stance or Mixture:				
2.1.1	Classification according	to Regulation (EC) No 1272/2008 [CLP]:				
	Flammable Liquids, Ca	egory 2				
.2	Label Elements:					
	GHS Signal Word:	Danger				
	GHS Hazard Phrases:					
	H225: Highly flammable liquid and vapor.					
	GHS Precaution Phrases:					
	P210: Keep away from {heat/sparks/open flames/hot surfaces} No smoking. P280: Wear {protective gloves/protective clothing/eye protection/face protection}.					
	GHS Response Phrases:					
	-	KIN (or hair): Remove/take off immediately all contar	minated clothing. Rinse skin with			
	GHS Storage and Disposal Phrases:					
	Please refer to Section 7	for Storage and Section 13 for Disposal information.				
2.3	Adverse Human Health	Material may be irritating to the mucous membrane	es and upper respiratory tract.			
	Effects and Symptoms:	May be harmful by inhalation, ingestion, or skin ab	•			
		May cause eye, skin, or respiratory system irritation				
		To the best of our knowledge, the toxicological pro	perties have not been thoroughly investigated			



Revision: 04/09/2015 Supersedes Revision: 01/11/2007

		Sect	ion 3. Composition	n/information	on ingredie	ents		
CAS # / Hazardous Comp RTECS # REACH Registrat		-	oonents (Chemical Name)/ tion No.	Concentration	EC No./ EC Index No.	GHS Classification		
64-17-5 Ethyl alcohol KQ6300000		Ethyl alcohol		99.99 %	200-578-6 603-002-00-5	Flam. Liq. 2: H225		
7330 <sup>-</sup> NA	7-52-5	(+/-)5-HETE		0.002 %	NA NA	No data available.		
7949 NA	5-84-4	(+/-)8-HETE		0.002 %	NA NA	No data available.		
73804-65-6 NA		(±)11-HETE		0.002 %	NA NA	No data available.		
7103 JX387	0-37-0 1000	(+/-)12-HETE		0.002 %	NA NA	No data available.		
7383 NA	6-87-0	(+/-)15-HETE		0.002 %	NA NA	No data available.		
			Section 4. Fi	rst Aid Meas				
l.1	Deceri	ntion of First Aid	No data available.		Sules			
<i>.</i>	Measu	ption of First Aid	no uala avaliable.					
		e of Inhalation:	Remove to fresh air. If not br	eathing give artifici	al respiration or di	ve oxvaen by trained personne		
	in cas	e or minalation.	Get immediate medical atten	emove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel.				
	In Case of Skin Contact: Immediately wash skin wit				vater for at least 1	5 minutes. Remove contaminat		
			clothing. Get medical attention if symptoms occur. Wash clothing before reuse.					
	In Cas	e of Eye Contact:	Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Have eyes examined and tested by medical personnel.					
	In Cas	e of Ingestion:	Wash out mouth with water p unconscious person. Get me medical personnel.	-	-	ive anything by mouth to an ng unless directed to do so by		
4.2	Important Symptoms and May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude							
	-	s, Both Acute and	(weakness, exhaustion), live	-		-		
	Delaye							
			Section 5. Fire	Fighting Me	asures			
5.1	Suitab	le Extinguishing	Use alcohol-resistant foam,	carbon dioxide, wat	er, or dry chemical	l spray.		
	Media:		Use water spray to cool fire-	exposed containers	S.			
	Unsuit	able Extinguishing	A solid water stream may be	e inefficient.				
	Media:							
5.2	Flamm	able Properties an	dCan release vapors that form	n explosive mixture	s at temperatures a	at or above the flashpoint.		
	Hazaro	ls:	Container explosion may oc	cur under fire condi	tions.			
			Emits toxic fumes under fire					
			Sensitive to static discharge					
	<b>-</b> 1		Vapors can travel to a sourc	-	SN DACK.			
	Flash I		14.00 C Method Used: C	·				
	-	sive Limits:	LEL: 3.3% at 25.0 C	UEL: 19.0%	% at 25.0 C			
- 2	-	nition Pt:	363.00 C	in a brack in the		lemend (NICCL) and and the		
5.3	Fire Fighting Instructions: As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes.							
			equivalent), and full protectiv	ve gear to prevent c	Contact with skin ar	-		
						Multi-region form		



Revision: 04/09/2015 Supersedes Revision: 01/11/2007

		Note: Flammable as diluted in ethanol.		
		Section 6. Accidental Release Measures		
6.1	Protective Precautions,	Avoid breathing vapors and provide adequate ventilation.		
	Protective Equipment and	As conditions warrant, wear a NIOSH approved self-contained breathing apparatus, or respirator,		
	Emergency Procedures:	and appropriate personal protection (rubber boots, safety goggles, and heavy rubber gloves).		
6.2	Environmental	Take steps to avoid release into the environment, if safe to do so.		
	Precautions:			
6.3	Methods and Material For	Contain spill and collect, as appropriate.		
	Containment and Cleanin	${f g}$ Transfer to a chemical waste container for disposal in accordance with local regulations.		
	Up:			
		Section 7. Handling and Storage		
7.1	Precautions To Be Taken	Avoid breathing dust/fume/gas/mist/vapours/spray.		
	in Handling:	Avoid prolonged or repeated exposure.		
		Keep away from sources of ignition.		
		Take precautionary measures against static discharge.		
7.2	Precautions To Be Taken	Keep away from heat, sparks, and flame.		
	in Storing:	Keep container tightly closed.		
		Store in accordance with information listed on the product insert.		
	Other Precautions:	Hygroscopic.		
	Sect	ion 8. Exposure Controls/Personal Protection		
P				

#### 8.1 Exposure Parameters:

•				
CAS #	Partial Chemical Name	Britain EH40	France VL	Europe
64-17-5	Ethyl alcohol	TWA: 1920 mg/m3 (1000 ppm) STEL: ()	TWA: 1900 mg/m3 (1000 ppm) STEL: 9500 mg/m3 (5000 ppm)	No data.
73307-52-5	(+/-)5-HETE	No data.	No data.	No data.
79495-84-4	(+/-)8-HETE	No data.	No data.	No data.
73804-65-6	(±)11-HETE	No data.	No data.	No data.
71030-37-0	(+/-)12-HETE	No data.	No data.	No data.
73836-87-0	(+/-)15-HETE	No data.	No data.	No data.
CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
64-17-5	Ethyl alcohol	PEL: 1000 ppm	TLV: 1000 ppm	No data.
73307-52-5	(+/-)5-HETE	No data.	No data.	No data.
79495-84-4	(+/-)8-HETE	No data.	No data.	No data.
73804-65-6	(±)11-HETE	No data.	No data.	No data.
71030-37-0	(+/-)12-HETE	No data.	No data.	No data.
73836-87-0	(+/-)15-HETE	No data.	No data.	No data.



	THEMICAL	Supersedes Revision: 01/11/2007
8.2	Exposure Controls:	
8.2.1	Engineering Controls	Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne
	(Ventilation etc.):	levels below recommended exposure limits.
8.2.2	Personal protection equi	ipment:
	Eye Protection:	Safety glasses
	Protective Gloves:	Compatible chemical-resistant gloves
	Other Protective Clothing	g:Lab coat
	Respiratory Equipment	NIOSH approved respirator, as conditions warrant.
	(Specify Type):	
	Work/Hygienic/Maintena	<b>n</b> Do not take internally.
	ce Practices:	Facilities storing or utilizing this material should be equipped with an eyewash and a safety shower
		Wash thoroughly after handling.
		No data available.
		Section 9. Physical and Chemical Properties
9.1	-	vsical and Chemical Properties
	Physical States:	[]Gas [X]Liquid []Solid
	Appearance and Odor:	A solution in ethanol
	Melting Point:	No data.
	Boiling Point:	No data.
	Flash Pt:	14.00 C Method Used: Closed Cup
	Evaporation Rate:	No data.
	Explosive Limits:	LEL: 3.3% at 25.0 C UEL: 19.0% at 25.0 C
	Vapor Pressure (vs. Air o	ormm 43 MM_HG at 20.0 C
	Hg):	
	Vapor Density (vs. Air =	1): No data.
	Specific Gravity (Water =	= 1): No data.
	Solubility in Water:	No data.
	Autoignition Pt:	363.00 C
9.2	Other Information	
	Percent Volatile:	No data.
		Section 10. Stability and Reactivity
10.1	Reactivity:	No data available.
10.2	Stability:	Unstable [ ] Stable [ X ]
10.3	Stability Note(s):	Stable if stored in accordance with information listed on the product insert.
	Polymerization:	Will occur [ ] Will not occur [ X ]
10.4	Conditions To Avoid:	heat, flames and sparks
10.5	Incompatibility - Material	Is alkali metals
	To Avoid:	ammonia
		peroxides
		strong oxidizing agents
10.6	Hazardous	carbon dioxide
	Decomposition Or	carbon monoxide
	Byproducts:	
1		



Revision:	04/09/2015
Supersedes Revision:	01/11/2007

		Section 1	11. Toxicological	Informa	ation			
	ation on	The toxicological effects of this product have not been thoroughly studied.						
Toxico	logical Effects:		y Data: Oral TDLO (man)	0.	· ·	, 0	0,	
		. ,	kg; Oral LD50 (mouse): 3,	0 0,	· ·	,	0,	
			ng/kg; Inhalation LC50 (ra			-	-	
			alation TCLO (human): 2,5		20m); Innalati	on LC50 (rat):	5,900 mg/m3	
		(6h); Inhalation LCLO (mouse): 29,300 ppm (7h);						
01	Tania da sia d	Ethanol - Irritation Data: Eyes (rabbit): 500 mg (24h) mild; Skin (rabbit): 20 mg (24h) moderate; Ethanol - Investigated as a mutagen, reproductive effector, and tumorigen. Only select Registry of Toxic Effects of Chemical Substances (RTECS) data is presented here.						
Effects	c Toxicological							
Ellects	).		-				Sented here.	
		See actual entry in RTECS for complete information. Ethanol RTECS Number: KQ6300000 NTP? No IARC Monographs? No OSHA Regulated? No						
Carcinogenici	itv:							
CAS #	-	nponents (Chemical Name)		NTP	IARC	ACGIH	OSHA	
64-17-5	Ethyl alcohol		,	n.a.	1	A4	n.a.	
73307-52-5	(+/-)5-HETE			n.a.	n.a.	n.a.	n.a.	
79495-84-4	(+/-)8-HETE			n.a.	n.a.	n.a.	n.a.	
73804-65-6	(±)11-HETE			n.a.	n.a.	n.a.	n.a.	
71030-37-0	(+/-)12-HETE			n.a.	n.a.	n.a.	n.a.	
73836-87-0	(+/-)12-HETE			n.a.	n.a.	n.a.	n.a.	
		Section	12. Ecological I	nformat	Ion			
12.1 Toxicit	y:		Avoid release into the environment.					
		Runoff from fire control or dilution water may cause pollution. No data available.						
	tence and							
Degradability:								
-	12.3 Bioaccumulative		No data available.					
12.3 Bioacc		No data availabl	е.					
12.3 Bioacc Potent	ial:							
12.3 Bioacc Potent 12.4 Mobilit	ial: y in Soil:	No data available	e.					
12.3 Bioacc Potent 12.4 Mobilit 12.5 Result	ial: y in Soil: s of PBT and vPvB	No data available	e.					
12.3 Bioacc Potent 12.4 Mobilit 12.5 Result assess	ial: y in Soil: s of PBT and vPvB sment:	No data availabl No data availabl	e. e.					
12.3 Bioacc Potent 12.4 Mobilit 12.5 Result assess	ial: y in Soil: s of PBT and vPvB	No data availabl No data availabl No data availabl	e. le. le.					
12.3 Bioaco Potent 12.4 Mobilit 12.5 Result assess 12.6 Other a	ial: y in Soil: s of PBT and vPvB sment: adverse effects:	No data available No data availabl No data availabl Section	<sup>e.</sup> le. le. 13. Disposal Cor					
12.3 Bioaco Potent 12.4 Mobilit 12.5 Result assess 12.6 Other a	ial: y in Soil: s of PBT and vPvB sment:	No data available No data available No data available Section 7 Dispose in accord	e. le. le. <b>13. Disposal Cor</b> rdance with local, state, a	nd federal re	egulations.			
12.3 Bioaco Potent 12.4 Mobilit 12.5 Result assess 12.6 Other a	ial: y in Soil: s of PBT and vPvB sment: adverse effects: Disposal Method:	No data available No data available No data available Section 7 Dispose in accor Section	<sup>e.</sup> le. le. 13. Disposal Cor	nd federal re	egulations.			
12.3 Bioaco Potent 12.4 Mobilit 12.5 Result assess 12.6 Other a 13.1 Waste	ial: y in Soil: s of PBT and vPvB sment: adverse effects: Disposal Method: TRANSPORT (US I	No data available No data available No data available Section 7 Dispose in accor Section Dot):	e. le. 13. Disposal Cor rdance with local, state, a n 14. Transport I	nd federal re	egulations.			
12.3 Bioaco Potent 12.4 Mobilit 12.5 Result assess 12.6 Other a 13.1 Waste 14.1 LAND DOT Prop	ial: y in Soil: s of PBT and vPvB ment: adverse effects: Disposal Method: TRANSPORT (US I	No data available No data available No data available Section 7 Dispose in accor Section DOT): Ethyl Alcoho	e. le. 13. Disposal Cor rdance with local, state, a n 14. Transport I	nd federal re nformati	egulations.			
12.3 Bioaco Potent 12.4 Mobilit 12.5 Result assess 12.6 Other a 13.1 Waste 14.1 LAND DOT Prop	ial: y in Soil: s of PBT and vPvB sment: adverse effects: Disposal Method: TRANSPORT (US I per Shipping Name: ard Class:	No data available No data available No data available Section 7 Dispose in accor Section Dot):	e. le. <b>13. Disposal Cor</b> rdance with local, state, a n 14. Transport I ol Solution FLAMMABLE LIQUI	nd federal re nformati	egulations.			

Cayman				Superse	edes Revision: 01/11/2007
14.1 LAND	TRANSPORT (Eur	opean ADR/RID):			
ADR/RID S	Shipping Name:	Ethyl Alcohol Solution			
UN Numbe	er:	1170	Packing Grou	ıp:	II
Hazard Class:		3 - FLAMMABLE LIQUID			
14.3 AIR TR	ANSPORT (ICAO	IATA):			
ICAO/IATA	A Shipping Name:	Ethyl Alcohol Solution			
UN Numbe	er:	1170	Packing Group:		II
Hazard Cla	ass:	3 - FLAMMABLE LIQUID	IATA Classifi	cation:	3
Additional Tra	ansport	Transport in accordance with lo	ocal, state, and federa	l regulations.	
Information:		When sold in quantities of less	than or equal to 1 mL	, or 1 g, with an Exc	epted Quantity Code of
		E1, E2, E4, or E5, this item me		-	-
		Therefore packaging does not	have to be labeled as	Dangerous Goods/I	Excepted Quantity.
		Section 15. Regu	latory Informa	tion	
EPA SARA (S	uperfund Amendr	nents and Reauthorization Act	of 1986) Lists		
CAS #	Hazardous Com	ponents (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
64-17-5	Ethyl alcohol		No	No	No
73307-52-5	(+/-)5-HETE		No	No	No
79495-84-4	(+/-)8-HETE		No	No	No
73804-65-6	(±)11-HETE		No	No	No
71030-37-0	(+/-)12-HETE		No	No	No
73836-87-0	(+/-)15-HETE		No	No	No
CAS #	Hazardous Com	ponents (Chemical Name)	Other US EPA or \$	State Lists	•
64-17-5	Ethyl alcohol		CAA HAP,ODC: N Inventory; CA PR	o; CWA NPDES: N OP.65: No	o; TSCA: Yes -
73307-52-5	(+/-)5-HETE		CAA HAP,ODC: N PROP.65: No	o; CWA NPDES: N	o; TSCA: No; CA
79495-84-4	(+/-)8-HETE		CAA HAP,ODC: N PROP.65: No	o; CWA NPDES: N	o; TSCA: No; CA
73804-65-6	(±)11-HETE		CAA HAP,ODC: N PROP.65: No	o; CWA NPDES: N	o; TSCA: No; CA
	(+/-)12-HETE		CAA HAP,ODC: N	o; CWA NPDES: N	o; TSCA: No; CA
71030-37-0			PROP.65: No		

No.1272/2008.

Page: 6 of 7



#### SVEELA DVLV SHEEL (±)-HETE HPLC Mixture

Revision: 04/09/2015 Supersedes Revision: 01/11/2007

SAFELY DATA SHEET	
(+)_HFTF HPL C Mixture	

Section 16. Other Information				
Revision Date:	04/09/2015			
Additional Information About	No data available.			
This Product:				
Company Policy or Disclaimer:	DISCLAIMER: This information is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.			