

Printing date 01/19/2022

Revision date 01/19/2022

Page 1/11

## **1** Identification

- · Product identifier
- · Trade name: ALC-0315
- · Article number: 34337
- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- · Details of the supplier of the safety data sheet
- **Manufacturer/Supplier:** Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA
- Information department: Product safety department
   Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

# 2 Hazard(s) identification

Classification of the substance or mixture
GHS02 Flame
Flam. Liq. 2 H225 Highly flammable liquid and vapor.
GHS08 Health hazard
Carc. 1A H350 May cause cancer.
GHS07
Skin Irrit. 2 H315 Causes skin irritation.
Eye Irrit. 2A H319 Causes serious eye irritation.
STOT SE 3 H335 May cause respiratory irritation.
<ul> <li>Label elements</li> <li>GHS label elements</li> <li>The product is classified and labeled according to the Globally Harmonized System (GHS).</li> <li>(Contd. on page 2)</li> </ul>

Printing date 01/19/2022

Revision date 01/19/2022

Trade name: ALC-0315

	(Contd. from page 1)
<ul> <li>Hazard pictogra</li> </ul>	ims
GHS02 GHS07	7 GHS08
· Signal word Dar	nger
<ul> <li>Hazard-determin</li> </ul>	ning components of labeling:
ethanol	
ALC-0315	
• Hazard stateme	
	mable liquid and vapor.
H315 Causes ski	
	rious eye irritation.
H350 May cause	respiratory irritation.
· Precautionary s	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing dust/fume/gas/mist/vapors/spray
P264	Wash thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P35	i3 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with
	water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P33	8 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if
D000 ( D040	present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P312 P321	Call a poison center/doctor if you feel unwell. Specific treatment (see on this label).
P362+P364	Take off contaminated clothing and wash it before reuse.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use CO2, powder or water spray to extinguish.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
<ul> <li>Classification system</li> </ul>	
<ul> <li>NFPA ratings (s</li> </ul>	cale 0 - 4)



(Contd. on page 3)

US

Printing date 01/19/2022

Revision date 01/19/2022

### Trade name: ALC-0315

(Contd. from page 2)

95.0%

5.0%

#### · HMIS-ratings (scale 0 - 4)



#### · Other hazards

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.

### **3 Composition/information on ingredients**

- · Chemical characterization: Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

#### · Dangerous components:

CAS: 64-17-5 ethanol RTECS: KQ6300000 CAS: 2036272-55-4 ALC-0315

### 4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- <sup>.</sup> Most important symptoms and effects, both acute and delayed
- May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

# 5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

## 6 Accidental release measures

• **Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away.

(Contd. on page 4)

US

Printing date 01/19/2022

Revision date 01/19/2022

#### Trade name: ALC-0315

<ul> <li>Environmental precautions:</li> <li>Dilute with plenty of water.</li> <li>Do not allow to enter sewers/ surface or ground water.</li> <li>Methods and material for containment and cleaning up:</li> <li>Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).</li> <li>Dispose contaminated material as waste according to item 13.</li> <li>Ensure adequate ventilation.</li> <li>Reference to other sections</li> <li>See Section 7 for information on safe handling.</li> <li>See Section 8 for information on personal protection equipment.</li> <li>See Section 13 for disposal information.</li> </ul>	
· Protective Action Criteria for Chemicals	
· PAC-1:	
64-17-5 ethanol 1,800 ppm	
· PAC-2:	
64-17-5 ethanol 3300* ppm	
PAC-3:	
64-17-5 ethanol 15000* ppm	

## 7 Handling and storage

- · Handling:
- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
   Protect against electrostatic charges.
   Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
- · Components with limit values that require monitoring at the workplace:
- The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

### 64-17-5 ethanol

PEL Long-term value: 1900 mg/m<sup>3</sup>, 1000 ppm

(Contd. on page 5)

<sup>·</sup>US

Printing date 01/19/2022

Revision date 01/19/2022

# Trade name: ALC-0315

	(Contd. from page 4)
REL Long-term value: 1900 mg	/m³, 1000 ppm
TLV Short-term value: 1000 pp	n
A3	
· Additional information: The lis	ts that were valid during the creation were used as basis.
<ul> <li>Exposure controls</li> </ul>	
<ul> <li>Personal protective equipmen</li> </ul>	
General protective and hygien	
Keep away from foodstuffs, beve	
Immediately remove all soiled ar	
Wash hands before breaks and	
Store protective clothing separat	
Avoid contact with the eyes and	SKIN.
Breathing equipment:	u pollution upp requiretent filter device. In second fintensity, or lenger
	w pollution use respiratory filter device. In case of intensive or longer
• Protection of hands:	ive device that is independent of circulating air.
FIOLECTION OF Hallus.	
μ.	
Protective gloves	
I he glove material has to be imp	permeable and resistant to the product/ the substance/ the preparation.
	nmendation to the glove material can be given for the product/ the
preparation/ the chemical mixtur	
degradation	on consideration of the penetration times, rates of diffusion and the
· Material of gloves	
	ves does not only depend on the material, but also on further marks of
	acturer to manufacturer. As the product is a preparation of several
	e glove material can not be calculated in advance and has therefore to
be checked prior to the application	
Penetration time of glove mate	
	as to be found out by the manufacturer of the protective gloves and has
to be observed.	
<ul> <li>Eye protection:</li> </ul>	
Tightly sealed goggles	,
rightly sealed goggles	
9 Physical and chemical pr	operties
Information on basis abysical	and chemical properties
<ul> <li>Information on basic physical</li> <li>General Information</li> </ul>	
· Appearance:	
Form:	Liquid
Color:	Not determined.
· Odor:	Characteristic
· Structural Formula	C48H95NO5
· Molecular Weight	766.3 g/mol
· Odor threshold:	Not determined.
	(Contd. on page 6) 

Printing date 01/19/2022

Revision date 01/19/2022

# Trade name: ALC-0315

	(Contd. from page 5)
· pH-value:	Not determined.
<ul> <li>Change in condition Melting point/Melting range: Boiling point/Boiling range:</li> </ul>	-114.5 °C (-174.1 °F) 78 °C (172.4 °F)
· Flash point:	13 °C (55.4 °F)
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	425 °C (797 °F)
<ul> <li>Decomposition temperature:</li> </ul>	Not determined.
· Auto igniting:	Product is not selfigniting.
<sup>·</sup> Danger of explosion:	Product is not explosive. However, formation of explosive air/ vapor mixtures are possible.
<sup>·</sup> Explosion limits: Lower: Upper:	3.5 Vol % 15 Vol %
<sup>·</sup> Vapor pressure at 20 °C (68 °F):	59 hPa (44.3 mm Hg)
<ul> <li>Density at 20 °C (68 °F):</li> <li>Relative density</li> <li>Vapor density</li> <li>Evaporation rate</li> </ul>	0.79 g/cm³ (6.59255 lbs/gal) Not determined. Not determined. Not determined.
<ul> <li>Solubility in / Miscibility with</li> <li>Water at 20 °C (68 °F):</li> </ul>	1,000 g/l
<ul> <li>Partition coefficient (n-octanol/water):</li> </ul>	Not determined.
<ul> <li>Viscosity:</li> <li>Dynamic:</li> <li>Kinematic:</li> </ul>	Not determined. Not determined.
<ul> <li>Solvent content: Organic solvents: VOC content:</li> </ul>	95.0 % 95.00 % 950.0 g/l / 7.93 lb/gal
Solids content:	5.0 %
· Other information	No further relevant information available.

# **10 Stability and reactivity**

· **Reactivity** No further relevant information available.

- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: strong acids, strong bases, strong oxidizing agents, strong reducing agents

(Contd. on page 7)

Printing date 01/19/2022

Revision date 01/19/2022

#### Trade name: ALC-0315

(Contd. from page 6) • Hazardous decomposition products: carbon dioxide, carbon monoxide, nitrogen oxides

# 11 Toxicological information

#### Information on toxicological effects

LD/LC50 values	that are relevant for c	lassification:
64-17-5 ethanol		
Oral	TDLO	1.14 ml/kg (man)
	LD50	7,060 mg/kg (rat)
	TDLO	650 (man)
Dermal	LD50	40,000 mg/kg (rat)
Inhalative	LC50/4 h	5,900 mg/m³ (rat)
	LC50	20,000 mg/m³/10h (rat)
	TCLO	1,800 mg/m³/30m (hmn)
	LCLO	29,300 mg/m³/7h (mouse)
	TCLO	1,800 (hmn)
	LC50	10 h - 20,000 mg/m³ (rat)
	LD50 Inhalation TCLO	1,800 mg/m³/30m (hmn)
	LC50/4 h	20,000 mg/l (rat)
Irritation of skin	Irritation	20 mg/24h (rabbit)
	TDLO	1,800 mg/kg (wmn)
Irritation of eyes	Irritation	500 mg/24h (rabbit)
	Intraperitoneal LD50	280 mg/kg (rat)
	Data	500 mg/24h (rabbit)
<b>D</b> 1 1 1 1	<b>rr</b> (	

#### · Primary irritant effect:

• on the skin: Irritant to skin and mucous membranes.

· on the eye: Irritating effect.

• Sensitization: No sensitizing effects known.

## • Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

64-17-5 ethanol

## · NTP (National Toxicology Program)

None of the ingredients is listed.

### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

# **12 Ecological information**

· Toxicity

• Aquatic toxicity: No further relevant information available.

(Contd. on page 8)

1

US

Printing date 01/19/2022

Revision date 01/19/2022

(Contd. from page 7)

#### Trade name: ALC-0315

- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:

#### · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

#### · Results of PBT and vPvB assessment

- · PBT: Not applicable.
- · vPvB: Not applicable.

• Other adverse effects No further relevant information available.


## **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.



Printing date 01/19/2022

Revision date 01/19/2022

### Trade name: ALC-0315

	(Contd. from page 8
Label	3
<ul> <li>Packing group</li> <li>DOT, IMDG, IATA</li> </ul>	II
· Environmental hazards:	Not applicable.
<ul> <li>Special precautions for user</li> <li>Hazard identification number (Kemler code):</li> <li>EMS Number:</li> <li>Stowage Category</li> </ul>	Warning: Flammable liquids 33 F-E,S-D A
<ul> <li>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</li> </ul>	Not applicable.
· Transport/Additional information:	
· DOT · Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
<ul> <li>IMDG</li> <li>Limited quantities (LQ)</li> <li>Excepted quantities (EQ)</li> </ul>	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· IATA · Remarks:	When sold in quantities of less than or equal to 1 mL or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.
· UN "Model Regulation":	UN 1170 ETHANOL SOLUTION (ETHYL ALCOHO SOLUTION), 3, II

# **15 Regulatory information**

· Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara

Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	
TSCA (Toxic Substances Control Act):	
64-17-5 ethanol	ACT
Hazardous Air Pollutants	
None of the ingredients is listed.	
Proposition 65	
Chemicals known to cause cancer:	
None of the ingredients is listed.	

US

## Safety Data Sheet acc. to OSHA HCS

Printing date 01/19/2022

Revision date 01/19/2022

Trade name: ALC-0315

	(Contd. from page
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
64-17-5 ethanol	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
· TLV (Threshold Limit Value)	
64-17-5 ethanol	A3
NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	

National regulations:

Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **16 Other information**

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

· Department issuing SDS: Environment protection department.

· Contact: -

Date of preparation / last revision 01/19/2022 / -

· Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety **OSHA: Occupational Safety & Health** TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flam. Liq. 2: Flammable liquids - Category 2 Skin Irrit. 2: Skin corrosion/irritation - Category 2

(Contd. on page 11)

US

Printing date 01/19/2022

Revision date 01/19/2022

### Trade name: ALC-0315

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A Carc. 1A: Carcinogenicity – Category 1A STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 • \* **Data compared to the previous version altered.**  (Contd. from page 10)

US -