

Printing date 08/15/2021

Revision date 08/15/2021

Page 1/11

1 Identification

- · Product identifier
- · Trade name: <u>93-0170</u>
- · Article number: 34366
- Application of the substance / the mixture This product is for research use - Not for human or veterinary diagnostic or therapeutic use. It is the responsibility of the purchaser to determine suitability for other applications.
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Cayman Chemical Co.
 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA
- · Information department: Product safety department
- Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

· Classification of the substance or mixture



GHS06 Skull and crossbones

Acute Tox. 3 H331 Toxic if inhaled.

GHS08 Health hazard

Carc. 2 H351 Suspected of causing cancer.

Repr. 2 H361 Suspected of damaging fertility or the unborn child.

STOT RE 1 H372 Causes damage to the central nervous system, the kidneys, the liver and the respiratory system through prolonged or repeated exposure.

GHS07

Acute Tox. 4 H302 Harmful if swallowed. Skin Irrit. 2 H315 Causes skin irritation.

(Contd. on page 2)

⁻ US

Printing date 08/15/2021

Revision date 08/15/2021

Trade name: 93-O17O

Eve Irrit. 2A	(Contd. from page 319 Causes serious eye irritation.
Label elements	
GHS label eler	
	classified and labeled according to the Globally Harmonized System (GHS).
Hazard pictog	
\land	
GHS06 GHS	07 GHS08
Signal word Da	anger
	ining components of labeling:
Chloroform	
Hazard statem	
H302 Harmful i	
H331 Toxic if in	
H315 Causes s	
	erious eye irritation.
	d of causing cancer.
	d of damaging fertility or the unborn child.
	lamage to the central nervous system, the kidneys, the liver and the respiratory system
	rolonged or repeated exposure.
Precautionary	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280 P301+P312	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P312 P330	If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth.
P330 P302+P352	If on skin: Wash with plenty of water.
P302+P352 P304+P340	
	IF INHALED: Remove person to fresh air and keep comfortable for breathing. 338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses
	present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P321	Specific treatment (see on this label).
P314	Get medical advice/attention if you feel unwell.
P362+P364	Take off contaminated clothing and wash it before reuse.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/internation
	regulations.
Classification	
NFPA ratings (scale 0 - 4)
	ealth = 3
	re = 0
V Re	eactivity = 0
▼ ▼	(Contd. on page

Printing date 08/15/2021

Revision date 08/15/2021

Trade name: 93-O17O

(Contd. from page 2)

97.5%

2.5%

· HMIS-ratings (scale 0 - 4)



³ Health = 3 Fire = 0 Reactivity = 0

· Other hazards

Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 67-66-3 Chloroform RTECS: FS9100000

· Other ingredients

2227214-78-8 93-0170

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

- After inhalation:
- Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: Immediately call a doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed

May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects. No further relevant information available.

• Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment. A solid water stream may be inefficient.

(Contd. on page 4)

US

Printing date 08/15/2021

Revision date 08/15/2021

(Contd. from page 3)

Trade name: 93-O17O

• Special hazards arising from the substance or mixture

67-56-1During heating or in case of fire poisonous gases are produced.

· Advice for firefighters

· Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Mount respiratory protective device.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.
- Protective Action Criteria for Chemicals

· PAC-1:	
67-66-3 Chloroform	2 ppm
	2 ppm
PAC-2:	
67-66-3 Chloroform	64 ppm
· PAC-3:	
67-66-3 Chloroform	3,200 ppm

7 Handling and storage

· Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.

- Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 5)

Printing date 08/15/2021

Revision date 08/15/2021

Trade name: 93-O17O

(Contd. from page 4)

Com	ponents with limit values that require monitoring at the workplace:
	6-3 Chloroform
PEL	Ceiling limit value: 240 mg/m³, 50 ppm
REL	Short-term value: 9.78* mg/m ³ , 2* ppm
	*60-min; See Pocket Guide App. A
TLV	Long-term value: 10 ppm
Addi	A3 tional information: The lists that were valid during the creation were used as basis.
	osure controls
-	onal protective equipment:
	eral protective and hygienic measures:
	away from foodstuffs, beverages and feed.
	ediately remove all soiled and contaminated clothing.
	h hands before breaks and at the end of work. e protective clothing separately.
	d contact with the eyes and skin.
	thing equipment:
	use of brief exposure or low pollution use respiratory filter device. In case of intensive or long
	sure use respiratory protective device that is independent of circulating air.
Prot	ection of hands:
111	Protective gloves
Due	glove material has to be impermeable and resistant to the product/ the substance/ the preparatio to missing tests no recommendation to the glove material can be given for the product/ tatation/ the chemical mixture.
Sele degra	ction of the glove material on consideration of the penetration times, rates of diffusion and adation erial of gloves
The quali subs be cl	selection of the suitable gloves does not only depend on the material, but also on further marks ity and varies from manufacturer to manufacturer. As the product is a preparation of seve tances, the resistance of the glove material can not be calculated in advance and has therefore necked prior to the application.
The to be	exact break through time has to be found out by the manufacturer of the protective gloves and he observed.
	protection: ty glasses
	Tightly sealed goggles

Printing date 08/15/2021

Revision date 08/15/2021

Trade name: 93-0170

(Contd. from page 5)

Information on basic physical and General Information	chemical properties
Appearance:	
Form:	Liquid
Color:	According to product specification
Odor:	Characteristic
Structural Formula Molecular Weight	C44H83N3O6
Odor threshold:	750.2 Not determined.
Formulation	Solution in CHCI3
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	-63 °C (-81.4 °F)
Boiling point/Boiling range:	62 °C (143.6 °F)
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	982 °C (1,799.6 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure at 20 °C (68 °F):	210 hPa (157.5 mm Hg)
Density at 20 °C (68 °F):	1.47988 g/cm³ (12.3496 lbs/gal)
Relative density	Not determined.
Vapor density Evaporation rate	Not determined.
•	Not determined.
Solubility in / Miscibility with Water at 20 °C (68 °F):	8 g/l
Partition coefficient (n-octanol/wate	-
Viscosity:	
Dynamic at 20 °C (68 °F):	0.56 mPas
Kinematic:	Not determined.
Solvent content:	
VOC content:	0.00 %
	0.0 g/l / 0.00 lb/gal
Solids content:	1.0 %
Other information	No further relevant information available.

(Contd. on page 7)

Printing date 08/15/2021

Revision date 08/15/2021

Trade name: 93-0170

(Contd. from page 6)

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information · Information on toxicological effects · Acute toxicity: · LD/LC50 values that are relevant for classification: **ATE (Acute Toxicity Estimate)** Oral LD50 308 mg/kg (rat) Dermal LD50 76.9 mg/kg (rat) Inhalative LC50/4 h 3.08 mg/l 67-66-3 Chloroform Oral LDLO 2,514 mg/kg (man) 300 mg/kg (rat) LD50 Dermal LD50 >20 g/kg (rabbit) LD50 75 mg/kg (rat) 47,702 mg/m³/4h (rat) Inhalative LC50 TCLO 5,000 mg/m³/7m (hmn) Irritation of skin Irritation 10 mg/24h (rabbit) Irritation of eyes Irritation 20 mg/24h (rabbit) Intraperitoneal LD50 623 mg/kg (mouse) · Primary irritant effect: · on the skin: Irritant to skin and mucous membranes. · on the eye: Irritating effect. · Sensitization: No sensitizing effects known. · Additional toxicological information: The product shows the following dangers according to internally approved calculation methods for preparations:

preparations: Toxic Harmful Irritant • Carcinogenic categories • IARC (International Agency for Research on Cancer) 67-66-3 Chloroform 2B

· NTP (National Toxicology Program)

67-66-3 Chloroform

(Contd. on page 8)

– US

R

Printing date 08/15/2021

Revision date 08/15/2021

Trade name: 93-O17O

(Contd. from page 7)

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

UN-Number		
DOT, IMDG, IATA	UN1888	
UN proper shipping name		
DOT, IATA	Chloroform solution	
IMDG	CHLOROFORM solution	
Transport hazard class(es)		
DOT		
TOXIC 6		
Class	6.1 Toxic substances	

Printing date 08/15/2021

Revision date 08/15/2021

Trade name: 93-O17O

	(Contd. from page a
· Label	6.1
· IMDG, IATA	
5 × ×	
· Class · Label	6.1 Toxic substances 6.1
· Packing group · DOT, IMDG, IATA	111
· Environmental hazards:	Not applicable.
 Special precautions for user Hazard identification number (Kemler code) EMS Number: 	Warning: Toxic substances : 60 F-A.S-A
 Segregation groups Stowage Category 	Liquid halogenated hydrocarbons A
· Stowage Code	SW2 Clear of living quarters.
 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code 	Not applicable.
· Transport/Additional information:	
• DOT • Quantity limitations	On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L
 IMDG Limited quantities (LQ) Excepted quantities (EQ) 	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· IATA · Remarks:	When sold in quantities of less than or equal to 1 mL or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimi Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.
· UN "Model Regulation":	UN 1888 CHLOROFORM SOLUTION, 6.1, III

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Section 355 (extremely hazardous substances):

67-66-3 Chloroform

(Contd. on page 10)

US

Printing date 08/15/2021

Revision date 08/15/2021

Trade name: 93-O17O

	(Contd. from page
· Section 313 (Specific toxic chemical listings):	
67-66-3 Chloroform	
TSCA (Toxic Substances Control Act):	
67-66-3 Chloroform	ACTIV
Hazardous Air Pollutants	•
67-66-3 Chloroform	
Proposition 65	
Chemicals known to cause cancer:	
67-66-3 Chloroform	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
67-66-3 Chloroform	
Carcinogenic categories	
EPA (Environmental Protection Agency)	
67-66-3 Chloroform	B2, L, N
TLV (Threshold Limit Value)	
67-66-3 Chloroform	A
NIOSH-Ca (National Institute for Occupational Safety and Health)	
67-66-3 Chloroform	
Chemical safety assessment: A Chemical Safety Assessment has not been c	arried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- · Date of preparation / last revision 08/15/2021 / -
- Abbreviations and acronyms:
 IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation
 IATA: International Air Transport Association
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 NFPA: National Fire Protection Association (USA)
 HMIS: Hazardous Materials Identification System (USA)
 VOC: Volatile Organic Compounds (USA, EU)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic

(Contd. on page 11)

Printing date 08/15/2021

Revision date 08/15/2021

(Contd. from page 10)

US

Trade name: 93-O17O

vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Acute Tox. 4: Acute toxicity – Category 4	
Acute Tox. 3: Acute toxicity – Category 3	
Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A	
Carc. 2: Carcinogenicity – Category 2	
Repr. 2: Reproductive toxicity – Category 2	
STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1	
* Data compared to the previous version altered.	