

Printing date 07/11/2022


Revision date 07/11/2022

Page 1/10

### **1** Identification

- · Product identifier
- · Trade name: <u>1(S)-THD</u>
- · Article number: 36351
- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- · Details of the supplier of the safety data sheet
- **Manufacturer/Supplier:** Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA
- Information department: Product safety department
   Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

## 2 Hazard(s) identification



Printing date 07/11/2022

Revision date 07/11/2022

Trade name: 1(S)-THD

|                                       | 5   |
|---------------------------------------|---|
| · Hazard pictogram                    | (Contd. from page 1)  |
|                                       | •   |
| GHS02 GHS07                           |   |
| · Signal word Dang                    | jer   |
| · Hazard-determini                    | ng components of labeling:  |
| Acetonitrile                          |   |
| <ul> <li>Hazard statement</li> </ul>  |   |
| H225                                  | Highly flammable liquid and vapor.  |
|                                       | 2 Harmful if swallowed, in contact with skin or if inhaled.   |
| H319                                  | Causes serious eye irritation.  |
| <ul> <li>Precautionary sta</li> </ul> |   |
| P210                                  | Keep away from heat/sparks/open flames/hot surfaces No smoking.   |
| P233                                  | Keep container tightly closed.  |
| P240                                  | Ground/bond container and receiving equipment.  |
| P241                                  | Use explosion-proof electrical/ventilating/lighting/equipment.  |
| P242                                  | Use only non-sparking tools.  |
| P243                                  | Take precautionary measures against static discharge.   |
| P261<br>P264                          | Avoid breathing dust/fume/gas/mist/vapors/spray   |
| P264<br>P270                          | Wash thoroughly after handling.   |
| P270<br>P271                          | Do not eat, drink or smoke when using this product.   |
| P271<br>P280                          | Use only outdoors or in a well-ventilated area.   |
| P301+P312                             | Wear protective gloves/protective clothing/eye protection/face protection.  |
|                                       | If swallowed: Call a poison center/doctor if you feel unwell.<br>If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with<br>water/shower.   |
| P304+P340<br>P305+P351+P338           | IF INHALED: Remove person to fresh air and keep comfortable for breathing.<br>If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if<br>present and easy to do. Continue rinsing. |
| P321                                  | Specific treatment (see on this label).   |
| P330                                  | Rinse mouth.  |
| P362+P364                             | Take off contaminated clothing and wash it before reuse.  |
| P337+P313                             | If eye irritation persists: Get medical advice/attention.   |
| P370+P378                             | In case of fire: Use CO2, powder or water spray to extinguish.  |
| P403+P235                             | Store in a well-ventilated place. Keep cool.  |
| P501                                  | Dispose of contents/container in accordance with local/regional/national/international regulations.   |
| · Classification sys                  | •   |
| · NFPA ratings (sc                    |   |
| Healt                                 | h = 2   |
| Fire =                                |   |
| · HMIS-ratings (sca                   | ale 0 - 4)  |
|                                       | lth = 2   |
| FIRE3FireREACTIVITY0Rea               | = 3<br>ctivity = 0  |

(Contd. on page 3)

US

Printing date 07/11/2022

Revision date 07/11/2022

(Contd. from page 2)

99.0%

1.0%

#### Trade name: 1(S)-THD

- · Other hazards
- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

### **3 Composition/information on ingredients**

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.
- · Dangerous components:
- CAS: 75-05-8 Acetonitrile
- RTECS: AL7700000
- Other ingredients

1(S)-THD

### **4 First-aid measures**

### · Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

### · After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately rinse with water.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: Immediately call a doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed

May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects. No further relevant information available.

• Indication of any immediate medical attention and special treatment needed No further relevant information available.

### **5 Fire-fighting measures**

- Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- Protective equipment: Mouth respiratory protective device.

(Contd. on page 4)

Printing date 07/11/2022

Revision date 07/11/2022

(Contd. from page 3)

#### Trade name: 1(S)-THD

| (Contd. from page 3)  |
|---|
| 6 Accidental release measures   |
| <ul> <li>Personal precautions, protective equipment and emergency procedures<br/>Wear protective equipment. Keep unprotected persons away.</li> <li>Environmental precautions:<br/>Dilute with plenty of water.</li> <li>Do not allow to enter sewers/ surface or ground water.</li> <li>Methods and material for containment and cleaning up:<br/>Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).</li> <li>Dispose contaminated material as waste according to item 13.<br/>Ensure adequate ventilation.</li> <li>Reference to other sections<br/>See Section 7 for information on safe handling.<br/>See Section 8 for information on personal protection equipment.<br/>See Section 13 for disposal information.</li> <li>Protective Action Criteria for Chemicals</li> </ul> |
| · PAC-1:  |
| 75-05-8 Acetonitrile 13 ppm   |
| · PAC-2:  |
| 75-05-8 Acetonitrile 50 ppm   |
| · PAC-3:  |
| 75-05-8 Acetonitrile 150 ppm  |
|   |

### 7 Handling and storage

#### · Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Control parameters

### · Components with limit values that require monitoring at the workplace:

### 75-05-8 Acetonitrile

PEL Long-term value: 70 mg/m<sup>3</sup>, 40 ppm

(Contd. on page 5)

US

Printing date 07/11/2022

Revision date 07/11/2022

### Trade name: 1(S)-THD

|  | (Contd. from page 4)   |  |
|--|--|--|
| REL Long-term value: 34 mg/m <sup>3</sup> , 20 p   |  |  |
| TLV Long-term value: 20 ppm<br>Skin, A4  |  |  |
|  | were valid during the creation were used as basis.                 |  |
| Exposure controls  | 5  |  |
| · Personal protective equipment:   |  |  |
| General protective and hygienic mea  | ISURES:  |  |
| Keep away from foodstuffs, beverages   | and feed.  |  |
| Immediately remove all soiled and cont   |  |  |
| Wash hands before breaks and at the  | end of work.   |  |
| Avoid contact with the eyes.   |  |  |
| Avoid contact with the eyes and skin.<br>• Breathing equipment:  |  |  |
|  | tion use respiratory filter device. In case of intensive or longer |  |
| exposure use respiratory protective dev  | vice that is independent of circulating air.                       |  |
| · Protection of hands:   | ······································                             |  |
|  |  |  |
|  |  |  |
| Protective gloves  |  |  |
|  |  |  |
|  | ble and resistant to the product/ the substance/ the preparation.  |  |
|  | ation to the glove material can be given for the product/ the      |  |
| preparation/ the chemical mixture.   | naideration of the nonstration times, rates of diffusion and the   |  |
| degradation  | nsideration of the penetration times, rates of diffusion and the   |  |
| · Material of gloves   |  |  |
|  | es not only depend on the material, but also on further marks of   |  |
| quality and varies from manufacturer to manufacturer. As the product is a preparation of several       |  |  |
| substances, the resistance of the glove material can not be calculated in advance and has therefore to |  |  |
| be checked prior to the application.   |  |  |
| Penetration time of glove material   | e found out by the manufacturer of the protective gloves and has   |  |
| to be observed.  | e lound out by the manufacturer of the protective gloves and has   |  |
| · Eye protection:  |  |  |
|  |  |  |
|  |  |  |
| Tightly sealed goggles   |  |  |
|  |  |  |
|  |  |  |
|  |  |  |
| 9 Physical and chemical proper   | ties   |  |
| · Information on basic physical and cl   | nemical properties   |  |
| · General Information  |  |  |
| · Appearance:  |  |  |
| Form:  | Liquid   |  |
| Color:   | Colorless  |  |
| · Odor:  | Aromatic   |  |
| • Structural Formula   | C21H34O2   |  |
| <ul> <li>Molecular Weight</li> <li>Odor threshold:</li> </ul>  | 318.5 g/mol<br>Not determined.                                     |  |
|  |  |  |
|  | (Contd. on page 6)   |  |
|  |  |  |

Printing date 07/11/2022

Revision date 07/11/2022

### Trade name: 1(S)-THD

|   | (Contd. from page s  |
|---|--|
| Formulation   | A solution in acetonitrile   |
| pH-value:   | Not determined.  |
| Change in condition<br>Melting point/Melting range:<br>Boiling point/Boiling range: | -46 °C (-50.8 °F)<br>81 °C (177.8 °F)  |
| Flash point:  | 5 °C (41 °F)   |
| Flammability (solid, gaseous):  | Not applicable.  |
| Ignition temperature:   | 525 °C (977 °F)  |
| Decomposition temperature:  | Not determined.  |
| Auto igniting:  | Product is not selfigniting.   |
| Danger of explosion:  | Product is not explosive. However, formation of explosive air vapor mixtures are possible. |
| Explosion limits:<br>Lower:<br>Upper:   | 4.4 Vol %<br>16 Vol %  |
| Vapor pressure at 20 °C (68 °F):  | 97 hPa (72.8 mm Hg)  |
| Density at 20 °C (68 °F):<br>Relative density<br>Vapor density<br>Evaporation rate  | 0.7822 g/cm³ (6.52746 lbs/gal)<br>Not determined.<br>Not determined.<br>Not determined.    |
| Solubility in / Miscibility with<br>Water:  | Fully miscible.  |
| Partition coefficient (n-octanol/wate   | er): Not determined.   |
| Viscosity:<br>Dynamic at 20 °C (68 °F):<br>Kinematic:<br>SOLUBILITY                 | 0.39 mPas<br>Not determined.<br>ACN  |
| Solvent content:<br>VOC content:  | 0.00 %<br>0.0 g/l / 0.00 lb/gal  |
| Solids content:   | 1.0 %  |
| Other information   | No further relevant information available.   |

### **10 Stability and reactivity**

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · **Incompatible materials:** No further relevant information available.

(Contd. on page 7)

US

Printing date 07/11/2022

Revision date 07/11/2022

### Trade name: 1(S)-THD

| · Hazardous deco   | ompositio  | (Contd. from page 6)<br><b>n products:</b> No dangerous decomposition products known. |
|--------------------|--|---|
| l Toxicologica     | l inform   | ation   |
| Information on     | toxicologi   | ical effects  |
| · Acute toxicity:  | that are r   | elevant for classification:   |
| ATE (Acute Tox     |  |   |
| Oral               | LD50   | 2,485 mg/kg (rat)   |
| Dermal             | LD50   | 990 mg/kg (rabbit)  |
| Inhalative         |  | 11.1 mg/l   |
| 75-05-8 Acetoni    | trile  |   |
| Oral               | TDLO   | 64 ml/kg (man)  |
|                    | LD50   | 2,460 mg/kg (rat)   |
| Dermal             | LD50   | 980 mg/kg (rabbit)  |
| Inhalative         | LC50/4 h   | 7,551 mg/m³ (rat)   |
|                    | LC50   | 7,551 mg/m³/8h (rat)  |
|                    | TCLO   | 160 mg/m³/4h (hmn)  |
| Irritation of eyes | Irritation   | 100 μl/24 hr (rabbit)   |
|                    | Irritation   | 100 ìl/24 hr (rabbit)   |
| Additional toxic   | irritant effe<br>ating effect<br>lo sensitizi<br>cological i | ng effects known.   |
| · Carcinogenic ca  | ategories  |   |
| -                  | -  | cy for Research on Cancer)  |
| None of the ingre  | edients is l   | isted.  |
| · NTP (National T  |  |   |
| None of the ingre  | edients is l   | isted.  |
| •                  | -  | Safety & Health Administration)   |
| None of the ingre  | امنعهمامه  |   |

## **12 Ecological information**

· Toxicity

- Aquatic toxicity: No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.

(Contd. on page 8)

Printing date 07/11/2022

Revision date 07/11/2022

### Trade name: 1(S)-THD

(Contd. from page 7)

- · Additional ecological information:
- General notes:

Water hazard class 2 (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

### **13 Disposal considerations**

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

| UN-Number<br>DOT, IMDG, IATA     | UN1648                     |  |
|----------------------------------|----------------------------|--|
| UN proper shipping name          |                            |  |
| DOT, IATA                        | Acetonitrile solution      |  |
| IMDG                             | ACETONITRILE solution      |  |
| Transport hazard class(es)       |                            |  |
| DOT                              |                            |  |
| Class                            | 3 Elammable liquida        |  |
| Label                            | 3 Flammable liquids<br>3   |  |
| IMDG, IATA                       |                            |  |
| Class                            | 3 Flammable liquids        |  |
| Label                            | 3                          |  |
| Packing group<br>DOT, IMDG, IATA | II                         |  |
| Environmental hazards:           | Not applicable.            |  |
| Special precautions for user     | Warning: Flammable liquids |  |

Printing date 07/11/2022

Revision date 07/11/2022

Trade name: 1(S)-THD

|  | (Contd. from page 8)   |
|--|--|
| <ul> <li>Hazard identification number (Kemler code):</li> <li>EMS Number:</li> <li>Stowage Category</li> <li>Stowage Code</li> </ul> | 33<br>F-E,S-D<br>B<br>SW2 Clear of living quarters.  |
| <ul> <li>Transport in bulk according to Annex II of<br/>MARPOL73/78 and the IBC Code</li> </ul>                                      | Not applicable.  |
| · Transport/Additional information:  |  |
| · DOT<br>· Quantity limitations  | On passenger aircraft/rail: 5 L<br>On cargo aircraft only: 60 L  |
| <ul> <li>IMDG</li> <li>Limited quantities (LQ)</li> <li>Excepted quantities (EQ)</li> </ul>  | 1L<br>Code: E2<br>Maximum net quantity per inner packaging: 30 ml<br>Maximum net quantity per outer packaging: 500 ml  |
| · IATA<br>· Remarks:   | When sold in quantities of less than or equal to 1 mL,<br>or 1 g, with an Excepted Quantity Code of<br>E1, E2, E4, or E5, this item meets the De Minimis<br>Quantities exemption, per IATA 2.6.10.<br>Therefore packaging does not have to be labeled as<br>Dangerous Goods/Excepted Quantity. |
| · UN "Model Regulation":   | UN 1648 ACETONITRILE SOLUTION, 3, II   |

## **15 Regulatory information**

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

| None of the ingredients is listed.                          |                   |
|---|-------------------|
| · Section 313 (Specific toxic chemical listings):           |                   |
| 75-05-8 Acetonitrile  |                   |
| TSCA (Toxic Substances Control Act):                        |                   |
| 75-05-8 Acetonitrile  | ACTIVE            |
| Hazardous Air Pollutants                                    |                   |
| 75-05-8 Acetonitrile  |                   |
| Proposition 65  |                   |
| Chemicals known to cause cancer:                            |                   |
| None of the ingredients is listed.                          |                   |
| Chemicals known to cause reproductive toxicity for females: |                   |
| None of the ingredients is listed.                          |                   |
| Chemicals known to cause reproductive toxicity for males:   |                   |
| None of the ingredients is listed.                          |                   |
|   | (Contd. on page 2 |

Printing date 07/11/2022

Revision date 07/11/2022

Trade name: 1(S)-THD

|  | (Contd. from page 9) |
|--|----------------------|
| · Chemicals known to cause developmental toxicity:                                   |                      |
| None of the ingredients is listed.   |                      |
| · Carcinogenic categories  |                      |
| · EPA (Environmental Protection Agency)  |                      |
| 75-05-8 Acetonitrile   | CBD, D               |
| <ul> <li>TLV (Threshold Limit Value)</li> </ul>                                      |                      |
| 75-05-8 Acetonitrile   | A4                   |
| <ul> <li>NIOSH-Ca (National Institute for Occupational Safety and Health)</li> </ul> |                      |
| None of the ingredients is listed.   |                      |
| Chamical asfaty assauments A Observiced Osfaty Assaument has not been as             |                      |

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **16 Other information**

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- · Date of preparation / last revision 07/11/2022 / -

· Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flam. Liq. 2: Flammable liquids - Category 2 Acute Tox. 4: Acute toxicity - Category 4 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

us -