

Printing date 03/29/2022

Revision date 03/29/2022

Page 1/11

1 Identification

- · Product identifier
- · Trade name: Valtrate
- Article number: 36522
- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- · Details of the supplier of the safety data sheet
- **Manufacturer/Supplier:** Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA
- Information department: Product safety department
 Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

Classification of the substance or mixture



GHS06 Skull and crossbones

Acute Tox. 2 H310 Fatal in contact with skin.

Acute Tox. 3 H331 Toxic if inhaled.

GHS08 Health hazard

- Carc. 2 H351 Suspected of causing cancer.
- Repr. 2 H361 Suspected of damaging fertility or the unborn child.
- STOT RE 1 H372 Causes damage to the central nervous system, the kidneys, the liver and the respiratory system through prolonged or repeated exposure.

GHS07

Acute Tox. 4H302 Harmful if swallowed.Skin Irrit. 2H315 Causes skin irritation.

(Contd. on page 2)

Printing date 03/29/2022

Revision date 03/29/2022

Trade name: Valtrate

Eve Irrit. 2A H	(Contd. from pag 319 Causes serious eye irritation.
Label elements	· · · · · · · · · · · · · · · · · · ·
GHS label elen	
	classified and labeled according to the Globally Harmonized System (GHS).
Hazard pictogr	
nazaru piciogi	
V V	
GHS06 GHS	
GH300 GH3	07 GHS08
Signal word Da	anger
-	ining components of labeling:
Chloroform	0 · · · · · · · · · · · · · · · · · · ·
Hazard statem	ents
H302 Harmful if	
H310 Fatal in co	
H331 Toxic if in	
H315 Causes s	
	erious eye irritation.
	d of causing cancer.
	d of damaging fertility or the unborn child.
	amage to the central nervous system, the kidneys, the liver and the respiratory syst
	rolonged or repeated exposure.
Precautionary	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P262	Do not get in eyes, on skin, or on clothing.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P312	If swallowed: Call a poison center/doctor if you feel unwell.
P302+P352	If on skin: Wash with plenty of water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	38 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses
	present and easy to do. Continue rinsing.
P310	Immediately call a poison center/doctor.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P321	Specific treatment (see on this label).
P314	Get medical advice/attention if you feel unwell.
P330	Rinse mouth.
P361+P364	Take off immediately all contaminated clothing and wash it before reuse.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/internatio
	regulations.
	regulations.

Printing date 03/29/2022

Revision date 03/29/2022

(Contd. from page 2)

99.0%

1.0%

Trade name: Valtrate

- Classification system:
- · NFPA ratings (scale 0 4)



Health = 3Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH3FIRE0Fire0REACTIVITY0Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 67-66-3 Chloroform

RTECS: FS9100000

CAS: 18296-44-1 Valtrate

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

• After inhalation:

Supply fresh air or oxygen; call for doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed

May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects. No further relevant information available.

• Indication of any immediate medical attention and special treatment needed No further relevant information available.

(Contd. on page 4)

Printing date 03/29/2022

Revision date 03/29/2022

(Contd. from page 3)

Trade name: Valtrate

5 Fire-fighting measures

- · Extinguishing media
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment. A solid water stream may be inefficient.
- Special hazards arising from the substance or mixture
- 67-56-1During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.
- Protective Action Criteria for Chemicals

 · PAC-1:
 2 ppm

 67-66-3
 Chloroform
 2 ppm

 · PAC-2:
 67-66-3
 Chloroform

 67-66-3
 Chloroform
 64 ppm

 · PAC-3:
 57-66-3
 Chloroform

 67-66-3
 Chloroform
 3,200 ppm

7 Handling and storage

- · Handling:
- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- Storage: Store in accordance with information listed on the product insert.
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

(Contd. on page 5)

Printing date 03/29/2022

Revision date 03/29/2022

Trade name: Valtrate

(Contd. from page 4)

8 Exposure controls/personal protection • Additional information about design of technical systems: No further data; see item 7. · Control parameters · Components with limit values that require monitoring at the workplace: The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit. At this time, the remaining constituent has no known exposure limits. 67-66-3 Chloroform PEL Ceiling limit value: 240 mg/m³, 50 ppm REL Short-term value: 9.78* mg/m³, 2* ppm *60-min; See Pocket Guide App. A TLV Long-term value: 10 ppm A3 • Additional information: The lists that were valid during the creation were used as basis. Exposure controls · Personal protective equipment: · General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin. · Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. · Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. • Eye protection: Safety glasses

(Contd. on page 6)

Printing date 03/29/2022

Revision date 03/29/2022

(Contd. from page 5)

Trade name: Valtrate

Tightly sealed goggles

9 Physical and chemical properties

Information on basic physical and	chemical properties
General Information	
· Appearance: Form:	Liquid
Color:	Liquid Colorless
	Pleasant
· Structural Formula	C22H30O8
· Molecular Weight	422.5 g/mol
· Odor threshold:	Not determined.
	a 10 mg/ml solution in chloroform
· pH-value:	Not determined.
•	Not determined.
· Change in condition	62 °C (91 4 °E)
Melting point/Melting range: Boiling point/Boiling range:	-63 °C (-81.4 °F) 62 °C (143.6 °F)
· Flash point:	Not applicable.
 Flammability (solid, gaseous): 	Not applicable.
· Ignition temperature:	982 °C (1,799.6 °F)
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure at 20 °C (68 °F):	210 hPa (157.5 mm Hg)
Density at 20 °C (68 °F):	1.47988 g/cm³ (12.3496 lbs/gal)
Relative density	Not determined.
· Vapor density	Not determined.
Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water at 20 °C (68 °F):	8 g/l
· Partition coefficient (n-octanol/wat	er): Not determined.
· Viscosity:	
Dynamic at 20 °C (68 °F):	0.56 mPas
Kinematic:	Not determined.
SOLUBILITY	CHCI3
	(Contd. on page



Printing date 03/29/2022

Revision date 03/29/2022

Trade name: Valtrate

	(Contd. fr	om page 6)
 Solvent content: VOC content: 	0.00 % 0.0 g/l / 0.00 lb/gal	
Solids content:	0.0 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Acute toxicity:

ATE (Acute Toxicity Estimate)		
Oral	LD50	303 mg/kg (rat)
Dermal	LD50	75.8 mg/kg (rat)
Inhalative	LC50/4 h	3.03 mg/l
67-66-3 Chloroform		
Oral	LDLO	2,514 mg/kg (man)
	LD50	300 mg/kg (rat)
Dermal	LD50	>20 g/kg (rabbit)
	LD50	75 mg/kg (rat)
Inhalative	LC50	47,702 mg/m³/4h (rat)
	TCLO	5,000 mg/m³/7m (hmn)
Irritation of skin	Irritation	10 mg/24h (rabbit)
Irritation of eyes	Irritation	20 mg/24h (rabbit)
	Intraperitoneal LD50	623 mg/kg (mouse)

· on the eye: Irritating effect.

· Sensitization: No sensitizing effects known.

• Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Toxic

Harmful

(Contd. on page 8)

Printing date 03/29/2022

Revision date 03/29/2022

(Contd. from page 7)

2B

R

Trade name: Valtrate

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

67-66-3 Chloroform

· NTP (National Toxicology Program)

67-66-3 Chloroform

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.

UN-Number	
DOT, IMDG, IATA	UN2810
UN proper shipping name	
DOT	Toxic, liquids, organic, n.o.s. (Chloroform)
IMDG	TOXIC LIQUID, ORGANIC, N.O.S. (CHLOROFORM
ΙΑΤΑ	Toxic liquid, organic, n.o.s. (CHLOROFORM)

Printing date 03/29/2022

Revision date 03/29/2022

Trade name: Valtrate

Transport hazard class(es)	(Contd. from page
	6.1 Toxic substances 6.1
IMDG, IATA	
	6.1 Toxic substances 6.1
Packing group DOT, IMDG, IATA	11
Environmental hazards:	Not applicable.
Hazard identification number (Kemler code): EMS Number:	Warning: Toxic substances 60 F-A,S-A Liquid halogenated hydrocarbons B SW2 Clear of living quarters.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
IMDG Limited quantities (LQ) Excepted quantities (EQ)	100 ml Code: E4 Maximum net quantity per inner packaging: 1 ml Maximum net quantity per outer packaging: 500 ml
IATA Remarks:	When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.
UN "Model Regulation":	UN 2810 TOXIC LIQUID, ORGANIC, N.O.3 (CHLOROFORM), 6.1, II

(Contd. on page 10)

Printing date 03/29/2022

Revision date 03/29/2022

Trade name: Valtrate

(Contd. from page 9)

5 Regulatory information	
· Safety, health and environmental regulations/legislation specific for the	e substance or mixture
No further relevant information available.	
· Section 355 (extremely hazardous substances):	
67-66-3 Chloroform	
· Section 313 (Specific toxic chemical listings):	
67-66-3 Chloroform	
TSCA (Toxic Substances Control Act):	
67-66-3 Chloroform	ACTIV
Hazardous Air Pollutants	
67-66-3 Chloroform	
Proposition 65	
· Chemicals known to cause cancer:	
67-66-3 Chloroform	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
67-66-3 Chloroform	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
67-66-3 Chloroform	B2, L, N
TLV (Threshold Limit Value)	· ·
67-66-3 Chloroform	A
NIOSH-Ca (National Institute for Occupational Safety and Health)	· · ·
67-66-3 Chloroform	

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- · Date of preparation / last revision 03/29/2022 / -
- **Abbreviations and acronyms:** IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation

US

Safety Data Sheet acc. to OSHA HCS

Printing date 03/29/2022

Revision date 03/29/2022

Trade name: Valtrate

IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent D50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 2: Acute toxicity – Category 2 Acute Tox. 3: Acute toxicity – Category 2 Stin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A Carc. 2: Carcinogenicity – Category 2 Repr. 2: Reproductive toxicity – Category 2 STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1	(Contd. from page 10)
	US