

Printing date 08/31/2022


Revision date 08/31/2022

Page 1/11

1 Identification

- · Product identifier
- Trade name: ATX-100
- · Article number: 36935
- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- · Details of the supplier of the safety data sheet
- **Manufacturer/Supplier:** Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA
- Information department: Product safety department
 Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification





GHS06 Skull and crossbones

Acute Tox. 2 H310 Fatal in contact with skin.

Acute Tox. 3 H331 Toxic if inhaled.

GHS08 Health hazard

- Carc. 2 H351 Suspected of causing cancer.
- Repr. 2 H361 Suspected of damaging fertility or the unborn child.
- STOT RE 1 H372 Causes damage to the central nervous system, the kidneys, the liver and the respiratory system through prolonged or repeated exposure.

GHS07

Acute Tox. 4H302 Harmful if swallowed.Skin Irrit. 2H315 Causes skin irritation.

(Contd. on page 2)

Printing date 08/31/2022

Revision date 08/31/2022

Trade name: ATX-100

Eve Irrit 2A H	(Contd. from page 319 Causes serious eye irritation.
Label elements	·
GHS label elen	-
	classified and labeled according to the Globally Harmonized System (GHS).
Hazard pictog	
GHS06 GHS	07 GHS08
Signal word Da	anger
	ining components of labeling:
Chloroform	ente
Hazard statem	
H302 Harmful it	
H310 Fatal in co H331 Toxic if in	
H315 Causes s	
	erious eye irritation.
	d of causing cancer.
	d of damaging fertility or the unborn child.
	amage to the central nervous system, the kidneys, the liver and the respiratory system
	rolonged or repeated exposure.
Precautionary	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P262	Do not get in eyes, on skin, or on clothing.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P312	If swallowed: Call a poison center/doctor if you feel unwell.
P302+P352	If on skin: Wash with plenty of water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P3	38 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses
5040	present and easy to do. Continue rinsing.
P310	Immediately call a poison center/doctor.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P321	Specific treatment (see on this label).
P314	Get medical advice/attention if you feel unwell.
P330 P361+P364	Rinse mouth.
P361+P364 P332+P313	Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.
P332+P313 P337+P313	If eye irritation persists: Get medical advice/attention.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
	Dispose of contents/container in accordance with local/regional/national/internation
P501	
P501	regulations.

Printing date 08/31/2022

Revision date 08/31/2022

(Contd. from page 2)

99.0%

1.0%

Trade name: ATX-100

Classification system:
 NFPA ratings (scale 0 - 4)

Health = 3 Fire = 0 Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH3Health = 3FIRE0Fire = 0REACTIVITY0Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 67-66-3 Chloroform RTECS: FS9100000

· Other ingredients

2230647-37-5 ATX-100

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

• After inhalation:

Supply fresh air or oxygen; call for doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.

• After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: Immediately call a doctor.
- · Information for doctor:
- \cdot Most important symptoms and effects, both acute and delayed

May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects. No further relevant information available.

(Contd. on page 4)

US –

Printing date 08/31/2022

Revision date 08/31/2022

Trade name: ATX-100

• **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents:
- Use fire fighting measures that suit the environment.
- A solid water stream may be inefficient.
- · Special hazards arising from the substance or mixture
- 67-56-1During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Mount respiratory protective device.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.
- Protective Action Criteria for Chemicals

· PAC-1:	
67-66-3 Chloroform	2 ppm
· PAC-2:	
67-66-3 Chloroform	64 ppm
· PAC-3:	
67-66-3 Chloroform	3,200 ppm

7 Handling and storage

- · Handling:
- Precautions for safe handling
 Ensure good ventilation/exhaustion at the workplace.
 Open and handle receptacle with care.
 Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep respiratory protective device available.
- Conditions for safe storage, including any incompatibilities
- · Storage: Store in accordance with information listed on the product insert.
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

(Contd. from page 3)

Printing date 08/31/2022

Revision date 08/31/2022

Trade name: ATX-100

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

67-66-3 Chloroform

PEL Ceiling limit value: 240 mg/m³, 50 ppm

- REL Short-term value: 9.78* mg/m³, 2* ppm *60-min; See Pocket Guide App. A
- TLV Long-term value: 10 ppm
- A3

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Safety glasses

(Contd. on page 6)

(Contd. from page 4)

Printing date 08/31/2022

Revision date 08/31/2022

(Contd. from page 5)

Trade name: ATX-100



Tightly sealed goggles

9 Physical and chemical properties

Information on basic physical and General Information	cnemical properties
Appearance:	
Form:	Liquid
Color:	Colorless
Odor:	Pleasant
Structural Formula	C44H86N2O5S
Molecular Weight	755.2 g/mol
Odor threshold:	Not determined.
Formulation	A solution in chloroform
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	-63 °C (-81.4 °F)
Boiling point/Boiling range:	62 °C (143.6 °F)
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	982 °C (1,799.6 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure at 20 °C (68 °F):	210 hPa (157.5 mm Hg)
Density at 20 °C (68 °F):	1.47988 g/cm³ (12.3496 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water at 20 °C (68 °F):	8 g/l
Partition coefficient (n-octanol/wat	er): Not determined.
Viscosity:	
Dynamic at 20 °C (68 °F):	0.56 mPas
Kinematic:	Not determined.
	(Contd. on page

Printing date 08/31/2022

Revision date 08/31/2022

Trade name: ATX-100

	(Contd. from page	e 6)
 Solvent content: VOC content: 	0.00 % 0.0 g/l / 0.00 lb/gal	
Solids content:	1.0 %	
[.] Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Acute toxicity:

ATE (Acute Tox	icity Estimate)	
Oral	LD50	303 mg/kg (rat)
Dermal	LD50	75.8 mg/kg (rat)
Inhalative	LC50/4 h	3.03 mg/l
67-66-3 Chlorof	orm	
Oral	LDLO	2,514 mg/kg (man)
	LD50	300 mg/kg (rat)
Dermal	LD50	>20 g/kg (rabbit)
	LD50	75 mg/kg (rat)
Inhalative	LC50	47,702 mg/m³/4h (rat)
	TCLO	5,000 mg/m³/7m (hmn)
Irritation of skin	Irritation	10 mg/24h (rabbit)
Irritation of eyes	Irritation	20 mg/24h (rabbit)
	Intraperitoneal LD50	623 mg/kg (mouse)

• on the eye: Irritating effect.

· Sensitization: No sensitizing effects known.

• Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Toxic

Harmful

(Contd. on page 8)

Printing date 08/31/2022

Revision date 08/31/2022

(Contd. from page 7)

2B

R

Trade name: ATX-100

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

67-66-3 Chloroform

· NTP (National Toxicology Program)

67-66-3 Chloroform

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.

UN-Number	
DOT, IMDG, IATA	UN2810
UN proper shipping name	
DOT	Toxic, liquids, organic, n.o.s. (Chloroform)
IMDG	TOXIC LIQUID, ORGANIC, N.O.S. (CHLOROFORM
ΙΑΤΑ	Toxic liquid, organic, n.o.s. (CHLOROFORM)

Printing date 08/31/2022

Revision date 08/31/2022

Trade name: ATX-100

-	(Contd. from page
Transport hazard class(es)	
DOT	
Toxic	
6	
Class	C 4 Taula autotanaga
Class Label	6.1 Toxic substances 6.1
	0.1
IMDG, IATA	
6	
Class	6.1 Toxic substances
Label	6.1
Packing group DOT, IMDG, IATA	П
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Toxic substances
Hazard identification number (Kemler code)	
EMS Number:	F-A,S-A
Segregation groups Stowage Category	Liquid halogenated hydrocarbons B
Stowage Code	B SW2 Clear of living quarters.
•	
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L
	On cargo aircraft only: 60 L
IMDG	
Limited quantities (LQ)	100 ml
Excepted quantities (EQ)	Code: E4 Maximum pot quantity por inpor pockaging: 1 ml
	Maximum net quantity per inner packaging: 1 ml Maximum net quantity per outer packaging: 500 ml
IATA Remarks:	When cold in quantities of loss than or equal to 4
	When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of
	E1, E2, E4, or E5, this item meets the De Minim
	Quantities exemption, per IATA 2.6.10.
	Therefore packaging does not have to be labeled a
	Dangerous Goods/Excepted Quantity.
UN "Model Regulation":	UN 2810 TOXIC LIQUID, ORGANIC, N.O.

(Contd. on page 10)

Printing date 08/31/2022

Revision date 08/31/2022

Trade name: ATX-100

(Contd. from page 9)

Sara Section 355 (extremely hazardous substances): 67-66-3 Chloroform Section 313 (Specific toxic chemical listings): 67-66-3 Chloroform TSCA (Toxic Substances Control Act): 67-66-3 Chloroform ACTIV Hazardous Air Pollutants 67-66-3 Chloroform Proposition 65 Chemicals known to cause cancer: 67-66-3 Chloroform Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. Chemicals known to cause developmental toxicity: 67-66-3 Chloroform Carcinogenic categories EPA (Environmental Protection Agency) 67-66-3 Chloroform	Safety, health and environmental regulations/legislation specific for the No further relevant information available.	he substance or mixture
67-66-3 Chloroform Section 313 (Specific toxic chemical listings): 67-66-3 Chloroform TSCA (Toxic Substances Control Act): 67-66-3 Chloroform ACTIV Hazardous Air Pollutants 67-66-3 Chloroform Proposition 65 Chemicals known to cause cancer: 67-66-3 Chloroform Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. Chemicals known to cause developmental toxicity: 67-66-3 Chloroform Chemicals known to cause developmental toxicity: 67-66-3 Chloroform EPA (Environmental Protection Agency) 67-66-3 Chloroform B2, L, I TLV (Threshold Limit Value) 67-66-3 Chloroform I		
67-66-3 Chloroform Section 313 (Specific toxic chemical listings): 67-66-3 Chloroform TSCA (Toxic Substances Control Act): 67-66-3 Chloroform ACTIV Hazardous Air Pollutants 67-66-3 Chloroform Proposition 65 Chemicals known to cause cancer: 67-66-3 Chloroform Chemicals known to cause cancer: 67-66-3 Chloroform Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. Chemicals known to cause developmental toxicity: 67-66-3 Chloroform Carcinogenic categories EPA (Environmental Protection Agency) 67-66-3 Chloroform B2, L, I TLV (Threshold Limit Value) 67-66-3 Chloroform I	Section 355 (extremely hazardous substances):	
67-66-3 Chloroform ACTIV FSCA (Toxic Substances Control Act): 67-66-3 Chloroform 67-66-3 Chloroform ACTIV Hazardous Air Pollutants 67-66-3 Chloroform 67-66-3 Chloroform Proposition 65 Chemicals known to cause cancer: 67-66-3 Chloroform 67-66-3 Chloroform Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. Chemicals known to cause developmental toxicity: 67-66-3 Chloroform Chemicals known to cause developmental toxicity: 67-66-3 Chloroform EPA (Environmental Protection Agency) 67-66-3 Chloroform B2, L, I TLV (Threshold Limit Value) 67-66-3 Chloroform		
TSCA (Toxic Substances Control Act): 67-66-3 Chloroform Hazardous Air Pollutants 67-66-3 Chloroform Proposition 65 Chemicals known to cause cancer: 67-66-3 Chloroform Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. Chemicals known to cause developmental toxicity: 67-66-3 Chemicals known to cause developmental toxicity: 67-66-3 Chloroform EPA (Environmental Protection Agency) 67-66-3 Chloroform B2, L, I TLV (Threshold Limit Value) 67-66-3 Chloroform	Section 313 (Specific toxic chemical listings):	
67-66-3 Chloroform ACTIV Hazardous Air Pollutants 67-66-3 Chloroform 67-66-3 Chloroform Chemicals known to cause cancer: 67-66-3 67-66-3 Chloroform Chemicals known to cause reproductive toxicity for females: Proposition 65 Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. Chemicals known to cause developmental toxicity: 67-66-3 Chloroform 67-66-3 Chloroform Carcinogenic categories EPA (Environmental Protection Agency) 67-66-3 Chloroform B2, L, I TLV (Threshold Limit Value) 67-66-3 Chloroform 1 1	67-66-3 Chloroform	
Hazardous Air Pollutants 67-66-3 Chloroform Proposition 65 Chemicals known to cause cancer: 67-66-3 Chloroform Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. Chemicals known to cause developmental toxicity: 67-66-3 Chloroform Carcinogenic categories EPA (Environmental Protection Agency) 67-66-3 Chloroform 67-66-3 Chloroform 67-66-3 Chloroform 67-66-3 Chloroform	TSCA (Toxic Substances Control Act):	
67-66-3 Chloroform Proposition 65 Chemicals known to cause cancer: 67-66-3 Chloroform Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. Chemicals known to cause developmental toxicity: 67-66-3 Chloroform Carcinogenic categories EPA (Environmental Protection Agency) 67-66-3 67-66-3 Chloroform 67-66-3 Chloroform 67-66-3 Chloroform	67-66-3 Chloroform	ACTIV
Proposition 65 Chemicals known to cause cancer: 67-66-3 Chloroform Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. Chemicals known to cause developmental toxicity: 67-66-3 Chloroform Carcinogenic categories EPA (Environmental Protection Agency) 67-66-3 Chloroform 67-66-3 Chloroform 7LV (Threshold Limit Value) 67-66-3 Chloroform	Hazardous Air Pollutants	
Chemicals known to cause cancer: 67-66-3 Chloroform Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. Chemicals known to cause developmental toxicity: 67-66-3 Chloroform Carcinogenic categories EPA (Environmental Protection Agency) 67-66-3 Chloroform 67-66-3 Chloroform 7LV (Threshold Limit Value) 67-66-3 Chloroform	67-66-3 Chloroform	
67-66-3 Chloroform Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. Chemicals known to cause developmental toxicity: 67-66-3 Chloroform Carcinogenic categories EPA (Environmental Protection Agency) 67-66-3 Chloroform B2, L, I TLV (Threshold Limit Value) 67-66-3 Chloroform	•	
Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. Chemicals known to cause developmental toxicity: 67-66-3 Chloroform Carcinogenic categories EPA (Environmental Protection Agency) 67-66-3 Chloroform 67-66-3 Chloroform 7LV (Threshold Limit Value) 67-66-3 Chloroform		
None of the ingredients is listed. Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. Chemicals known to cause developmental toxicity: 67-66-3 Chloroform Carcinogenic categories EPA (Environmental Protection Agency) 67-66-3 Chloroform B2, L, I TLV (Threshold Limit Value) 67-66-3 Chloroform		
Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. Chemicals known to cause developmental toxicity: 67-66-3 Chloroform Carcinogenic categories EPA (Environmental Protection Agency) 67-66-3 Chloroform B2, L, I TLV (Threshold Limit Value) 67-66-3 Chloroform		
None of the ingredients is listed. Chemicals known to cause developmental toxicity: 67-66-3 Chloroform Carcinogenic categories EPA (Environmental Protection Agency) 67-66-3 Chloroform B2, L, I TLV (Threshold Limit Value) 67-66-3 Chloroform	None of the ingredients is listed.	
Chemicals known to cause developmental toxicity: 67-66-3 Chloroform Carcinogenic categories EPA (Environmental Protection Agency) 67-66-3 Chloroform B2, L, I TLV (Threshold Limit Value) 67-66-3 Chloroform		
67-66-3 Chloroform Carcinogenic categories EPA (Environmental Protection Agency) 67-66-3 Chloroform B2, L, I TLV (Threshold Limit Value) 67-66-3 Chloroform Image: Colspan="2">Colspan="2"C	None of the ingredients is listed.	
Carcinogenic categories EPA (Environmental Protection Agency) 67-66-3 Chloroform TLV (Threshold Limit Value) 67-66-3 Chloroform	Chemicals known to cause developmental toxicity:	
EPA (Environmental Protection Agency) 67-66-3 Chloroform TLV (Threshold Limit Value) 67-66-3 Chloroform	67-66-3 Chloroform	
67-66-3 Chloroform B2, L, I TLV (Threshold Limit Value) 67-66-3 Chloroform 67-66-3 Chloroform A	Carcinogenic categories	
TLV (Threshold Limit Value) 67-66-3 Chloroform	EPA (Environmental Protection Agency)	
67-66-3 Chloroform	67-66-3 Chloroform	B2, L, N
	TLV (Threshold Limit Value)	
NIOSH-Ca (National Institute for Occupational Safety and Health)	67-66-3 Chloroform	F
	NIOSH-Ca (National Institute for Occupational Safety and Health)	

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- · Date of preparation / last revision 08/31/2022 / -
- **Abbreviations and acronyms:** IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation

Printing date 08/31/2022

Revision date 08/31/2022

Trade name: ATX-100

IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic VPVB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 2: Acute toxicity – Category 3 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A Carc. 2: Carcinogenicity – Category 2 Repr. 2: Reproductive toxicity – Category 2 Repr. 2: Reproductive toxicity – Category 2 STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1	(Contd. from page 10)
--	-----------------------