

Printing date 06/12/2023

Revision date 06/12/2023

Page 1/10

1 Identification

- · Product identifier
- Trade name: <u>RSV F Protein Extracellular Domain (Strain RSS-2)</u>
- Article number: 37020
- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- · Details of the supplier of the safety data sheet

• **Manufacturer/Supplier:** Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA

 Information department: Product safety department
 Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

Classification of the substance or mixture



GHS08 Health hazard

Specific Target Organ Toxicity - Repeated Exposure H373 May cause damage to organs through 2 prolonged or repeated exposure.

· Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms



· Signal word Warning

• **Hazard-determining components of labeling:** Sodium chloride

(Contd. on page 2)

US

Printing date 06/12/2023

Revision date 06/12/2023

(Contd. from page 1)

Trade name: RSV F Protein Extracellular Domain (Strain RSS-2)

· Hazard statements

H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

- P314 Get medical advice/attention if you feel unwell.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- Classification system:

NFPA ratings (scale 0 - 4)

· HMIS-ratings (scale 0 - 4)



· Other hazards

- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

 Dangerous component 	ents:	
CAS: 56-81-5 RTECS: MA8050000	Glycerol	10.0%
CAS: 7647-14-5 RTECS: VZ4725000	Sodium chloride	2.92%
· Other ingredients		
CAS: 7732-18-5 RTECS: ZC0110000	Water	86.74%
CAS: 77-86-1 RTECS: TY2900000	Tris base	0.24%
	RSV F Protein Extracellular Domain (Strain RSS-2)	0.1%

4 First-aid measures

- · Description of first aid measures
- · General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.

(Contd. on page 3)

– US

Printing date 06/12/2023

Revision date 06/12/2023

Trade name: RSV F Protein Extracellular Domain (Strain RSS-2)

- · Information for doctor:
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- Use fire fighting measures that suit the environment. A solid water stream may be inefficient.
- · Special hazards arising from the substance or mixture
- 67-56-1During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. · Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals · PAC-1: 56-81-5 Glycerol 45 mg/m³ 77-86-1 Tris base 18 mg/m³ · PAC-2: 56-81-5 Glycerol 180 mg/m³ 77-86-1 Tris base 190 mg/m³ · PAC-3:

56-81-5 Glycerol	1,100 mg/m ³
77-86-1 Tris base	1,200 mg/m ³

7 Handling and storage

- · Handling:
- Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

(Contd. on page 4)

(Contd. from page 2)

⁻ US

Printing date 06/12/2023

Revision date 06/12/2023

Trade name: RSV F Protein Extracellular Domain (Strain RSS-2)

(Contd. from page 3)

- **Information about protection against explosions and fires:** Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- Components with limit values that require monitoring at the workplace:
- The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

56-81-5 Glycerol

PEL Long-term value: 15* 5** mg/m³

mist; *total dust **respirable fraction

TLV TLV withdrawn-insufficient data human occup. exp.

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Store protective clothing separately.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

US

Printing date 06/12/2023

Revision date 06/12/2023

(Contd. from page 4)

Trade name: RSV F Protein Extracellular Domain (Strain RSS-2)

• Eye protection:

Kinematic:



Tightly sealed goggles

9 Physical and chemical properties · Information on basic physical and chemical properties General Information · Appearance: Form: Liquid Color: Not determined. · Odor: Characteristic · Molecular Weight 57.8 kDa · Odor threshold: Not determined. · Formulation Lyophilized from sterile 20 mM Tris, pH 7.4, with 500 mM sodium chloride and 10% glycerol · pH-value at 20 °C (68 °F): 7.4 · Change in condition Melting point/Melting range: Undetermined. **Boiling point/Boiling range:** 100 °C (212 °F) · Flash point: 199 °C (390.2 °F) · Flammability (solid, gaseous): Not applicable. 400 °C (752 °F) · Auto igniting: · Decomposition temperature: Not determined. · Ignition temperature: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. · Explosion limits: Lower: Not determined. Upper: Not determined. · Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) Vapor pressure at 50 °C (122 °F): ~0 hPa · Density: Not determined. Relative density Not determined. · Vapor density Not determined. · Evaporation rate Not determined. · Solubility in / Miscibility with Water: Fully miscible. · Partition coefficient (n-octanol/water): Not determined. · Viscosity: Dynamic: Not determined.

Not determined.

(Contd. on page 6)

Printing date 06/12/2023

Revision date 06/12/2023

Trade name: RSV F Protein Extracellular Domain (Strain RSS-2)

10.0 %
86.7 %
0.00 %
0.0 g/l / 0.00 lb/gal
3.3 %
No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

	that are relevant for	classification:	
56-81-5 Glycero			
Oral	LD50	12,600 mg/kg (rat)	
Irritation of skin	Irritation	500 mg/24h (rabbit) mild	
Irritation of eyes	Irritation	500 mg/24h (rabbit) mild	
	Intraperitoneal LD50	4,420 mg/kg (rat)	
	Subcutaneous LD50	100 mg/kg (rat)	
7647-14-5 Sodiu	ım chloride		
Oral	LDLO	1,000 mg/kg (man)	
	TDLO	650 ml/kg (man)	
	LD50	4,000 mg/kg (mouse)	
		3,000 mg/kg (rat)	
	LD50	4 g/kg (mouse)	
Inhalative	LC50	320 mg/m³ (mouse)	
	TCLO	0.63 mg/m ³ (hmn)	
	LCLO	29,300 mg/m³/7h (mouse)	
Irritation of skin	Irritation	500 mg/24h (rabbit) mild	
Irritation of eyes	Irritation	100 mg/24h (rabbit) moderate	

Printing date 06/12/2023

Revision date 06/12/2023

Trade name: RSV F Protein Extracellular Domain (Strain RSS-2)

	(Contd. from page 6)
Intraperitoneal LD50	2,602 mg/kg (mouse)
Subcutaneous LD50	31.6 mg/kg (rat)
Intravenous LD50	59.5 mg/kg (rat)
Data	15 mg/3D (hmn)
	mild
Subcutaneous LD50	3 g/kg (mouse)
Drimon (irritant offact)	

• Primary irritant effect:

• on the skin: No irritant effect.

- · on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.

• Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- **Mobility in soil** No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• **Recommendation:** Disposal must be made according to official regulations.

(Contd. on page 8)

Printing date 06/12/2023

Revision date 06/12/2023

(Contd. from page 7)

Trade name: RSV F Protein Extracellular Domain (Strain RSS-2)

• Recommended cleansing agent: Water, if necessary with cleansing agents.

Transport information	
UN-Number DOT, IMDG, IATA	UN1760
, ,	011760
UN proper shipping name	
DOT IMDG	Corrosive liquids, n.o.s. (Glycerol) CORROSIVE LIQUID, N.O.S. (Glycerol)
IATA	Corrosive liquid, n.o.s. (Glycerol)
Transport hazard class(es)	
DOT	
bol	
J. The state	
CORROSIVE	
Class	8 Corrosive substances
Label	8
IMDG, IATA	
No second	
V	
Class	8 Corrosive substances
Label	8
Packing group	
DOT, IMDG, IATA	III
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Corrosive substances
Hazard identification number (Kemler code):	
EMS Number:	F-A,S-B
Stowage Category	A SW2 Clear of living quarters.
Stowage Code	Swz clear of living quarters.
Transport in bulk according to Annex II of	Natania
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L
	On cargo aircraft only: 60 L
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
	maximum net quantity per outer packaging. 1000 mi

US

Printing date 06/12/2023

Revision date 06/12/2023

Trade name: RSV F Protein Extracellular Domain (Strain RSS-2)

	(Contd. from page 8)
· IATA · Remarks:	When sold in quantities of less than or equal to 1 mL, or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.
· UN "Model Regulation":	UN 1760 CORROSIVE LIQUID, N.O.S. (GLYCEROL), 8, III

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

ouru			
· Section 3	55 (extremely hazardous substances):		
None of th	None of the ingredients is listed.		
· Section 3 [,]	· Section 313 (Specific toxic chemical listings):		
None of th	e ingredients is listed.		
· TSCA (To	xic Substances Control Act):		
7732-18-5	Water	ACTIVE	
56-81-5	Glycerol	ACTIVE	
7647-14-5	Sodium chloride	ACTIVE	
77-86-1	Tris base	ACTIVE	
·Hazardou	s Air Pollutants		
None of th	e ingredients is listed.		
· Propositio	on 65		
· Chemical	s known to cause cancer:		
None of the ingredients is listed.			
· Chemicals	s known to cause reproductive toxicity for females:		
None of the ingredients is listed.			
· Chemicals	s known to cause reproductive toxicity for males:		
None of th	e ingredients is listed.		
	s known to cause developmental toxicity:		

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

(Contd. on page 10)

US

Printing date 06/12/2023

Revision date 06/12/2023

Trade name: RSV F Protein Extracellular Domain (Strain RSS-2)

(Contd. from page 9)

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- · Date of preparation / last revision 06/12/2023

Date of preparation / last revision 06/12/2023
Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) - Category 2