

Printing date 08/09/2022

Revision date 08/09/2022

Page 1/8

### **1** Identification

- · Product identifier
- · Trade name: 2,4'-Dibromoacetophenone
- · Article number: 37358
- CAS Number: 99-73-0
- **EC number:** 202-783-6
- Application of the substance / the mixture This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- Details of the supplier of the safety data sheet
   Manufacturer/Supplier: Cayman Chemical Co.
   1180 E. Ellsworth Rd.
   Ann Arbor, MI 48108
   USA
- · Information department: Product safety department
- Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

## 2 Hazard(s) identification

#### · Classification of the substance or mixture



GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- · Label elements
- · GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms



(Contd. on page 2)

Printing date 08/09/2022

Revision date 08/09/2022

Trade name: 2,4'-Dibromoacetophenone
--------------------------------------

	(Contd. from page 1)
· Signal word Danger	,
· Hazard statements	
H314 Causes severe skin burns and eye damage.	
· Precautionary statements	
P260 Do not breathe dusts or mists.	
P264 Wash thoroughly after handling.	
P280 Wear protective gloves/protective clothing/eye protection/face prote	ection.
P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.	
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing	g. Rinse skin with
water/shower.	•
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for	breathing.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove present and easy to do. Continue rinsing.	e contact lenses, if
P310 Immediately call a poison center/doctor.	
P321 Specific treatment (see on this label).	
P363 Wash contaminated clothing before reuse.	
P405 Store locked up.	
P501 Dispose of contents/container in accordance with local/regional/nat	tional/international
regulations.	
· Classification system:	

• NFPA ratings (scale 0 - 4)

	Health = 3
	Fire = 0
$\overline{3}$	Reactivity =

Reactivity = 0

## · HMIS-ratings (scale 0 - 4)



#### · Other hazards

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### **3 Composition/information on ingredients**

- · Chemical characterization: Substances
- · CAS No. Description
- 99-73-0 2,4'-Dibromoacetophenone
- Identification number(s)
- **EC number:** 202-783-6

#### **4 First-aid measures**

- · Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.

(Contd. on page 3)

Printing date 08/09/2022

#### Revision date 08/09/2022

(Contd. from page 2)

#### Trade name: 2,4'-Dibromoacetophenone

- · Information for doctor:
- **Most important symptoms and effects, both acute and delayed** May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects. No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

## **5** Fire-fighting measures

- · Extinguishing media
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment. A solid water stream may be inefficient.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up: Use neutralizing agent. Dispose contaminated material as waste according to item 13.
- Ensure adequate ventilation. **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.
- Protective Action Criteria for Chemicals
- **PAC-1:** Substance is not listed.
- **PAC-2:** Substance is not listed.
- PAC-3: Substance is not listed.

### 7 Handling and storage

- · Handling:
- · Precautions for safe handling Thorough dedusting.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

(Contd. on page 4)

Printing date 08/09/2022

#### Revision date 08/09/2022

#### Trade name: 2,4'-Dibromoacetophenone

(Contd. from page 3)

#### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
- Components with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:
  Keep away from foodstuffs, beverages and feed.
  Immediately remove all soiled and contaminated clothing.
  Wash hands before breaks and at the end of work.
  Avoid contact with the eyes.
  Avoid contact with the eyes and skin.
- Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

#### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

## 9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information

· Appearance:		
Form:	Solid	
Color:	Not determined.	
· Odor:	Characteristic	
• Structural Formula	C8H6Br2O	
• Molecular Weight	277.9 g/mol	
· Odor threshold:	Not determined.	
· pH-value:	Not applicable.	

(Contd. on page 5)

US

Printing date 08/09/2022

#### Revision date 08/09/2022

#### Trade name: 2,4'-Dibromoacetophenone

	(Contd. from page 4)
<ul> <li>Change in condition Melting point/Melting range: Boiling point/Boiling range:</li> </ul>	Undetermined. Undetermined.
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Product is not flammable.
· Decomposition temperature:	Not determined.
· Auto igniting:	Not determined.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits: Lower: Upper:	Not determined. Not determined.
· Vapor pressure:	Not applicable.
<ul> <li>Density:</li> <li>Relative density</li> <li>Vapor density</li> <li>Evaporation rate</li> </ul>	Not determined. Not determined. Not applicable. Not applicable.
<ul> <li>Solubility in / Miscibility with Water:</li> </ul>	Not determined.
Partition coefficient (n-octanol/wa	ter): Not determined.
<ul> <li>Viscosity:</li> <li>Dynamic:</li> <li>Kinematic:</li> <li>SOLUBILITY</li> </ul>	Not applicable. Not applicable. 5 mg/ml DMF
· Other information	No further relevant information available.

## **10 Stability and reactivity**

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## **11 Toxicological information**

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: Caustic effect on skin and mucous membranes.
- · on the eye:

Strong caustic effect.

(Contd. on page 6)

US

Printing date 08/09/2022

Revision date 08/09/2022

(Contd. from page 5)

#### Trade name: 2,4'-Dibromoacetophenone

.

- Strong irritant with the danger of severe eye injury. • **Sensitization:** No sensitizing effects known.
- Additional toxicological information: Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer) Substance is not listed.
- NTP (National Toxicology Program) Substance is not listed.
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

## **12 Ecological information**

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

## **13 Disposal considerations**

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.

UN-Number	
DOT, IMDG, IATA	UN3261
UN proper shipping name	
DOT, IATA	Corrosive solid, acidic, organic, n.o.s. (2,4 Dibromoacetophenone)
IMDG	CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S (2,4'-Dibromoacetophenone)

Printing date 08/09/2022

Revision date 08/09/2022

## Trade name: 2,4'-Dibromoacetophenone

Class 8 Corrosive substances 8 Label 8 IMDG, IATA CCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC		(Contd. from page
Class 8 Corrosive substances 8 Label 8 IMDG, IATA Class 8 Corrosive substances 8 Packing group DOT, IMDG, IATA 1 Environmental hazards: Not applicable. Special precautions for user Warning: Corrosive substances Hazard identification number (Kemler code): 80 EMS Number: F-A,S-B Segregation groups Acids Stowage Category B Segregation Code SG36 Stow "separated from" SGG18-aikalis. SG49 Stow "separated from" SGG6-cyanides Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg IMDG Limited quantities (LQ) 1 kg Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 30 g Maximum net quantity per outer packaging: 500 g IATA Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity. Therefore packaging code of E1, E2, E4, or E5, this item meets the De Minim Quantity expended Quantity. Therefore packaging coson thave to be labeled a Dangerous Goods/Excepted Quantity.		
Label       8         IMDG, IATA         IMDG, IATA         Imbox         Class       8 Corrosive substances         Babel       8         Packing group       II         DOT, IMDG, IATA       II         Environmental hazards:       Not applicable.         Special precautions for user       Warning: Corrosive substances         Hazard identification number (Kemler code): 80       F-A,S-B         Segregation groups       Acids         Stowage Category       B         Segregation Code       SG36 Stow "separated from" SGG18-alkalis.         SG49 Stow "separated from" SGG6-cyanides         Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       DOT         Quantity limitations       On passenger aircraft/rail: 15 kg         On cargo aircraft only: 50 kg       IMDG         ILimited quantities (LQ)       1 kg         Excepted quantities (EQ)       Code: E2         Maximum net quantity per outer packaging: 30 g         Maximum net quantity per outer packaging: 500 g         IATA         Remarks:       When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity toe to labeled a Dangerous Goods/Excepted Quant	DOT	
Label       8         IMDG, IATA       Imposed in the imposed in t	PS	
Label       8         IMDG, IATA         IMDG, IATA         Imbox         Class       8 Corrosive substances         Babel       8         Packing group       II         DOT, IMDG, IATA       II         Environmental hazards:       Not applicable.         Special precautions for user       Warning: Corrosive substances         Hazard identification number (Kemler code): 80       F-A,S-B         Segregation groups       Acids         Stowage Category       B         Segregation Code       SG36 Stow "separated from" SGG18-alkalis.         SG49 Stow "separated from" SGG6-cyanides         Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       DOT         Quantity limitations       On passenger aircraft/rail: 15 kg         On cargo aircraft only: 50 kg       IMDG         ILimited quantities (LQ)       1 kg         Excepted quantities (EQ)       Code: E2         Maximum net quantity per outer packaging: 30 g         Maximum net quantity per outer packaging: 500 g         IATA         Remarks:       When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity toe to labeled a Dangerous Goods/Excepted Quant		
Label       8         IMDG, IATA         IMDG, IATA         Imbox         Class       8 Corrosive substances         Babel       8         Packing group       II         DOT, IMDG, IATA       II         Environmental hazards:       Not applicable.         Special precautions for user       Warning: Corrosive substances         Hazard identification number (Kemler code): 80       F-A,S-B         Segregation groups       Acids         Stowage Category       B         Segregation Code       SG36 Stow "separated from" SGG18-alkalis.         SG49 Stow "separated from" SGG6-cyanides         Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       DOT         Quantity limitations       On passenger aircraft/rail: 15 kg         On cargo aircraft only: 50 kg       IMDG         ILimited quantities (LQ)       1 kg         Excepted quantities (EQ)       Code: E2         Maximum net quantity per outer packaging: 30 g         Maximum net quantity per outer packaging: 500 g         IATA         Remarks:       When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity toe to labeled a Dangerous Goods/Excepted Quant	8	
Label       8         IMDG, IATA         IMDG, IATA         Imbox         Class       8 Corrosive substances         Babel       8         Packing group       II         DOT, IMDG, IATA       II         Environmental hazards:       Not applicable.         Special precautions for user       Warning: Corrosive substances         Hazard identification number (Kemler code): 80       F-A,S-B         Segregation groups       Acids         Stowage Category       B         Segregation Code       SG36 Stow "separated from" SGG18-alkalis.         SG49 Stow "separated from" SGG6-cyanides         Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       DOT         Quantity limitations       On passenger aircraft/rail: 15 kg         On cargo aircraft only: 50 kg       IMDG         ILimited quantities (LQ)       1 kg         Excepted quantities (EQ)       Code: E2         Maximum net quantity per outer packaging: 30 g         Maximum net quantity per outer packaging: 500 g         IATA         Remarks:       When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity toe to labeled a Dangerous Goods/Excepted Quant	Class	8 Corrosive substances
IMDG, IATA         Class       8 Corrosive substances         Label       8         Packing group       DOT, IMDG, IATA         DOT, IMDG, IATA       II         Environmental hazards:       Not applicable.         Special precautions for user       Warning: Corrosive substances         Hazard identification number (Kemler code): 80       80         EMS Number:       F-A,S-B         Segregation groups       Acids         Stowage Category       B         Segregation Code       SG36 Stow "separated from" SGG18-alkalis.         SG49 Stow "separated from" SGG6-cyanides         Transport in bulk according to Annex II of         MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       DOT         Quantity limitations       On passenger aircraft/rail: 15 kg         On cargo aircraft only: 50 kg       MDG         Limited quantities (LQ)       1 kg         Excepted quantities (EQ)       Ccde: E2         Maximum net quantity per outer packaging: 30 g         Maximum net quantity per outer packaging: 500 g         IATA       When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exeemption, per IATA 2.6.10.	Label	
Class       8 Corrosive substances         Label       8         Packing group       DOT, IMDG, IATA         DOT, IMDG, IATA       II         Environmental hazards:       Not applicable.         Special precautions for user       Warning: Corrosive substances         Hazard identification number (Kemler code): 80       F-A,S-B         Segregation groups       Acids         Stowage Category       B         Segregation Code       SG36 Stow "separated from" SGG18-alkalis.         SG49 Stow "separated from" SGG6-cyanides         Transport in bulk according to Annex II of         MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:         DOT       On passenger aircraft/rail: 15 kg         On cargo aircraft only: 50 kg         IMDG         Limited quantities (LQ)       1 kg         Excepted quantities (EQ)       Code: E2         Maximum net quantity per outer packaging: 30 g         Maximum net quantity per outer packaging: 500 g         IATA         Remarks:       When sold in quantities of less than or equal to 1 m         Or 1 g, with an Excepted Quantity Code of         E1, E2, E4, or E5, this item meets the De Minim         Quantities envelop alop alops (Doos / Excepted		
Label       8         Packing group DOT, IMDG, IATA       II         Environmental hazards:       Not applicable.         Special precautions for user       Warning: Corrosive substances         Hazard identification number (Kemler code):       80         EMS Number:       F-A,S-B         Segregation groups       Acids         Stowage Category       B         Segregation Code       SG36 Stow "separated from" SGG18-alkalis. SG49 Stow "separated from" SGG6-cyanides         Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       DOT         Quantity limitations       On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg         IMDG       1 kg         Limited quantities (LQ)       1 kg         Excepted quantities (EQ)       Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g         IATA       When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 26.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.		
Label       8         Packing group DOT, IMDG, IATA       II         Environmental hazards:       Not applicable.         Special precautions for user       Warning: Corrosive substances         Hazard identification number (Kemler code):       80         EMS Number:       F-A,S-B         Segregation groups       Acids         Stowage Category       B         Segregation Code       SG36 Stow "separated from" SGG18-alkalis. SG49 Stow "separated from" SGG6-cyanides         Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       DOT         Quantity limitations       On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg         IMDG       1 kg         Limited quantities (LQ)       1 kg         Excepted quantities (EQ)       Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g         IATA       When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 26.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.	the state	
Label       8         Packing group DOT, IMDG, IATA       II         Environmental hazards:       Not applicable.         Special precautions for user       Warning: Corrosive substances         Hazard identification number (Kemler code):       80         EMS Number:       F-A,S-B         Segregation groups       Acids         Stowage Category       B         Segregation Code       SG36 Stow "separated from" SGG18-alkalis. SG49 Stow "separated from" SGG6-cyanides         Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       DOT         Quantity limitations       On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg         IMDG       1 kg         Limited quantities (LQ)       1 kg         Excepted quantities (EQ)       Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g         IATA       When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 26.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.		
Label       8         Packing group DOT, IMDG, IATA       II         Environmental hazards:       Not applicable.         Special precautions for user       Warning: Corrosive substances         Hazard identification number (Kemler code):       80         EMS Number:       F-A,S-B         Segregation groups       Acids         Stowage Category       B         Segregation Code       SG36 Stow "separated from" SGG18-alkalis. SG49 Stow "separated from" SGG6-cyanides         Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       DOT         Quantity limitations       On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg         IMDG       1 kg         Limited quantities (LQ)       1 kg         Excepted quantities (EQ)       Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g         IATA       When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 26.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.	8	
Packing group       II         Environmental hazards:       Not applicable.         Special precautions for user       Warning: Corrosive substances         Hazard identification number (Kemler code):       80         EMS Number:       F-A,S-B         Segregation groups       Acids         Stowage Category       B         Segregation Code       SG36 Stow "separated from" SGG18-alkalis. SG49 Stow "separated from" SGG6-cyanides         Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       DOT         DOT       Quantity limitations         On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg         IMDG       1 kg         Limited quantities (LQ)       1 kg         Excepted quantities (EQ)       1 kg         Code: E2       Maximum net quantity per inner packaging: 30 g         Maximum net quantity per outer packaging: 500 g       IATA         Remarks:       When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.0.         Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.	Class	8 Corrosive substances
DOT, IMDG, IATA       II         Environmental hazards:       Not applicable.         Special precautions for user       Warning: Corrosive substances         Hazard identification number (Kemler code): 80       F-A,S-B         Segregation groups       Acids         Stowage Category       B         Segregation Code       SG36 Stow "separated from" SGG18-alkalis. SG49 Stow "separated from" SGG6-cyanides         Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       DOT         Quantity limitations       On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg         IMDG       1 kg         Limited quantities (LQ)       1 kg         Excepted quantities (EQ)       1 kg         Code: E2       Maximum net quantity per inner packaging: 30 g         Maximum net quantity per outer packaging: 500 g       IATA         Remarks:       When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.	Label	8
Environmental hazards:       Not applicable.         Special precautions for user       Warning: Corrosive substances         Hazard identification number (Kemler code): 80       F-A,S-B         Segregation groups       Acids         Stowage Category       B         Segregation Code       SG36 Stow "separated from" SGG18-alkalis.         SG49 Stow "separated from" SGG6-cyanides         Transport in bulk according to Annex II of         MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:         DOT         Quantity limitations       On passenger aircraft/rail: 15 kg         On cargo aircraft only: 50 kg         IMDG         Limited quantities (LQ)       1 kg         Excepted quantities (EQ)       1 kg         Code: E2       Maximum net quantity per inner packaging: 30 g         Maximum net quantity per outer packaging: 500 g       1 kg         IATA       Remarks:       When sold in quantities of less than or equal to 1 m         or 1 g, with an Excepted Quantity Code of       E1, E2, E4, or E5, this item meets the De Minim         Quantities exemption, per IATA 2.6.10.       Therefore packaging does not have to be labeled a	Packing group	
Special precautions for user       Warning: Corrosive substances         Hazard identification number (Kemler code):       80         EMS Number:       F-A,S-B         Segregation groups       Acids         Stowage Category       B         Segregation Code       SG36 Stow "separated from" SGG18-alkalis. SG49 Stow "separated from" SGG6-cyanides         Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       DOT         Quantity limitations       On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg         IMDG       1 kg         Limited quantities (LQ)       1 kg         Excepted quantities (EQ)       Code: E2         Maximum net quantity per inner packaging: 30 g         Maximum net quantity per outer packaging: 500 g         IATA         Remarks:       When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.	DOT, IMDG, IATA	II
Hazard identification number (Kemler code): 80         EMS Number:       F-A,S-B         Segregation groups       Acids         Stowage Category       B         Segregation Code       SG36 Stow "separated from" SGG18-alkalis. SG49 Stow "separated from" SGG6-cyanides         Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       DOT         QU       On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg         IMDG       1 kg         Limited quantities (LQ)       1 kg         Excepted quantities (EQ)       Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g         IATA       When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.	Environmental hazards:	Not applicable.
Hazard identification number (Kemler code): 80         EMS Number:       F-A,S-B         Segregation groups       Acids         Stowage Category       B         Segregation Code       SG36 Stow "separated from" SGG18-alkalis. SG49 Stow "separated from" SGG6-cyanides         Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       DOT         QU       On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg         IMDG       1 kg         Limited quantities (LQ)       1 kg         Excepted quantities (EQ)       Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g         IATA       When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.	Special precautions for user	Warning: Corrosive substances
Segregation groups       Acids         Stowage Category       B         Segregation Code       SG36 Stow "separated from" SGG18-alkalis. SG49 Stow "separated from" SGG6-cyanides         Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       DOT         Quantity limitations       On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg         IMDG       1 kg         Limited quantities (LQ)       1 kg         Excepted quantities (EQ)       Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g         IATA       When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.		
Stowage CategoryBSegregation CodeSG36 Stow "separated from" SGG18-alkalis. SG49 Stow "separated from" SGG6-cyanidesTransport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information: DOT Quantity limitationsOn passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kgIMDG Limited quantities (LQ)1 kg Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 gIATA Remarks:When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.	EMS Number:	
Segregation Code       SG36 Stow "separated from" SGG18-alkalis. SG49 Stow "separated from" SGG6-cyanides         Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       DOT Quantity limitations         DOT Quantity limitations       On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg         IMDG Limited quantities (LQ)       1 kg Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g         IATA Remarks:       When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.		_
SG49 Stow "separated from" SGG6-cyanides         Transport in bulk according to Annex II of         MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:         DOT         Quantity limitations       On passenger aircraft/rail: 15 kg         On cargo aircraft only: 50 kg         IMDG         Limited quantities (LQ)       1 kg         Excepted quantities (EQ)       Code: E2         Maximum net quantity per inner packaging: 30 g         Maximum net quantity per outer packaging: 500 g         IATA         Remarks:       When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.		
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       DOT Quantity limitations       On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg         IMDG Limited quantities (LQ)       1 kg Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g         IATA Remarks:       When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.	Segregation Code	
MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       On passenger aircraft/rail: 15 kg         DOT       On passenger aircraft/rail: 15 kg         Quantity limitations       On passenger aircraft/rail: 15 kg         IMDG       Ikg         Limited quantities (LQ)       1 kg         Excepted quantities (EQ)       Code: E2         Maximum net quantity per inner packaging: 30 g         Maximum net quantity per outer packaging: 500 g         IATA         Remarks:       When sold in quantities of less than or equal to 1 m         Or 1 g, with an Excepted Quantity Code of         E1, E2, E4, or E5, this item meets the De Minim         Quantities exemption, per IATA 2.6.10.         Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.	Transport in bulk according to Annex	
Transport/Additional information:         DOT         Quantity limitations       On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg         IMDG         Limited quantities (LQ)       1 kg Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g         IATA Remarks:       When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.		
DOT Quantity limitationsOn passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kgIMDG Limited quantities (LQ)1 kg Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 gIATA Remarks:When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.		
Quantity limitationsOn passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kgIMDG Limited quantities (LQ)1 kg Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 gIATA Remarks:When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.	•	
IMDG       1 kg         Limited quantities (LQ)       1 kg         Excepted quantities (EQ)       Code: E2         Maximum net quantity per inner packaging: 30 g         Maximum net quantity per outer packaging: 500 g         IATA         Remarks:       When sold in quantities of less than or equal to 1 m         or 1 g, with an Excepted Quantity Code of         E1, E2, E4, or E5, this item meets the De Minim         Quantities exemption, per IATA 2.6.10.         Therefore packaging does not have to be labeled a         Dangerous Goods/Excepted Quantity.		On passanger aircraft/rail: 15 kg
IMDG       1 kg         Limited quantities (LQ)       1 kg         Excepted quantities (EQ)       Code: E2         Maximum net quantity per inner packaging: 30 g         Maximum net quantity per outer packaging: 500 g         IATA         Remarks:       When sold in quantities of less than or equal to 1 m         or 1 g, with an Excepted Quantity Code of         E1, E2, E4, or E5, this item meets the De Minim         Quantities exemption, per IATA 2.6.10.         Therefore packaging does not have to be labeled a         Dangerous Goods/Excepted Quantity.		
Limited quantities (LQ)       1 kg         Excepted quantities (EQ)       Code: E2         Maximum net quantity per inner packaging: 30 g         Maximum net quantity per outer packaging: 500 g         IATA         Remarks:       When sold in quantities of less than or equal to 1 m         or 1 g, with an Excepted Quantity Code of         E1, E2, E4, or E5, this item meets the De Minim         Quantities exemption, per IATA 2.6.10.         Therefore packaging does not have to be labeled a         Dangerous Goods/Excepted Quantity.	IMDC	
Excepted quantities (EQ)       Code: E2         Maximum net quantity per inner packaging: 30 g         Maximum net quantity per outer packaging: 500 g         IATA         Remarks:       When sold in quantities of less than or equal to 1 m         or 1 g, with an Excepted Quantity Code of         E1, E2, E4, or E5, this item meets the De Minim         Quantities exemption, per IATA 2.6.10.         Therefore packaging does not have to be labeled a         Dangerous Goods/Excepted Quantity.		1 kg
Maximum net quantity per inner packaging: 30 g         Maximum net quantity per outer packaging: 500 g         IATA         Remarks:       When sold in quantities of less than or equal to 1 m         or 1 g, with an Excepted Quantity Code of         E1, E2, E4, or E5, this item meets the De Minim         Quantities exemption, per IATA 2.6.10.         Therefore packaging does not have to be labeled a         Dangerous Goods/Excepted Quantity.		
IATA Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.		
Remarks:When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.		
or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.	ΙΑΤΑ	
E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.	Remarks:	When sold in quantities of less than or equal to 1 ml
Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.		
Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.		
Dangerous Goods/Excepted Quantity.		

Printing date 08/09/2022

### Revision date 08/09/2022

Trade name: 2,4'-Dibromoacetophenone

(Contd. from page 7)

· UN "Model Regulation":

UN 3261 CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S. (2,4'-DIBROMOACETOPHENONE), 8, II

## **15 Regulatory information**

- Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara
- Section 355 (extremely hazardous substances): Substance is not listed.
- Section 313 (Specific toxic chemical listings): Substance is not listed.
- TSCA (Toxic Substances Control Act): ACTIVE
- · Hazardous Air Pollutants Substance is not listed.
- · Proposition 65
- · Chemicals known to cause cancer: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for females: Substance is not listed.
- Chemicals known to cause reproductive toxicity for males: Substance is not listed.
- Chemicals known to cause developmental toxicity: Substance is not listed.
- · Carcinogenic categories
- · EPA (Environmental Protection Agency) Substance is not listed.
- · TLV (Threshold Limit Value) Substance is not listed.
- NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **16 Other information**

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- · Date of preparation / last revision 08/09/2022 / -
- · Abbreviations and acronyms:
- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association
- EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA)
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- NIOSH: National Institute for Occupational Safety
- OSHA: Occupational Safety & Health
- TLV: Threshold Limit Value
- PEL: Permissible Exposure Limit REL: Recommended Exposure Limit
- Skin Corr. 1B: Skin corrosion/irritation Category 1B
- Eye Dam. 1: Serious eye damage/eye irritation Category 1