

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/19/2024

Revision date 03/19/2024

Page 1/9

1 Identification

- · Product identifier
- Trade name: <u>Ethidium (bromide)</u>
- · Synonym
- · Article number: 39132
- CAS Number: 1239-45-8
- **EC number:** 214-984-6
- Index number: 612-278-00-6
- Application of the substance / the mixture This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA
- · Information department: Product safety department

Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

Classification of the substance or mixture

GHS06 Skull and crossbones

Acute Toxicity - Inhalation 2 H330 Fatal if inhaled.

GHS08 Health hazard

Germ Cell Mutagenicity 2 H341 Suspected of causing genetic defects.

GHS07

Acute Toxicity - Oral 4

H302 Harmful if swallowed.

(Contd. on page 2)

Printing date 03/19/2024

Revision date 03/19/2024

Trade name: Ethidium (bromide)

(Contd. from page 1)
· Label elements
 GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms
GHS06 GHS08
 Signal word Danger Hazard statements H302 Harmful if swallowed. H330 Fatal if inhaled. H341 Suspected of causing genetic defects. Precautionary statements P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P260 Do not breathe dust/fume/gas/mist/vapors/spray. P264 Wash thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/protective clothing/eye protection/face protection. P284 [In case of inadequate ventilation] wear respiratory protection. P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.
 P330 Rinse mouth. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P310 Immediately call a poison center/doctor. P308+P313 IF exposed or concerned: Get medical advice/attention. P320 Specific treatment is urgent (see on this label). P403+P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international
regulations. · Classification system: · NFPA ratings (scale 0 - 4)
Health = 4 Fire = 0 Reactivity = 0
· HMIS-ratings (scale 0 - 4)
HEALTH4FIRE0REACTIVITY0Reactivity = 0
 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

• **vPvB:** Not applicable.

(Contd. on page 3)

US

Printing date 03/19/2024

Revision date 03/19/2024

Trade name: Ethidium (bromide)

(Contd. from page 2)

3 Composition/information on ingredients

- · Chemical characterization: Substances
- CAS No. Description 1239-45-8 Ethidium (bromide)
- · Identification number(s)
- EC number: 214-984-6
- · Index number: 612-278-00-6

4 First-aid measures

- · Description of first aid measures
- · General information:
- Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Immediately call a doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment. A solid water stream may be inefficient.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:** Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

(Contd. on page 4)

US

Printing date 03/19/2024

Revision date 03/19/2024

(Contd. from page 3)

Trade name: Ethidium (bromide)

- Protective Action Criteria for Chemicals
- **PAC-1:** 0.16 mg/m³
- **PAC-2:** 1.8 mg/m³
- PAC-3: 11 mg/m³

7 Handling and storage

· Handling:

 Precautions for safe handling Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.

Information about protection against explosions and fires:

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- Components with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists that were valid during the creation were used as basis.
- Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

• Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

JS -

Printing date 03/19/2024

Revision date 03/19/2024

(Contd. from page 4)

Trade name: Ethidium (bromide)

• Eye protection: Not required.

9 Physical and chemical propert	ies	
 Information on basic physical and chemical properties General Information 		
· Appearance: Form:	Solid	
Color:	White	
	Not determined.	
· Odor:	Characteristic	
• Molecular Weight	394.32 g/mol	
· Odor threshold:	Not determined.	
· pH-value:	Not applicable.	
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	261–264 °C (501.8–507.2 °F) Undetermined.	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Product is not flammable.	
 Decomposition temperature: 	Not determined.	
· Ignition temperature:	Not determined.	
· Danger of explosion:	Product does not present an explosion hazard.	
 Explosion limits: Lower: Upper: 	Not determined. Not determined.	
· Vapor pressure:	Not applicable.	
Density at 20 °C (68 °F):	1.01 g/cm³ (8.42845 lbs/gal)	
Relative density	Not determined.	
 Vapor density Evaporation rate 	Not applicable. Not applicable.	
•		
 Solubility in / Miscibility with Water: 	Not determined.	
· Partition coefficient (n-octanol/water): Not determined.		
 Viscosity: Dynamic: Kinematic: 	Not applicable. Not applicable.	
· Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

(Contd. on page 6)

US

Printing date 03/19/2024

Revision date 03/19/2024

(Contd. from page 5)

Trade name: Ethidium (bromide)

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- RTECS Number SF7950000
- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:

Interperitoneal LDLO 20 mg/kg (mouse)

- Subcutaneous LD50 110 mg/kg (mouse)
- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer) Substance is not listed.
- · NTP (National Toxicology Program) Substance is not listed.
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

• Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)

US

Printing date 03/19/2024

Revision date 03/19/2024

(Contd. from page 6)

Trade name: Ethidium (bromide)

• Uncleaned packagings:
 • Recommendation: Disposal must be made according to official regulations.

DOT Toxic solids, organic, n.o.s. (Ethidium (bromide)) IMDG TOXIC SOLID, ORGANIC, N.O.S. (Ethidium (bromide)) IATA Toxic solid, organic, n.o.s. (Ethidium (bromide)) Transport hazard class(es) DOT Impose 6.1 Toxic substances Label 6.1 IMDG, IATA 6.1 IMDG, IATA 6.1 IMDG, IATA 6.1 Impose 6.1 Toxic substances 6.1 IMDG, IATA 6.1 Impose 6.1 Impose <td< th=""><th></th><th></th></td<>		
DOT Toxic solids, organic, n.o.s. (Ethidium (bromide)) IMDG TOXIC SOLID, ORGANIC, N.O.S. (Ethidium (bromide)) IATA Toxic solid, organic, n.o.s. (Ethidium (bromide)) Transport hazard class(es) DOT Impose 6.1 Toxic substances Label 6.1 IMDG, IATA 6.1 IMDG, IATA 6.1 IMDG, IATA 6.1 Impose 6.1 Toxic substances 6.1 IMDG, IATA 6.1 Impose 6.1 Impose <td< th=""><th></th><th>UN2811</th></td<>		UN2811
Class 6.1 Toxic substances Label 6.1 IMDG, IATA 6.1 IMDG, IATA Improvementation Improvementation 6.1 Toxic substances Label 6.1 Toxic substances Label 6.1 Packing group 6.1 DOT, IMDG, IATA I Environmental hazards: Not applicable. Special precautions for user Warning: Toxic substances Hazard identification number (Kemler code): 66 EMS Number: F-A,S-A Stowage Category B Transport in bulk according to Annex II of Not applicable. Transport/Additional information: Dot applicable. DOT Quantity limitations On passenger aircraft/rail: 5 kg On cargo aircraft only: 50 kg IMDG Improvementation Improvementation	UN proper shipping name DOT IMDG IATA	TOXIC SOLID, ORGANIC, N.O.S. (Ethidiu (bromide))
Class 6.1 Toxic substances Label 6.1 IMDG, IATA 6.1 IMDG, IATA I Image: Class 6.1 Toxic substances Label 6.1 Over 6.1 Toxic substances 6.1 Packing group 6.1 DOT, IMDG, IATA I Environmental hazards: Not applicable. Special precautions for user Warning: Toxic substances Hazard identification number (Kemler code): 66 EMS Number: F-A,S-A Stowage Category B Transport in bulk according to Annex II of Not applicable. Transport/Additional information: DOT DOT Quartity limitations On passenger aircraft/rail: 5 kg On cargo aircraft only: 50 kg IMDG IMDG IMDG	Transport hazard class(es)	
Class 6.1 Toxic substances Label 6.1 IMDG, IATA 6.1 IMDG, IATA Improvementation Improvementation 6.1 Toxic substances Label 6.1 Toxic substances Label 6.1 Packing group 6.1 DOT, IMDG, IATA I Environmental hazards: Not applicable. Special precautions for user Warning: Toxic substances Hazard identification number (Kemler code): 66 EMS Number: F-A,S-A Stowage Category B Transport in bulk according to Annex II of Not applicable. Transport/Additional information: Dot applicable. DOT Quantity limitations On passenger aircraft/rail: 5 kg On cargo aircraft only: 50 kg IMDG Improvementation Improvementation	DOT	
Label 6.1 IMDG, IATA IMDG, IATA Improvementation Class 6.1 Toxic substances Label 6.1 Packing group 6.1 DOT, IMDG, IATA I Environmental hazards: Not applicable. Special precautions for user Warning: Toxic substances Hazard identification number (Kemler code): 66 EMS Number: F-A,S-A Stowage Category B Transport in bulk according to Annex II of Not applicable. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 5 kg IMDG IMDG	Toxic 6	
IMDG, IATA V Class 6.1 Toxic substances Label 6.1 Packing group 0.1 DOT, IMDG, IATA I Environmental hazards: Not applicable. Special precautions for user Warning: Toxic substances Hazard identification number (Kemler code): 66 EMS Number: F-A,S-A Stowage Category B Transport in bulk according to Annex II of Not applicable. MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 5 kg On cargo aircraft only: 50 kg IMDG IMDG	Class	•••••
Class 6.1 Toxic substances Label 6.1 Packing group 1 Packing Group I DOT, IMDG, IATA I Environmental hazards: Not applicable. Special precautions for user Warning: Toxic substances Hazard identification number (Kemler code): 66 EMS Number: F-A,S-A Stowage Category B Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations DOT Quantity limitations On passenger aircraft/rail: 5 kg On cargo aircraft only: 50 kg	Label	6.1
Class 6.1 Toxic substances Label 6.1 Packing group 1 Packing Group I DOT, IMDG, IATA I Environmental hazards: Not applicable. Special precautions for user Warning: Toxic substances Hazard identification number (Kemler code): 66 EMS Number: F-A,S-A Stowage Category B Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations DOT Quantity limitations On passenger aircraft/rail: 5 kg On cargo aircraft only: 50 kg	IMDG, IATA	
Label6.1Packing group DOT, IMDG, IATAIEnvironmental hazards:Not applicable.Special precautions for userWarning: Toxic substancesHazard identification number (Kemler code):66EMS Number:F-A,S-AStowage CategoryBTransport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information:On passenger aircraft/rail: 5 kg On cargo aircraft only: 50 kgIMDG		
Packing group DOT, IMDG, IATAIEnvironmental hazards:Not applicable.Special precautions for userWarning: Toxic substancesHazard identification number (Kemler code):66EMS Number:F-A,S-AStowage CategoryBTransport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information:On passenger aircraft/rail: 5 kg On cargo aircraft only: 50 kgIMDG		•••••
DOT, IMDG, IATAIEnvironmental hazards:Not applicable.Special precautions for userWarning: Toxic substancesHazard identification number (Kemler code):66EMS Number:F-A,S-AStowage CategoryBTransport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information:On passenger aircraft/rail: 5 kg On cargo aircraft only: 50 kgIMDG		0.1
Special precautions for user Warning: Toxic substances Hazard identification number (Kemler code): 66 EMS Number: F-A,S-A Stowage Category B Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 5 kg On cargo aircraft only: 50 kg		I
Hazard identification number (Kemler code): 66EMS Number:F-A,S-AStowage CategoryBTransport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information:Not applicable.DOT Quantity limitationsOn passenger aircraft/rail: 5 kg On cargo aircraft only: 50 kgIMDG	Environmental hazards:	Not applicable.
Hazard identification number (Kemler code): 66EMS Number:F-A,S-AStowage CategoryBTransport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information:Not applicable.DOT Quantity limitationsOn passenger aircraft/rail: 5 kg On cargo aircraft only: 50 kgIMDG	Special precautions for user	Warning: Toxic substances
Stowage Category B Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 5 kg On cargo aircraft only: 50 kg IMDG IMDG	Hazard identification number (Kemler code)	: 66
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 5 kg On cargo aircraft only: 50 kg IMDG IMDG		
MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: On passenger aircraft/rail: 5 kg On cargo aircraft only: 50 kg IMDG Important on the term of te		В
DOT Quantity limitations On passenger aircraft/rail: 5 kg On cargo aircraft only: 50 kg IMDG		Not applicable.
Quantity limitations On passenger aircraft/rail: 5 kg On cargo aircraft only: 50 kg IMDG	Transport/Additional information:	
· IMDG · Limited quantities (LQ) 0		
	-	0

Printing date 03/19/2024

Revision date 03/19/2024

Trade name: Ethidium (bromide)

	(Contd. from page 7)
 Excepted quantities (EQ) 	Code: E5 Maximum net quantity per inner packaging: 1 g Maximum net quantity per outer packaging: 300 g
· IATA	
· Remarks:	When sold in quantities of less than or equal to 1 mL, or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.
· UN "Model Regulation":	UN 2811 TOXIC SOLID, ORGANIC, N.O.S. (ETHIDIUM (BROMIDE)), 6.1, I

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

- · Section 355 (extremely hazardous substances): Substance is not listed.
- Section 313 (Specific toxic chemical listings): Substance is not listed.
- TSCA (Toxic Substances Control Act): Substance is not listed.
- · Hazardous Air Pollutants Substance is not listed.
- · Proposition 65
- · Chemicals known to cause cancer: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for females: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for males: Substance is not listed.
- · Chemicals known to cause developmental toxicity: Substance is not listed.
- · Carcinogenic categories
- · EPA (Environmental Protection Agency) Substance is not listed.
- · TLV (Threshold Limit Value) Substance is not listed.
- NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.
- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- Contact: -
- · Date of preparation / last revision 03/19/2024 / -
- Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances

(Contd. on page 9)

⁻US

Printing date 03/19/2024

Revision date 03/19/2024

Trade name: Ethidium (bromide)

(Contd. CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent D50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Toxicity - Oral 4: Acute toxicity – Category 4 Acute Toxicity - Inhalation 2: Acute toxicity – Category 2 Germ Cell Mutagenicity 2: Germ cell mutagenicity – Category 2	from page 8)
---	--------------