

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/15/2024

Revision date 08/15/2024

Page 1/9

## **1** Identification

- Product identifier
- · Trade name: DAPI (hydrochloride) (solution)
- · Synonym
- · Article number: 40796
- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- Details of the supplier of the safety data sheet
   Manufacturer/Supplier: Cayman Chemical Co.
   1180 E. Ellsworth Rd. Ann Arbor, MI 48108
- USA
- Information department: Product safety department
   Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

# 2 Hazard(s) identification

### · Classification of the substance or mixture



Sensitization - Skin 1 H317 May cause an allergic skin reaction.

Flammable liquids 4 H227 Combustible liquid.

### · Label elements

- · GHS label elements
- The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms



- · Signal word Warning
- Hazard-determining components of labeling: DAPI (hydrochloride)

(Contd. on page 2)

Printing date 08/15/2024

Revision date 08/15/2024

## Trade name: DAPI (hydrochloride) (solution)

	-
(Contd. from page 1)	_
· Hazard statements	
H227 Combustible liquid.	
H317 May cause an allergic skin reaction.	
· Precautionary statements	
P210 Keep away from flames and hot surfaces. – No smoking.	
P261 Avoid breathing dust/fume/gas/mist/vapors/spray	
P272 Contaminated work clothing must not be allowed out of the workplace.	
P280 Wear protective gloves/protective clothing/eye protection/face protection.	
P302+P352 If on skin: Wash with plenty of water.	
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.	
P321 Specific treatment (see on this label).	
P363 Wash contaminated clothing before reuse.	
P370+P378 In case of fire: Use CO2, powder or water spray to extinguish.	
P403+P235 Store in a well-ventilated place. Keep cool.	
P501 Dispose of contents/container in accordance with local/regional/national/international	
regulations.	
· Classification system:	
· NFPA ratings (scale 0 - 4)	
Health = 0 Fire = 2 Reactivity = 0	
· HMIS-ratings (scale 0 - 4)	
HEALTH O Health = 0	
FIRE 2 Fire = 2	
Reactivity = 0	
· Other hazards	
· Results of PBT and vPvB assessment	
• PBT: Not applicable.	
· vPvB: Not applicable.	
	_
3 Composition/information on ingredients	
o composition/internation on ingreatents	
· Chemical characterization: Mixtures	

· Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

•			
· Dangerous components:			
CAS: 67-68-5 RTECS: PV6210000	Dimethyl sulfoxide	99.5%	
CAS: 28718-90-3 RTECS: NL5995054	DAPI (hydrochloride)	0.5%	

# 4 First-aid measures

## · Description of first aid measures

After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water.

(Contd. on page 3)

US

Printing date 08/15/2024

Revision date 08/15/2024

### Trade name: DAPI (hydrochloride) (solution)

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

# **5 Fire-fighting measures**

- · Extinguishing media
- Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

## 6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Not required.
   Environmental precautions:
- Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

- Ensure adequate ventilation.
- · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

· PAC-1:				
67-68-5 Dimethyl sulfoxide	150 ppm			
· PAC-2:				
67-68-5 Dimethyl sulfoxide	290 ppm			
· PAC-3:				
67-68-5 Dimethyl sulfoxide	1,800 ppm			

# 7 Handling and storage

- · Handling:
- Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.

(Contd. on page 4)

(Contd. from page 2)

<sup>-</sup>US

Printing date 08/15/2024

Revision date 08/15/2024

## Trade name: DAPI (hydrochloride) (solution)

- · Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

- · Control parameters
- Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

## 67-68-5 Dimethyl sulfoxide

WEEL Long-term value: 250 ppm

• Additional information: The lists that were valid during the creation were used as basis.

- Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

## Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling.

# **9** Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:
- Form:
- Color:

Liquid According to product specification

(Contd. on page 5)

(Contd. from page 3)

Printing date 08/15/2024

Revision date 08/15/2024

## Trade name: DAPI (hydrochloride) (solution)

	(Contd. from page 4)
<ul> <li>Odor:</li> <li>Structural Formula</li> <li>Molecular Weight</li> <li>Odor threshold:</li> <li>Formulation</li> </ul>	Odorless C16H15N5 • 2HCl 350.3 g/mol Not determined. A solution in DMSO
· pH-value:	Not determined.
<ul> <li>Change in condition Melting point/Melting range: Boiling point/Boiling range:</li> </ul>	18.5 °C (65.3 °F) 189 °C (372.2 °F)
· Flash point:	87 °C (188.6 °F)
· Flammability:	Not applicable.
· Auto igniting:	270 °C (518 °F)
· Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
· Danger of explosion:	Not determined.
· Explosion limits: Lower: Upper:	2.6 Vol % 42 Vol %
Vapor pressure at 20 °C (68 °F):	0.56 hPa (0.4 mm Hg)
<ul> <li>Density at 20 °C (68 °F):</li> <li>Relative density</li> <li>Vapor density</li> <li>Evaporation rate</li> </ul>	1.1 g/cm³ (9.1795 lbs/gal) Not determined. Not determined. Not determined.
<ul> <li>Solubility in / Miscibility with Water at 25 °C (77 °F):</li> </ul>	1000 g/l
· Partition coefficient (n-octanol/wate	r): Not determined.
<ul> <li>Viscosity:</li> <li>Dynamic at 20 °C (68 °F):</li> <li>Kinematic:</li> </ul>	198 mPas Not determined.
<ul> <li>Solvent content: Organic solvents: VOC content:</li> </ul>	99.5 % 99.50 % 995.0 g/l / 8.30 lb/gal
Solids content:	0.5 %
· Other information	No further relevant information available.

# **10 Stability and reactivity**

· **Reactivity** No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

(Contd. on page 6)

US

Printing date 08/15/2024

Revision date 08/15/2024

(Contd. from page 5)

### Trade name: DAPI (hydrochloride) (solution)

- · Conditions to avoid No further relevant information available.
- · **Incompatible materials:** No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

# **11 Toxicological information**

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

- 67-68-5 Dimethyl sulfoxide
- Oral LD50 28,300 mg/kg (rat)
  - OECD Test Guideline 401
- Dermal LD50 40,000 mg/kg (rat)
- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

## · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

# **12 Ecological information**

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

(Contd. on page 7)

115

Printing date 08/15/2024

Revision date 08/15/2024

## Trade name: DAPI (hydrochloride) (solution)

(Contd. from page 6)

# **13 Disposal considerations**

· Waste treatment methods

## · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	
DOT	NA1993
IMDG, IATA	not regulated
UN proper shipping name	
DOT	COMBUSTIBLE LIQUID, N.O.S
IMDG, IATA	not regulated
Transport hazard class(es)	
DOT	
3	
Class	3 Combustible liquids
Label	3
ADN/R Class:	not regulated
Packing group	
DOT	III
IMDG, IATA	not regulated
Environmental hazards:	Not applicable.
Special precautions for user	Not applicable.
Transport in bulk according to Annex	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 60 L
	On cargo aircraft only: 220 L
Remarks:	When sold in quantities of less than or equal to 1 mL
	1 g, with an Excepted Quantity Code of
	E1, E2, E4, or E5, this item meets the De Mini Quantities exemption, per IATA 2.6.10.
	Therefore packaging does not have to be labeled
	Dangerous Goods/Excepted Quantity.

Revision date 08/15/2024

## Trade name: DAPI (hydrochloride) (solution)

(Contd. from page 7)

ACTIVE

· UN "Model Regulation":

Printing date 08/15/2024

not regulated

## 15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

## · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

67-68-5 Dimethyl sulfoxide

· Hazardous Air Pollutants

None of the ingredients is listed.

#### · Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value)

None of the ingredients is listed.

### · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

· Department issuing SDS: Environment protection department.

(Contd. on page 9)

US

Printing date 08/15/2024

Revision date 08/15/2024

# Trade name: DAPI (hydrochloride) (solution)

	(Contd. from page 8)
· Contact: -	
Date of preparation / last revision 08/15/2024 / -	
Abbreviations and acronyms:	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Flammable liquids 4: Flammable liquids – Category 4	
Sensitization - Skin 1: Skin sensitisation – Category 1	
	US