

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/21/2024

Revision date 05/21/2024

Page 1/10

1 Identification

- · Product identifier
- · Trade name: <u>C10-200</u>
- · Synonym
- · Article number: 40863
- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Cayman Chemical Co.
 1180 E. Ellsworth Rd. Ann Arbor, MI 48108
- USA • Information department: Product safety department • Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300

2 Hazard(s) identification

Outside US/CANADA: 703-741-5970

· Classification of the substance or mixture

GHS02 Flame

Flammable Liquids 2 H225 Highly flammable liquid and vapor.

GHS07

H319 Causes serious eye irritation.

Eye Irritation 2A

- · GHS label elements
- The product is classified and labeled according to the Globally Harmonized System (GHS).
- Hazard pictograms



· Signal word Danger

(Contd. on page 2)

Printing date 05/21/2024

Revision date 05/21/2024

Trade name: C10-200

• Other ingredients C10-200

	(Contd. fro	om page 1)
 Hazard statemen 		
	mable liquid and vapor.	
H319 Causes ser		
 Precautionary st 	atements	
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.	
P233	Keep container tightly closed.	
P240	Ground/bond container and receiving equipment.	
P241	Use explosion-proof electrical/ventilating/lighting/equipment.	
P242	Use only non-sparking tools.	
P243	Take precautionary measures against static discharge.	
P264	Wash thoroughly after handling.	
P280	Wear protective gloves/protective clothing/eye protection/face protection.	
	3 If on skin (or hair): Take off immediately all contaminated clothing. Rinse s water/shower.	skin with
P305+P351+P338	3 If in eyes: Rinse cautiously with water for several minutes. Remove contact I present and easy to do. Continue rinsing.	enses, if
P337+P313	If eye irritation persists: Get medical advice/attention.	
P370+P378	In case of fire: Use CO2, powder or water spray to extinguish.	
P403+P235	Store in a well-ventilated place. Keep cool.	
P501	Dispose of contents/container in accordance with local/regional/national/inte	rnational
	regulations.	
Classification sy	5	
• NFPA ratings (so		
Fire	th = 2 = 3 ctivity = 0	
· HMIS-ratings (sc	ale 0 - 4)	
FIRE 3 Fire	alth = 2 $\Rightarrow = 3$ activity = 0	
 Other hazards 		
· Results of PBT a	ind vPvB assessment	
· PBT: Not applicat	ble.	
· vPvB: Not applica		
3 Composition/	information on ingredients	
	terization: Mixtures	_
· Description: Mixt	ture of the substances listed below with nonhazardous additions.	
· Dangerous com	ponents:	
CAS: 64-17-5	ethanol	95.0%
RTECS: KQ63000		

5.0% US

(Contd. on page 3)

Printing date 05/21/2024

Revision date 05/21/2024

(Contd. from page 2)

Trade name: C10-200

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately rinse with water.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures
 Wear protective equipment. Keep unprotected persons away.
 Environmental precautions:
 Dilute with plenty of water.
 Do not allow to enter sewers/ surface or ground water.
 Methods and material for containment and cleaning up:
 Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
 Dispose contaminated material as waste according to section 13.
- Ensure adequate ventilation. • Reference to other sections See Section 7 for information on safe handling.
 - See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- Protective Action Criteria for Chemicals

· PAC-1:	
64-17-5 ethanol	1,800 ppm
· PAC-2:	
64-17-5 ethanol	3300* ppm
PAC-3:	
64-17-5 ethanol	15000* ppm
•	

(Contd. on page 4)

Printing date 05/21/2024

Revision date 05/21/2024

(Contd. from page 3)

Trade name: C10-200

7 Handling and storage

- · Handling:
- Precautions for safe handling
 No special precautions are necessary if used correctly.
 Avoid breathing dust/fume/gas/mist/vapours/spray.
 Avoid prolonged or repeated exposure.
 Keep away from sources of ignition.
 Take precautionary measures against static discharge.re.
- Information about protection against static discharge.re.
 Information about protection against explosions and fires:
 Keep ignition sources away Do not smoke.
 Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

Control parameters

· Components with limit values that require monitoring at the workplace:

64-17-5 ethanol

PEL Long-term value: 1900 mg/m³, 1000 ppm

- REL Long-term value: 1900 mg/m³, 1000 ppm
- TLV Short-term value: 1000 ppm A3

· Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.

- · Breathing equipment: Not required.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

(Contd. on page 5)

Printing date 05/21/2024

Revision date 05/21/2024

Trade name: C10-200

(Contd. from page 4) Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• **Penetration time of glove material** The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

 Information on basic physical and c General Information 	hemical properties
 Appearance: Form: Color: Odor: Structural Formula Molecular Weight Odor threshold: Formulation 	Liquid According to product specification Characteristic C60H125N5O5 996.7 g/mol Not determined. A solution in Ethanol
· pH-value at 20 °C (68 °F):	7
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	-114 °C (-173.2 °F) 78 °C (172.4 °F)
· Flash point:	13 °C (55.4 °F)
· Flammability (solid, gaseous):	Highly flammable.
· Auto igniting:	425 °C (797 °F)
· Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/ vapor mixtures are possible.
[·] Explosion limits: Lower: Upper:	3.3 Vol % 19 Vol %
 Vapor pressure at 20 °C (68 °F): Vapor pressure at 50 °C (122 °F): 	59 hPa (44.3 mm Hg) 280 hPa (210 mm Hg)
 Density at 20 °C (68 °F): Relative density 	0.79 g/cm³ (6.59255 lbs/gal) Not determined.
	(Contd. on page 6)

US

Printing date 05/21/2024

Revision date 05/21/2024

Trade name: C10-200

	(Conto	d. from page 5
· Vapor density	Not determined.	
Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water at 20 °C (68 °F):	1,000 g/l	
· Partition coefficient (n-octano	//water): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	95.0 %	
VOC content:	95.00 %	
	950.0 g/l / 7.93 lb/gal	
Solids content:	5.0 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · **Incompatible materials:** No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:

LD/LC50 values that are relevant for classification:

64-17-5 ethanol		
Oral	LD50	10,470 mg/kg (rat) OECD Test Guideline 401
Inhalative	LC50/4 h	117–125 mg/l (rat) OECD 403 (rat)
Primary ir on the ski on the eye	i n: No irrita	ant effect.
Sensitizat	tion: No se	ensitizing effects known. gical information:
	uct shows	the following dangers according to internally approved calculation methods for

(Contd. on page 7)

US

Printing date 05/21/2024

Revision date 05/21/2024

Trade name: C10-200

(Contd. from page 6)

1

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

64-17-5 ethanol

· NTP (National Toxicology Program)

None of the ingredients is listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number	
· DOT, IMDG, IATA	UN1170
· UN proper shipping name	
DOT	Ethanol solutions
·IMDG	ETHANOL SOLUTION (ETHYL ALCOHO
	SOLUTION)
IATA	Ethanol solution

Printing date 05/21/2024

Revision date 05/21/2024

Trade name: C10-200

Transport hazard class(es) DOT Class 3 Flammable liquids Label 3 IMDG, IATA Class 3 Flammable liquids Label 3 Packing group DOT, IMDG, IATA II Environmental hazards: Not applicable. Special precautions for user Warning: Flammable liquids Hazard identification number (Kemler code): 33 EMS Number: F-E,S-D Stowage Category A Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L MDG Limited quantities (LQ) 1L Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml IATA Remarks: When sold in quantities of less than or equal to 1 m r 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minin Quantities exemption, per IATA 2.6.0. Therefore packaging codes not have to be labeled Dangerous Goods/Excepted Quantity. UN "Model Regulation": UN 1170 ETHANOL SOLUTION (ETHYL ALCOHO		(Contd. from pag
Class 3 Flammable liquids Label 3 IMDG, IATA 3 IMDG, IATA 3 Image: Class 3 Flammable liquids Label 3 Packing group 1 DOT, IMDG, IATA 11 Environmental hazards: Not applicable. Special precautions for user Warning: Flammable liquids Hazard identification number (Kemler code): 33 F-E, S-D Stowage Category A Transport in bulk according to Annex II of MARPOLT378 and the IBC Code Not applicable. Toransport/Additional information: On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L DOT Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L IMDG 1L Excepted quantities (LQ) 1L Excepted quantities (LQ) 1L Code: E2 Maximum net quantity per outer packaging: 30 ml Maximum net quantity per outer packaging: 30 ml Maximum net quantity Code of E1, E2, E4, or E5, this item meets the De Minin Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled Dangerous Goods/Excepted Quantity. Duantity Code of E1, E2, E4, or E5, this item meets the De Minin Quantities exemption, per IATA 2.6.10.	Transport hazard class(es)	
Label 3 IMDG, IATA Imposed of the second	DOT	
Label 3 IMDG, IATA Imposed of the second		
Label 3 IMDG, IATA Imposed of the second	RAMABLE LIQUO	
Label 3 IMDG, IATA Imposed of the second	3	
IMDG, IATA Viscous Class 3 Flammable liquids Label 3 Packing group DOT, IMDG, IATA DOT, IMDG, IATA II Environmental hazards: Not applicable. Special precautions for user Warning: Flammable liquids Hazard identification number (Kemler code): 33 F-E,S-D Stowage Category A Transport in bulk according to Annex II of Mot applicable. Transport in bulk according to Annex II of Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L IL IMDG Limited quantities (LQ) 1L Excepted quantities (EQ) 1L Code: E2 Maximum net quantity per outer packaging: 30 ml Maximum net quantity per outer packaging: 500 ml IMaximum net quantity per outer packaging: 500 ml IATA Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minin Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled Dangerous GoodS/Excepted Quantity. UN "Model Regulation": </td <td></td> <td>•</td>		•
Class 3 Flammable liquids Label 3 Packing group 1 Environmental hazards: Not applicable. Special precautions for user Warning: Flammable liquids Hazard identification number (Kemler code): 33 EMS Number: F-E,S-D Stowage Category A Transport in bulk according to Annex II of Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L II Excepted quantities (LQ) 1L Excepted quantities (EQ) 1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml IATA When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minin Quantities exemption, per IATA 2.6.0. Therefore packaging does not have to be labeled Dangerous Goods/Excepted Quantity. UN "Model Regulation": UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOR		
Label3Packing group DOT, IMDG, IATAIIEnvironmental hazards:Not applicable.Special precautions for user Hazard identification number (Kemler code): 33Warning: Flammable liquidsHazard identification number (Kemler code): 33F-E,S-DStowage CategoryATransport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information: DOT Quantity limitationsOn passenger aircraft/rail: 5 L On cargo aircraft only: 60 LIMDG Limited quantities (LQ)1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 mlIATA Remarks:When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minin Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled Dangerous Goods/Excepted Quantity.UN "Model Regulation":UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOR		
Label3Packing group DOT, IMDG, IATAIIEnvironmental hazards:Not applicable.Special precautions for user Hazard identification number (Kemler code): 33Warning: Flammable liquidsHazard identification number (Kemler code): 33F-E,S-DStowage CategoryATransport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information: DOT Quantity limitationsOn passenger aircraft/rail: 5 L On cargo aircraft only: 60 LIMDG Limited quantities (LQ)1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 mlIATA Remarks:When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minin Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled Dangerous Goods/Excepted Quantity.UN "Model Regulation":UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOR		
Label3Packing group DOT, IMDG, IATAIIEnvironmental hazards:Not applicable.Special precautions for user Hazard identification number (Kemler code): 33Warning: Flammable liquidsBazard identification number (Kemler code): 33F-E,S-DStowage CategoryATransport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information: DOT Quantity limitationsOn passenger aircraft/rail: 5 L On cargo aircraft only: 60 LIMDG Limited quantities (LQ)1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 mlIATA Remarks:When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minin Quantity.UN "Model Regulation":UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOR)		
Label3Packing group DOT, IMDG, IATAIIEnvironmental hazards:Not applicable.Special precautions for user Hazard identification number (Kemler code): 33Warning: Flammable liquidsHazard identification number (Kemler code): 33F-E,S-DStowage CategoryATransport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information: DOT Quantity limitationsOn passenger aircraft/rail: 5 L On cargo aircraft only: 60 LIMDG Limited quantities (LQ)1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 mlIATA Remarks:When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minin Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled Dangerous Goods/Excepted Quantity.UN "Model Regulation":UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOR		
Packing group DOT, IMDG, IATA II Environmental hazards: Not applicable. Special precautions for user Warning: Flammable liquids Hazard identification number (Kemler code): 33 EMS Number: F-E,S-D Stowage Category A Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L IMDG 1L Limited quantities (LQ) 1L Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml IATA Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minin Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled Dangerous Goods/Excepted Quantity. UN "Model Regulation": UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOR		•
DOT, IMDG, IATA II Environmental hazards: Not applicable. Special precautions for user Warning: Flammable liquids Hazard identification number (Kemler code): 33 EMS Number: F-E,S-D Stowage Category A Transport in bulk according to Annex II of Not applicable. MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L IMDG Limited quantities (LQ) 1L Excepted quantities (EQ) Code: E2 Maximum net quantity per outer packaging: 30 ml Maximum net quantity per outer packaging: 500 ml IATA Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minin Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled Dangerous Goods/Excepted Quantity. UN "Model Regulation": UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOR)		
Environmental hazards: Not applicable. Special precautions for user Warning: Flammable liquids Hazard identification number (Kemler code): 33 F-E,S-D Stowage Category A Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L IMDG Limited quantities (LQ) 1L Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml IATA Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minin Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled Dangerous Goods/Excepted Quantity. UN "Model Regulation": UN 1170 ETHANOL SOLUTION (ETHYL ALCOHO		Ш
Special precautions for user Warning: Flammable liquids Hazard identification number (Kemler code): 33 EMS Number: F-E,S-D Stowage Category A Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L IMDG Limited quantities (LQ) 1L Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml IATA Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minin Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled Dangerous Goods/Excepted Quantity. UN "Model Regulation": UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOMICS)		
Hazard identification number (Kemler code): 33 EMS Number: F-E,S-D Stowage Category A Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L IMDG Limited quantities (LQ) 1L Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml IATA Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minin Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled Dangerous Goods/Excepted Quantity. UN "Model Regulation": UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOR)		
EMS Number: Stowage CategoryF-E,S-D ATransport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information: DOT Quantity limitationsOn passenger aircraft/rail: 5 L On cargo aircraft only: 60 LIMDG Limited quantities (LQ)1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 mlIATA Remarks:When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minin Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled Dangerous Goods/Excepted Quantity.UN "Model Regulation":UN 1170 ETHANOL SOLUTION (ETHYL ALCOHO		
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L IMDG Limited quantities (LQ) 1L Excepted quantities (EQ) 1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml IATA Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minin Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled Dangerous Goods/Excepted Quantity. UN "Model Regulation": UN 1170 ETHANOL SOLUTION (ETHYL ALCOHO	EMS Number:	F-E,S-D
MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: On passenger aircraft/rail: 5 L DOT On passenger aircraft/rail: 5 L Quantity limitations On passenger aircraft only: 60 L IMDG IL Limited quantities (LQ) 1L Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml IATA When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minin Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled Dangerous Goods/Excepted Quantity. UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOMED)	Stowage Category	A
Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L IMDG Limited quantities (LQ) 1L Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml IATA Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled Dangerous Goods/Excepted Quantity. UN "Model Regulation": UN 1170 ETHANOL SOLUTION (ETHYL ALCOHO		
DOT Quantity limitations On passenger aircraft/rail: 5 L Quantity limitations On cargo aircraft only: 60 L IMDG 1L Limited quantities (LQ) 1L Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml IATA Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minin Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled Dangerous Goods/Excepted Quantity. UN "Model Regulation": UN 1170 ETHANOL SOLUTION (ETHYL ALCOHO		
Quantity limitationsOn passenger aircraft/rail: 5 L On cargo aircraft only: 60 LIMDG Limited quantities (LQ)1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 mlIATA Remarks:When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minin Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled Dangerous Goods/Excepted Quantity.UN "Model Regulation":UN 1170 ETHANOL SOLUTION (ETHYL ALCOHO	•	
IMDG 1L Limited quantities (LQ) 1L Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml IATA Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minin Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled Dangerous Goods/Excepted Quantity. UN "Model Regulation":	-	
IMDG 1L Limited quantities (LQ) 1L Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml IATA Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled Dangerous Goods/Excepted Quantity. UN "Model Regulation":	Quantity limitations	
Limited quantities (LQ)1LExcepted quantities (EQ)Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 mlIATA Remarks:When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minin Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled Dangerous Goods/Excepted Quantity.UN "Model Regulation":UN 1170 ETHANOL SOLUTION (ETHYL ALCOHO	IMDG	
Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml IATA Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minin Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled Dangerous Goods/Excepted Quantity. UN "Model Regulation":		1L
IATA Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minin Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled Dangerous Goods/Excepted Quantity. UN "Model Regulation": UN 1170 ETHANOL SOLUTION (ETHYL ALCOHORD)		-
IATA Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled Dangerous Goods/Excepted Quantity. UN "Model Regulation": UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOME)		
Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minin Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled Dangerous Goods/Excepted Quantity. UN "Model Regulation": UN 1170 ETHANOL SOLUTION (ETHYL ALCOHORD)		waximum net quantity per outer packaging: 500 mi
or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minin Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled Dangerous Goods/Excepted Quantity. UN "Model Regulation":		When sold in quantities of less than or equal to 1 m
E1, E2, E4, or E5, this item meets the De Minin Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled Dangerous Goods/Excepted Quantity. UN "Model Regulation": UN 1170 ETHANOL SOLUTION (ETHYL ALCOHO)		
UN "Model Regulation": UN 1170 ETHANOL SOLUTION (ETHYL ALCOHO)		E1, E2, E4, or E5, this item meets the De Minin
Dangerous Goods/Excepted Quantity. UN "Model Regulation": UN 1170 ETHANOL SOLUTION (ETHYL ALCOHO)		Quantities exemption, per IATA 2.6.10.
UN "Model Regulation": UN 1170 ETHANOL SOLUTION (ETHYL ALCOHO		I neretore packaging does not have to be labeled Dangerous Goods/Excepted Quantity
	UN "Model Regulation":	

(Contd. on page 9)

Printing date 05/21/2024

Revision date 05/21/2024

Trade name: C10-200

(Contd. from page 8)

Safety	health and environmental regulations/legislation specific for the substance or mixture
	er relevant information available.
Sara	
	355 (extremely hazardous substances):
None of	the ingredients is listed.
	313 (Specific toxic chemical listings):
None of	the ingredients is listed.
	Foxic Substances Control Act):
64-17-5	ethanol ACTIV
Hazardo	ous Air Pollutants
	the ingredients is listed.
Proposi	
	als known to cause cancer:
	the ingredients is listed.
	als known to cause reproductive toxicity for females:
	the ingredients is listed.
	als known to cause reproductive toxicity for males:
None of	the ingredients is listed.
	als known to cause developmental toxicity:
64-17-5	ethanol
Carcino	genic categories
EPA (En	vironmental Protection Agency)
None of	the ingredients is listed.
· TLV (Th	reshold Limit Value)
64-17-5	ethanol A
NIOSH-	Ca (National Institute for Occupational Safety and Health)
None of	the ingredients is listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- · Date of preparation / last revision 05/21/2024 / -
- **Abbreviations and acronyms:** IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation

Printing date 05/21/2024

Revision date 05/21/2024

(Contd. from page 9)

Trade name: C10-200

IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent D50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flammable Liquids 2: Flammable liquids – Category 2 Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A