

Page 1/8

Safety Data Sheet acc. to OSHA HCS

Printing date 09/11/2024 Revision date 09/11/2024

1 Identification

· Product identifier

· Trade name: Carmustine-d8

· Synonym

· Article number: 42213

· Application of the substance / the mixture

This product is for research use - Not for human or veterinary diagnostic or therapeutic use.

Details of the supplier of the safety data sheet

Manufacturer/Supplier: Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108

USA

· Information department: Product safety department

· Emergency telephone number:

During normal opening times: +1 (734) 971-3335

US/CANADA: 800-424-9300

Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

· Classification of the substance or mixture



GHS06 Skull and crossbones

Acute Toxicity - Oral 2 H300 Fatal if swallowed.



GHS08 Health hazard

Carcinogenicity 1B H350 May cause cancer.

Toxic to Reproduction 1B H360 May damage fertility or the unborn child.

· Label elements

· GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms





GHS06 GHS08

(Contd. on page 2)

(Contd. from page 1)

Safety Data Sheet acc. to OSHA HCS

Printing date 09/11/2024 Revision date 09/11/2024

Trade name: Carmustine-d8

· Signal word Danger

· Hazard statements

H300 Fatal if swallowed.

H350 May cause cancer.

H360 May damage fertility or the unborn child.

· Precautionary statements

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310 If swallowed: Immediately call a poison center/doctor.

P321 Specific treatment (see on this label).

P330 Rinse mouth.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 4 Fire = 0 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = *3 Fire = 0 Reactivity = 0

Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable. · **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Substances

· CAS No. Description

Carmustine-d8

4 First-aid measures

- · Description of first aid measures
- General information:

Immediately remove any clothing soiled by the product.

In case of irregular breathing or respiratory arrest provide artificial respiration.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Do not induce vomiting; immediately call for medical help.

(Contd. on page 3)

Printing date 09/11/2024 Revision date 09/11/2024

Trade name: Carmustine-d8

(Contd. from page 2)

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

Use fire fighting measures that suit the environment.

A solid water stream may be inefficient.

- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

- **Protective Action Criteria for Chemicals**
- · PAC-1: Substance is not listed.
- · PAC-2: Substance is not listed.
- · PAC-3: Substance is not listed.

7 Handling and storage

- · Handling:
- Precautions for safe handling

Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace.

- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- **Storage:** Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

(Contd. on page 4)

Printing date 09/11/2024 Revision date 09/11/2024

Trade name: Carmustine-d8

(Contd. from page 3)

- · Control parameters
- Components with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Low melting solid or liquid

Color: Yellow
Odor: Characteristic
Structural Formula C5HD8Cl2N3O2
Molecular Weight 222.1 g/mol
Odor threshold: Not determined.

· **pH-value:** Not applicable.

· Change in condition

Melting point/Melting range: Undetermined.

(Contd. on page 5)

Printing date 09/11/2024 Revision date 09/11/2024

Trade name: Carmustine-d8

	(Contd. from page 4)	
Boiling point/Boiling range:	Undetermined.	
· Flash point:	Not applicable.	
· Flammability:	Product is not flammable.	
· Decomposition temperature:	Not determined.	
· Ignition temperature:	Not determined.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits: Lower: Upper:	Not determined. Not determined.	
· Vapor pressure:	Not applicable.	
 Density: Relative density Vapor density Evaporation rate 	Not determined. Not determined. Not applicable. Not applicable.	
· Solubility in / Miscibility with Water:	Not determined.	
· Partition coefficient (n-octanol/water): Not determined.		
· Viscosity: Dynamic: Kinematic:	Not applicable. Not applicable.	
· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: Strong oxidizing agents
- · Hazardous decomposition products: Carbon oxides, nitrogen oxides, hydrogen chloride gas

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- Carcinogenic categories
- · IARC (International Agency for Research on Cancer) Substance is not listed.

(Contd. on page 6)

Printing date 09/11/2024 Revision date 09/11/2024

Trade name: Carmustine-d8

(Contd. from page 5)

- · NTP (National Toxicology Program) Substance is not listed.
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

14	ran	ISPO	orti	into	orma	tion

· UN-Number · DOT, IMDG, IATA	UN3288
· UN proper shipping name · DOT, IATA · IMDG	Toxic solid, inorganic, n.o.s. (Carmustine-d8) TOXIC SOLID, INORGANIC, N.O.S. (Carmustine-d8)

· Transport hazard class(es)

· DOT



· Class 6.1 Toxic substances

(Contd. on page 7)

Printing date 09/11/2024 Revision date 09/11/2024

Trade name: Carmustine-d8

Class		(Contd. from page
Class Label Class Clabel Class Class Clabel Class	· Label	6.1
Packing group DOT, IMDG, IATA I	· IMDG, IATA	
Packing group DOT, IMDG, IATA I		
Packing group DOT, IMDG, IATA Environmental hazards: Special precautions for user Hazard identification number (Kemler code): 66 EMS Number: Stowage Category Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 5 kg On cargo aircraft only: 50 kg IMDG Limited quantities (LQ) Excepted quantities (EQ) Ocde: E5 Maximum net quantity per inner packaging: 1 g Maximum net quantity per outer packaging: 300 g IATA Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity. UN 3288 TOXIC SOLID, INORGANIC, N.O.		• • • • • • • • • • • • • • • • • • • •
Environmental hazards: Environmental hazards: Special precautions for user Hazard identification number (Kemler code): 66 EMS Number: Stowage Category Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 5 kg On cargo aircraft only: 50 kg IMDG Limited quantities (LQ) Excepted quantities (EQ) Ocode: E5 Maximum net quantity per inner packaging: 1 g Maximum net quantity per outer packaging: 300 g IATA Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity. UN "Model Regulation": UN 3288 TOXIC SOLID, INORGANIC, N.O.	Label	6.1
Special precautions for user Hazard identification number (Kemler code): 66 EMS Number: Stowage Category B Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 5 kg On cargo aircraft only: 50 kg IMDG Limited quantities (LQ) Excepted quantities (EQ) Ocde: E5 Maximum net quantity per inner packaging: 1 g Maximum net quantity per outer packaging: 300 g IATA Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity. UN 3288 TOXIC SOLID, INORGANIC, N.O.	· Packing group · DOT, IMDG, IATA	T
Hazard identification number (Kemler code): 66 EMS Number: F-A,S-A Stowage Category B Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 5 kg On cargo aircraft only: 50 kg IMDG Limited quantities (LQ) 0 Excepted quantities (EQ) Code: E5 Maximum net quantity per inner packaging: 1 g Maximum net quantity per outer packaging: 300 g IATA Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity. UN "Model Regulation": UN 3288 TOXIC SOLID, INORGANIC, N.O.	· Environmental hazards:	Not applicable.
EMS Number: Stowage Category Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 5 kg On cargo aircraft only: 50 kg IMDG Limited quantities (LQ) Excepted quantities (EQ) Ocde: E5 Maximum net quantity per inner packaging: 1 g Maximum net quantity per outer packaging: 300 g IATA Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity. UN 3288 TOXIC SOLID, INORGANIC, N.O.		
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 5 kg On cargo aircraft only: 50 kg IMDG Limited quantities (LQ) Excepted quantities (EQ) Ocde: E5 Maximum net quantity per inner packaging: 1 g Maximum net quantity per outer packaging: 300 g IATA Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity. UN 3288 TOXIC SOLID, INORGANIC, N.O.		
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 5 kg On cargo aircraft only: 50 kg IMDG Limited quantities (LQ) Excepted quantities (EQ) Ocde: E5 Maximum net quantity per inner packaging: 1 g Maximum net quantity per outer packaging: 300 g IATA Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity. UN "Model Regulation": UN 3288 TOXIC SOLID, INORGANIC, N.O.		
MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 5 kg On cargo aircraft only: 50 kg IMDG Limited quantities (LQ) Excepted quantities (EQ) Ocde: E5 Maximum net quantity per inner packaging: 1 g Maximum net quantity per outer packaging: 300 g IATA Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity. UN "Model Regulation": UN 3288 TOXIC SOLID, INORGANIC, N.O.	· Stowage Category	В
On passenger aircraft/rail: 5 kg On cargo aircraft only: 50 kg IMDG Limited quantities (LQ) Excepted quantities (EQ) Ocode: E5 Maximum net quantity per inner packaging: 1 g Maximum net quantity per outer packaging: 300 g IATA Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity. UN "Model Regulation": UN 3288 TOXIC SOLID, INORGANIC, N.O.	Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
On passenger aircraft/rail: 5 kg On cargo aircraft only: 50 kg IMDG Limited quantities (LQ) Excepted quantities (EQ) Ocode: E5 Maximum net quantity per inner packaging: 1 g Maximum net quantity per outer packaging: 300 g IATA Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity. UN "Model Regulation": UN 3288 TOXIC SOLID, INORGANIC, N.O.	· Transport/Additional information:	
On passenger aircraft/rail: 5 kg On cargo aircraft only: 50 kg IMDG Limited quantities (LQ) Excepted quantities (EQ) Ocode: E5 Maximum net quantity per inner packaging: 1 g Maximum net quantity per outer packaging: 300 g IATA Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity. UN "Model Regulation": UN 3288 TOXIC SOLID, INORGANIC, N.O.	· DOT	
On cargo aircraft only: 50 kg IMDG Limited quantities (LQ) Excepted quantities (EQ) Ocode: E5 Maximum net quantity per inner packaging: 1 g Maximum net quantity per outer packaging: 300 g IATA Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity. UN 3288 TOXIC SOLID, INORGANIC, N.O.		On passenger aircraft/rail: 5 kg
Limited quantities (LQ) Excepted quantities (EQ) Code: E5 Maximum net quantity per inner packaging: 1 g Maximum net quantity per outer packaging: 300 g IATA Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity. UN "Model Regulation": UN 3288 TOXIC SOLID, INORGANIC, N.O.	•	
Code: E5 Maximum net quantity per inner packaging: 1 g Maximum net quantity per outer packaging: 300 g IATA Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity. UN "Model Regulation": UN 3288 TOXIC SOLID, INORGANIC, N.O.	·IMDG	
Maximum net quantity per inner packaging: 1 g Maximum net quantity per outer packaging: 300 g IATA Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity. UN "Model Regulation": UN 3288 TOXIC SOLID, INORGANIC, N.O.	Limited quantities (LQ)	0
Maximum net quantity per outer packaging: 300 g IATA Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity. UN "Model Regulation": UN 3288 TOXIC SOLID, INORGANIC, N.O.	Excepted quantities (EQ)	
View of the sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity. UN "Model Regulation": UN 3288 TOXIC SOLID, INORGANIC, N.O.		Maximum net quantity per inner packaging: 1 g
When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity. UN "Model Regulation": UN 3288 TOXIC SOLID, INORGANIC, N.O.		Maximum net quantity per outer packaging: 300 g
or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity. UN "Model Regulation": UN 3288 TOXIC SOLID, INORGANIC, N.O.	· IATA	
E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity. UN "Model Regulation": UN 3288 TOXIC SOLID, INORGANIC, N.O.	Remarks:	
Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity. UN "Model Regulation": UN 3288 TOXIC SOLID, INORGANIC, N.O.		
Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity. UN "Model Regulation": UN 3288 TOXIC SOLID, INORGANIC, N.O.		
Dangerous Goods/Excepted Quantity. UN "Model Regulation": UN 3288 TOXIC SOLID, INORGANIC, N.O.		
	· UN "Model Regulation":	
I OMINIOU I INCIDUI. U. I. I	or moder regulation .	(CARMUSTINE-D8), 6.1, I

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances): Substance is not listed.
- · Section 313 (Specific toxic chemical listings): Substance is not listed.
- · TSCA (Toxic Substances Control Act): Substance is not listed.
- · Hazardous Air Pollutants Substance is not listed.
- · Proposition 65
- · Chemicals known to cause cancer: Substance is not listed.

(Contd. on page 8)

Printing date 09/11/2024 Revision date 09/11/2024

Trade name: Carmustine-d8

(Contd. from page 7)

- · Chemicals known to cause reproductive toxicity for females: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for males: Substance is not listed.
- Chemicals known to cause developmental toxicity: Substance is not listed.
- · Carcinogenic categories
- · EPA (Environmental Protection Agency) Substance is not listed.
- · TLV (Threshold Limit Value) Substance is not listed.
- · NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.
- National regulations:
- · Information about limitation of use:

Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · **Department issuing SDS:** Environment protection department.
- · Contact: -
- · Date of preparation / last revision 09/11/2024 / -
- · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

Acute Toxicity - Oral 2: Acute toxicity - Category 2

Carcinogenicity 1B: Carcinogenicity - Category 1B

Toxic to Reproduction 1B: Reproductive toxicity - Category 1B