

Section 1. Identification of the Substance/Mixture and of the Company/Undertaking 1. Product Code: 60901 Product Name: Dihomo-gamma-Linolencyl PAF C-16 Synonyms: 1-O-hexadecyl-2-O-(8Z,11Z,14Z-eicosatriencyl)-sn-glyceryl-3-phosphorholine; 1-O-hexadecyl-2-O-(8Z,11Z,14Z-eicosatriencyl)-sn-glyceryl-3-phosphorholine; 1-O-hexadecyl-2-O-(8Z,11Z,14Z-eicosatriencyl)-sn-glyceryl-3-phosphorholine; 1.2 Relevant identified uses: For research use only, not for human or veterinary use. 2.3 Details of the Supplier of the Safety Data Sheet: Company Name: Cayman Chemical Company 1180 E. Elieworth Rd. Ann Arbor, MI. 48108 Web site address: www.caymanchem.com Information: Cayman Chemical Company 2. +1 (734)971-3335 Emergency telephone number: Emergency Contact: CHEMTREC Within USA and Canada: +1 (800)424-9300 CHEMTREC Outside USA and Canada: +1 (703)527-3887 Section 2. Hazzards Identification 2.1 Classification of the Substance or Mixture: 2.1.1 Classification according to Regulation (EC) No 1272/2008 [CLP]: Flammable Liquids, Category 2 Skin Corresion/Irritation, Category 3 Serious Eye Damage(Py Irritation, Category 2A Skin Sensitization, Category 1 2.2 Label Elements: 2.2.1 Labeling according to Regulation (EC) No 1272/2008 [CLP]: 1.2.1 Labeling according to Regulation (EC) No 1272/2008 [CLP]: 1.2.2.2.2.3.1.3.1.3.1.3.1.3.1.3.1.3.1.3.			ing to Regulation (EC) No. 1907/2006 as amended by					
Product Name: DihomegammaLinolencyl PAF C-16 Synonyms: 1-0-hexadecyl-2-0(82,112,142-eicosatriencyl)-sn-glyceryl-3-phosphorylcholine; 1-0-hexadecyl-2-0/82,112,142-eicosatriencyl)-sn-glyceryl-3-phosphorylcholine; 1-0-hexadecyl-2-0/82,112,142-eicosatriencyl)-sn-glyceryl-3-phosphorylcholine; 1-0-hexadecyl-2-0/82,112,142-eicosatriencyl)-sn-glyceryl-3-phosphorylcholine; 1-0-hexadecyl-2-0/82,112,142-eicosatriencyl-sn-glyceryl-3-phosphorylcholine; 1-0-hexadecyl-2-0/82,112,142-eicosatriencyl-sn-glyceryl-3-phosphorylcholine; 1-0-hexadecyl-2-0/82,112,142-eicosatriencyl-sn-glyceryl-3-phosphorylcholine; 1-0-hexadecyl-2-0/82,112,142-eicosatriencyl-sn-glyceryl-3-phosphorylcholine; 1-0-hexadecyl-2-0/82,112,112,112,112,112,112,112,112,112,1		Section 1. Ide	entification of the Substance/Mixture and of the	ne Company/Undertaking				
Synonyms: 1-0-hexadecyl-2-0-(82,112,142-eicosatriencyl)-sn-glycero-3-Phosphorylcholine; 1-0-hexadecyl-2-dihomo-gamma -Linolencyl-sn-glycero-3-Phosphorylcholine; 2. Relevant identified uses: For research use only, not for human or veterinary use. 3. Details of the Supplier of the Safety Data Sheet: Company Name: Cayman Chemical Company 1180 E. Elisworth Rd. An Arbor, MI 48108 Web site address: www.caymanchem.com Information: cayman Chemical Company Information: Cayman Chemical Company +1 (734)971-3335 4. Emergency telephone number: Emergency telephone number: Emergency Contact: CHEMTREC Within USA and Canada: +1 (800)424-9300 CHEMTREC Outside USA and Canada: 1.1 Classification of the Substance or Mixture: .1 1.1 Classification according to Regulation (EC) No 1272/2008 [CLP]: Fiammable Liquids, Category 2 Skin Corrosion/Irritation, Category 3 Serious Eye DamageEye Irritation, Category 2A Skin Sensitization, Category 1 1.2 Labeling according to Regulation (EC) No 1272/2008 [CLP]: Fiammable Liquids, Category 1 1.2 Labeling according to Regulation, (EC) No 1272/2008 [CLP]: Fiamable Liquids, Category 1 1.3 Labeling according to Regulation, EC) No 1272/2008 [CLP]: Fiamable Liquids, Cate	.1	Product Code:	60901					
1-O-hexadecyl-2-dihomo-gammaLinolencyl-sn-glycero-3-Phosphocholine; 2. Relevant identified uses of the substance or mixture and uses advised against: Relevant identified uses: For research use only, not for human or veterinary use. 3. Details of the Supplier of the Safety Data Sheet: Company Name: Cayman Chemical Company 1180 E. Elisworth Rd. Ann Arbor, MI 48108 Web site address: www.caymanchem.com Information: compency Lelephone number: Cayman Chemical Company CHEMTREC Outside USA and Canada: 1 Classification of the Substance or Mixture: 1.1 Classification of the Substance or Mixture: 2.1 Label Elements: 2.1		Product Name:	DihomogammaLinolenoyl PAF C-16					
 Relevant identified uses of the substance or mixture and uses advised against: Relevant identified uses: For research use only, not for human or veterinary use. Details of the Supplier of the Safety Data Sheet: Company Name: Cayman Chemical Company 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 Web site address: www.caymanchem.com Information: Cayman Chemical Company +1 (734)971-3335 Emergency telephone number: Emergency telephone number: Emergency to chatt: CHEMTREC Within USA and Canada: +1 (800)424-9300 CHEMTREC Outside USA and Canada: +1 (703)527-3887 Section 2. Hazards Identification Classification of the Substance or Mixture: Classification according to Regulation (EC) No 1272/2008 [CLP]: Flammable Liquids, Category 2 Skin Corrosion/Irritation, Category 3 Serious Eye Damage/Eye Irritation, Category 2A Skin Sensitization, Category 1 Label Elements: Label Elements: Label Elements: Label Regulation (EC) No 1272/2008 [CLP]: GHS Signal Word: Danger GHS Hazard Phrases: H225: Highly flammable liquid and vapor. H316: Causes and lergic skin reaction. H317: May cause an allergic skin reaction. H317: Wash (hands) throughly filtermethandling. P201: Keep away from (heatSparks/open flames/hot surfaces) No smoking. P261: Avoid breathing (dust/ume/gas/mist/vapors/spray). P264: Vwash (hands) throughly flam handling. P272: Contaminated work clothing should not be allowed out of the workplace. 		Synonyms:	1-O-hexadecyl-2-O-(8Z,11Z,14Z-eicosatrienoy	/l)-sn-glyceryl-3-phosphorylcholine;				
Relevant identified uses: For research use only, not for human or veterinary use. 3 Details of the Supplier of the Safety Data Sheet: Company Name: Cayman Chemical Company. H180 E. Elisworth Rd. Ann Arbor, MI 48108 Web site address: www.caymanchem.com Information: Cayman Chemical Company +1 (734)971-3335 4 Emergency telephone number: Emergency Contact: CHEMTREC Within USA and Canada: +1 (703)527-3887 Section 2. Hazards Identification (CHEMTREC Outside USA and Canada: +1 (703)527-3887 Section 2. Hazards Identification (1 Classification according to Regulation (EC) No 1272/2008 [CLP]: Flammable Liquids, Category 2 Skin Sensitization, Category 1 2 Label Elements: 2.1 Label Elements: 2.1 Labeling according to Regulation (EC) No 1272/2008 [CLP]: FdH Hazard Phrases: Panger H25: Highly flammable liquid and vapor. H31: Causes anillergic skin reaction.			1-O-hexadecyl-2-dihomogammaLinolenoyl-	sn-glycero-3-Phosphocholine;				
 Jotalis of the Supplier of the Safety Data Sheet: Company Name: Cayman Chemical Company 1180 E. Elisworth Rd. Ann Arbor, MI 48108 Web site address: www.caymanchem.com Information: Cayman Chemical Company +1 (734)971-3335 Emergency telephone number: Emergency Contact: CHEMTREC Within USA and Canada: +1 (800)424-9300 CHEMTREC Outside USA and Canada: +1 (800)424-9300 CHEMTREC Outside USA and Canada: +1 (703)527-3887 Section 2. Hazard's Identification Classification of the Substance or Mixture: Classification according to Regulation (EC) No 1272/2008 [CLP]: Flammable Liquids, Category 2 Skin Corrosion/Irritation, Category 3 Serious Eye Damage/Eye Irritation, Category 2A Skin Sensitization, Category 1 Label Elements: Label Elements: Habeling according to Regulation (EC) No 1272/2008 [CLP]: Fils Signal Word: Danger GHS Signal Word: Danger H225: Highly flammable liquid and vapor. H316: Causes mild skin irritation. H319: Causes and lergic skin reaction. H319: Causes and H310 Arbora H310 Arbor	.2	Relevant identified uses of t	ne substance or mixture and uses advised ag	jainst:				
Company Name: Cayman Chemical Company 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 Web site address: www.caymanchem.com Information: Cayman Chemical Company +1 (734)971-3335 Company Name: Cayman Chemical Company +1 (734)971-3335 Cemergency telephone number: Emergency telephone number: Emergency telephone number: Emergency Contact: CHEMTREC Outside USA and Canada: +1 (703)527-3887 Section 2. Hazards Identification 11 (703)527-3887 Section 2. Hazards Identification 1 Classification of the Substance or Mixture:		Relevant identified uses:	For research use only, not for human or veteri	nary use.				
1180 E. Ellsworth Rd. Ann Arbor, MI 48108 Web site address: www.caymanchem.com Information: Cayman Chemical Company +1 (734)971-3335 4 Emergency telephone number: Emergency contact: CHEMTREC Within USA and Canada: +1 (800)424-9300 CHEMTREC Outside USA and Canada: +1 (703)527-3887 Section 2. Hazards Identification Section 2. Hazards Identification 1 Classification according to Regulation (EC) No 1272/2008 [CLP]: Flammable Liquids, Category 2 Skin Sensitization, Category 1 Skin Corrosion/Irritation, Category 2 Skin Corrosion/Irritation, Category 1 Label Elements: 2.1 Label Identification GHS Signal Word: Danger GHS Nagard Phrases: H225: Highly flammable liquid and vapor. H319: Causes and liquid in ritration. H319: Causes and liquid in and vapor. H319: Causes serious eye irritation. H319: Causes serious eye irritation. H319: Causes serious eye irritation. H319: Causes serious eye irritation. H319: Causes serious eye irritation. H319: Causes serious eye irritation. H319: Causes serious eye irritation. H319: Causes serious	.3	Details of the Supplier of the	Safety Data Sheet:					
Web site address: www.caymanchem.com Information: Cayman Chemical Company +1 (734)971-3335 IA Emergency telephone number: Emergency Contact: CHEMTREC Within USA and Canada: +1 (800)424-9300 CHEMTREC Outside USA and Canada: +1 (703)527-3887 Section 2. Hazards Identification Recipient 2. Hazards Identification Recipient 2. Hazards Identification Classification of the Substance or Mixture: Classification according to Regulation (EC) No 1272/2008 [CLP]: Flammable Liquids, Category 2 Skin Corrosion/Irritation, Category 3 Serious Eye Damage/Eye Irritation, Category 2A Skin Sensitization, Category 1 Label Elements: Label Identific CHS Signal Word: Danger GHS Signal Word: Danger GHS Mazard Phrases: Highly flammable liquid and vapor. H316: Causes mild skin irritation. H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. H319: Causes serious eye irritation. H319: Causes serious eye irritation.		Company Name:	1180 E. Ellsworth Rd.					
Information: Cayman Chemical Company +1 (734)971-3335 1.4 Emergency telephone number: Emergency Contact: CHEMTREC Within USA and Canada: +1 (800)424-9300 CHEMTREC Outside USA and Canada: +1 (703)527-3887 Section 2. Hazards Identification Classification of the Substance or Mixture: Classification according to Regulation (EC) No 1272/2008 [CLP]: Flammable Liquids, Category 2 Skin Corrosion/Irritation, Category 3 Serious Eye Damage/Eye Irritation, Category 2A Skin Corrosion/Irritation, Category 1 Label Elements: 2.1 Labeling according to Regulation (EC) No 1272/2008 [CLP]: Offs Signal Word: Danger GHS Signal Word: Danger H225: Highly flammable liquid and vapor. H316: Causes mild skin irritation. H317: May cause an allergic skin reaction. H316: Causes serious eye irritation. H326: Keep away from (heat/sparks/open flames		Web site address:						
4 Emergency telephone number: +1 (800)424-9300 Emergency Contact: CHEMTREC Within USA and Canada: +1 (703)527-3887 Section 2. Hazards Identification Classification of the Substance or Mixture: (Classification of the Substance or Mixture: Classification according to Regulation (EC) No 1272/2008 [CLP]: Flammable Liquids, Category 2 Skin Corrosion/Irritation, Category 3 Serious Eye Damage/Eye Irritation, Category 2A Skin Sensitization, Category 1 Label Elements: 2.1 Labeling according to Regulation (EC) No 1272/2008 [CLP]: Offs Signal Word: Danger GHS Signal Word: Danger GHS Hazard Phrases: H225: Highly flammable liquid and vapor. H316: Causes mild skin irritation. H317: May cause an allergic skin reaction. H318: Causes serious eye irritation. GHS Precaution Phrases: P210: Keep away from (heat/sparks/open flames/hot surfaces) No smoking. P240: Keep away from (heat/sparks/open flames/hot surfaces)			•	+1 (734)971-3335				
Emergency Contact: CHEMTREC Within USA and Canada: +1 (800)424-9300 CHEMTREC Outside USA and Canada: +1 (703)527-3887 Section 2. Hazards Identification 1 Classification of the Substance or Mixture: 1.1 Classification according to Regulation (EC) No 1272/2008 [CLP]: Flammable Liquids, Category 2 Skin Corrosion/Irritation, Category 3 Serious Eye Damage/Eye Irritation, Category 2A Skin Sensitization, Category 1 2.1 Label Elements: 2.1 Label Recording to Regulation (EC) No 1272/2008 [CLP]: File Operation (EC) No 1272/2008 [CLP]: Station (EC) No 1272/2008 [CLP]: Off Operation (EC) No 1272/2008 [CLP]: Big (Big (Big (Big (Big (Big (Big (Big (
CHEMTREC Outside USA and Canada: +1 (703)527-3887 Section 2. Hazards Identification Section 2. Hazards Identification Classification of the Substance or Mixture: Classification according to Regulation (EC) No 1272/2008 [CLP]: Flammable Liquids, Category 2 Skin Corrosion/Irritation, Category 3 Serious Eye Damage/Eye Irritation, Category 2A Skin Sensitization, Category 1 Label Elements: Label Elements: CHEM Signal Word: Danger GHS Signal Word: Danger GHS Hazard Phrases: H225: Highly flammable liquid and vapor. H316: Causes mild skin irritation. H319: Causes mild skin irritation. H326: Keep away from {heat/sparks/open flames/hot surfaces} No smoking. P210: Keep away from {heat/sparks/open flames/hot surfaces} No smoking. P210: Keep away from {heat/sparks/open flames/hot surfaces} No smoking. P210: Keep away from {heat/spar	.4			+1 (800)424-9300				
Section 2. Hazards Identification Section 2. Hazards Identification Section 2. Hazards Identification Classification of the Substance or Mixture: Sum 2 Skin Corrosion/Irritation, Category 2 Skin Corrosion/Irritation, Category 3 Serious Eye Damage/Eye Irritation, Category 2A Skin Sensitization, Category 1 Label Elements: Label Elements: Label Flag Colspan="2">Signal Word: Danger GHS Signal Word: Danger GHS Hazard Phrases: H225: Highly flammable liquid and vapor. H316: Causes mild skin irritation. H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. H210: Keep away from (heat/sparks/open flames/hot surfaces) No smoking. P264: Wash (hands) thoroughly after handling. P272: Contaminated work clothing should not be allowed out of the workplace.		Emergency Contact.						
 Classification of the Substance or Mixture: Classification according to Regulation (EC) No 1272/2008 [CLP]: Flammable Liquids, Category 2 Skin Corrosion/Irritation, Category 3 Serious Eye Damage/Eye Irritation, Category 2A Skin Sensitization, Category 1 Label Elements: Labeling according to Regulation (EC) No 1272/2008 [CLP]: GHS Signal Word: Danger GHS Hazard Phrases: H225: Highly flammable liquid and vapor. H316: Causes mild skin irritation. H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. GHS Precaution Phrases: P210: Keep away from (heat/sparks/open flames/hot surfaces) No smoking. P264: Wash (hands) thoroughly after handling. P272: Contaminated work clothing should not be allowed out of the workplace.								
 1.1 Classification according to Regulation (EC) No 1272/2008 [CLP]: Flammable Liquids, Category 2 Skin Corrosion/Irritation, Category 3 Serious Eye Damage/Eye Irritation, Category 2A Skin Sensitization, Category 1 2 Label Elements: 2.1 Labeling according to Regulation (EC) No 1272/2008 [CLP]: 			Section 2. Hazards Identific	ation				
Flammable Liquids, Category 2 Skin Corrosion/Irritation, Category 3 Serious Eye Damage/Eye Irritation, Category 2A Skin Sensitization, Category 1 .2 Label Elements: .2.1 Labeling according to Regulation (EC) No 1272/2008 [CLP]: Image: Signal Word: Danger GHS Signal Word: Danger GHS Hazard Phrases: H225: Highly flammable liquid and vapor. H316: Causes mild skin irritation. H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. GHS Precaution Phrases: P210: Keep away from (heat/sparks/open flames/hot surfaces) No smoking. P261: Avoid breathing (dust/fume/gas/mist/vapors/spray). P264: Wash (hands) thoroughly after handling. P272: Contaminated work clothing should not be allowed out of the workplace.	.1	Classification of the Substar	nce or Mixture:					
Skin Corrosion/Irritation, Category 3 Serious Eye Damage/Eye Irritation, Category 2A Skin Sensitization, Category 1 2 Label Elements: 2.1 Labeling according to Regulation (EC) No 1272/2008 [CLP]: Image: Signal Word: Danger GHS Signal Word: Danger GHS Hazard Phrases: H225: Highly flammable liquid and vapor. H316: Causes mild skin irritation. H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. GHS Precaution Phrases: P210: Keep away from {heat/sparks/open flames/hot surfaces} No smoking. P261: Avoid breathing {dust/fume/gas/mist/vapors/spray}. P264: Wash {hands} thoroughly after handling. P272: Contaminated work clothing should not be allowed out of the workplace.	.1.1	Classification according to	Regulation (EC) No 1272/2008 [CLP]:					
Serious Eye Damage/Eye Irritation, Category 2A Skin Sensitization, Category 1 2 Label Elements: 2.1 Labeling according to Regulation (EC) No 1272/2008 [CLP]: Image: Signal Word: Danger GHS Signal Word: Danger GHS Hazard Phrases: H225: Highly flammable liquid and vapor. H316: Causes mild skin irritation. H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. GHS Precaution Phrases: P210: Keep away from {heat/sparks/open flames/hot surfaces} No smoking. P261: Avoid breathing {dust/fume/gas/mist/vapors/spray}. P264: Wash {hands} thoroughly after handling. P272: Contaminated work clothing should not be allowed out of the workplace.								
Serious Eye Damage/Eye Irritation, Category 2A Skin Sensitization, Category 1 2 Label Elements: 2.1 Labeling according to Regulation (EC) No 1272/2008 [CLP]: Image: Signal Word: Danger GHS Signal Word: Danger GHS Hazard Phrases: H225: Highly flammable liquid and vapor. H316: Causes mild skin irritation. H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. GHS Precaution Phrases: P210: Keep away from {heat/sparks/open flames/hot surfaces} No smoking. P261: Avoid breathing {dust/fume/gas/mist/vapors/spray}. P264: Wash {hands} thoroughly after handling. P272: Contaminated work clothing should not be allowed out of the workplace.								
Skin Sensitization, Category 1 2 Label Elements: 2.1 Labeling according to Regulation (EC) No 1272/2008 [CLP]: Image: Signal Word: Danger GHS Signal Word: Danger GHS Hazard Phrases: H225: Highly flammable liquid and vapor. H316: Causes mild skin irritation. H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. H319: Causes serious eye irritation. H319: Causes serious eye irritation. H210: Keep away from (heat/sparks/open flames/hot surfaces] No smoking. P261: Avoid breathing {dust/fume/gas/mist/vapors/spray}. P264: Wash {hands} thoroughly after handling. P272: Contaminated work clothing should not be allowed out of the workplace.								
 Labeling according to Regulation (EC) No 1272/2008 [CLP]: 								
GHS Signal Word: Danger GHS Hazard Phrases: Danger H225: Highly flammable liquid and vapor. H316: Causes mild skin irritation. H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. H319: Causes serious eye irritation. H210: Keep away from {heat/sparks/open flames/hot surfaces} No smoking. P261: Avoid breathing {dust/fume/gas/mist/vapors/spray}. P264: Wash {hands} thoroughly after handling. P272: Contaminated work clothing should not be allowed out of the workplace.	.2	Label Elements:						
GHS Hazard Phrases:H225: Highly flammable liquid and vapor.H316: Causes mild skin irritation.H317: May cause an allergic skin reaction.H319: Causes serious eye irritation.H319: Causes serious eye irritation.GHS Precaution Phrases:P210: Keep away from {heat/sparks/open flames/hot surfaces} No smoking.P261: Avoid breathing {dust/fume/gas/mist/vapors/spray}.P264: Wash {hands} thoroughly after handling.P272: Contaminated work clothing should not be allowed out of the workplace.	.2.1	Labeling according to Regu	lation (EC) No 1272/2008 [CLP]:					
GHS Hazard Phrases:H225: Highly flammable liquid and vapor.H316: Causes mild skin irritation.H317: May cause an allergic skin reaction.H319: Causes serious eye irritation.GHS Precaution Phrases:P210: Keep away from {heat/sparks/open flames/hot surfaces} No smoking.P261: Avoid breathing {dust/fume/gas/mist/vapors/spray}.P264: Wash {hands} thoroughly after handling.P272: Contaminated work clothing should not be allowed out of the workplace.								
 H225: Highly flammable liquid and vapor. H316: Causes mild skin irritation. H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. GHS Precaution Phrases: P210: Keep away from {heat/sparks/open flames/hot surfaces} No smoking. P261: Avoid breathing {dust/fume/gas/mist/vapors/spray}. P264: Wash {hands} thoroughly after handling. P272: Contaminated work clothing should not be allowed out of the workplace. 		-	Danger					
 H316: Causes mild skin irritation. H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. GHS Precaution Phrases: P210: Keep away from {heat/sparks/open flames/hot surfaces} No smoking. P261: Avoid breathing {dust/fume/gas/mist/vapors/spray}. P264: Wash {hands} thoroughly after handling. P272: Contaminated work clothing should not be allowed out of the workplace. 								
 H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. GHS Precaution Phrases: P210: Keep away from {heat/sparks/open flames/hot surfaces} No smoking. P261: Avoid breathing {dust/fume/gas/mist/vapors/spray}. P264: Wash {hands} thoroughly after handling. P272: Contaminated work clothing should not be allowed out of the workplace. 								
 H319: Causes serious eye irritation. GHS Precaution Phrases: P210: Keep away from {heat/sparks/open flames/hot surfaces} No smoking. P261: Avoid breathing {dust/fume/gas/mist/vapors/spray}. P264: Wash {hands} thoroughly after handling. P272: Contaminated work clothing should not be allowed out of the workplace. 								
 GHS Precaution Phrases: P210: Keep away from {heat/sparks/open flames/hot surfaces} No smoking. P261: Avoid breathing {dust/fume/gas/mist/vapors/spray}. P264: Wash {hands} thoroughly after handling. P272: Contaminated work clothing should not be allowed out of the workplace. 								
 P210: Keep away from {heat/sparks/open flames/hot surfaces} No smoking. P261: Avoid breathing {dust/fume/gas/mist/vapors/spray}. P264: Wash {hands} thoroughly after handling. P272: Contaminated work clothing should not be allowed out of the workplace. 								
P261: Avoid breathing {dust/fume/gas/mist/vapors/spray}.P264: Wash {hands} thoroughly after handling.P272: Contaminated work clothing should not be allowed out of the workplace.								
P264: Wash {hands} thoroughly after handling. P272: Contaminated work clothing should not be allowed out of the workplace.								
P272: Contaminated work clothing should not be allowed out of the workplace.								
GHS Response Phrases:								
P302+352: IF ON SKIN: Wash with plenty of soap and water.		-	sh with plenty of soap and water					
P303+361+353: IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with				minated clothing. Rinse skin with				



64-17-5 KQ6300000 Ethyl alcohol 98.9 % 200-578-6 603-002-00-5 Flam. Liq. 2 603-002-00-5 128-37-0 GO7875000 BHT 0.1 % 204-881-4 NA Acute Tox.(I Skin Corr. 3	
RTECS #REACH Registration No.EC Index No.155575-01-2 NADihomogammaLinolenoyl PAF C-161.0 %NA NASkin Corr. 2 Eye Damag STOT (SE)64-17-5 KQ6300000Ethyl alcohol98.9 %200-578-6 603-002-00-5Flam. Liq. 2 603-002-00-5128-37-0 GO7875000BHT0.1 %204-881-4 NAAcute Tox. (I Skin Corr. 3	
155575-01-2 NA DihomogammaLinolenoyl PAF C-16 1.0 % NA Skin Corr. 2 Eye Damag STOT (SE) 64-17-5 KQ6300000 Ethyl alcohol 98.9 % 200-578-6 603-002-00-5 Flam. Liq. 2 603-002-00-5 128-37-0 GO7875000 BHT 0.1 % 204-881-4 NA Acute Tox. (f Skin Corr. 3	ification
KQ6300000 603-002-00-5 128-37-0 GO7875000 BHT 0.1 % 204-881-4 NA Acute Tox.(I Acute Tox.(I Skin Corr. 3)	
GO7875000 NA Acute Tox.(I Skin Corr. 3	:: H225
Stin Sens. STOT (SE) STOT (RE) Aquatic (A) Aquatic (C)	D) 5: H313 3: H316 je 2B: H320 1: H317 1: H370 2: H373 1: H400



		Section 4. First Aid Measures
4.1 Description of First Aid No data available. Measures:		
	In Case of Inhalation:	Remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Get immediate medical attention.
	In Case of Skin Contact:	Immediately wash skin with soap and plenty of water for at least 15 minutes. Remove contaminated clothing. Get medical attention if symptoms occur. Wash clothing before reuse.
	In Case of Eye Contact:	Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Have eyes examined and tested by medical personnel.
	In Case of Ingestion:	Wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by medical personnel.
4.2		May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects.
		Section 5. Fire Fighting Measures
5.1	Suitable Extinguishing Media:	Use alcohol-resistant foam, carbon dioxide, water, or dry chemical spray. Use water spray to cool fire-exposed containers.
	Unsuitable Extinguishing Media:	A solid water stream may be inefficient.
5.2	Flammable Properties an	dCan release vapors that form explosive mixtures at temperatures at or above the flashpoint.
	Hazards:	Container explosion may occur under fire conditions. Emits toxic fumes under fire conditions. Sensitive to static discharge. Vapors can travel to a source of ignition and flash back.
	Flash Pt:	14.00 C Method Used: Closed Cup
	Explosive Limits:	LEL: 3.3% at 25.0 C UEL: 19.0% at 25.0 C
	Autoignition Pt:	363.00 C
5.3	Fire Fighting Instructions	: As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes. Note: Flammable as diluted in ethanol.
		Section 6. Accidental Release Measures
6.1	Protective Precautions, Protective Equipment and Emergency Procedures:	Avoid breathing vapors and provide adequate ventilation. d As conditions warrant, wear a NIOSH approved self-contained breathing apparatus, or respirator, and appropriate personal protection (rubber boots, safety goggles, and heavy rubber gloves).
6.2	Environmental Precautions:	Take steps to avoid release into the environment, if safe to do so.
6.3		r Contain spill and collect, as appropriate. ngTransfer to a chemical waste container for disposal in accordance with local regulations.
		Section 7. Handling and Storage
7.1	Precautions To Be Taken	Avoid breathing dust/fume/gas/mist/vapours/spray.
	in Handling:	Avoid prolonged or repeated exposure.
		Keep away from sources of ignition.
		Take precautionary measures against static discharge. Multi-region format



Revision: 04/16/2015

7.2	Precautions To Be Taken	Keep away from heat, sparks, and flame.
	in Storing:	Keep container tightly closed.
		Store in accordance with information listed on the product insert.

Other Precautions: Hygroscopic.

Section 8. Exposure Controls/Personal Protection

8.1	Exposure Par	ameters:
-----	--------------	----------

CAS #	Partial Chemical Name	Britain EH40	France VL	Europe	
155575-01-2 DihomogammaLinolenoyl PAF C-16		No data.	No data.	No data.	
64-17-5	Ethyl alcohol	TWA: 1920 mg/m3 (1000 ppm) STEL: ()	TWA: 1900 mg/m3 (1000 ppm) STEL: 9500 mg/m3 (5000 ppm)	No data.	
128-37-0	ВНТ	TWA: 10 mg/m3 () STEL: ()	TWA: 10 mg/m3	No data.	
CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits	
155575-01-2	DihomogammaLinolenoyl PAF C-16	No data.	No data.	No data.	
64-17-5	Ethyl alcohol	PEL: 1000 ppm	TLV: 1000 ppm	No data.	
128-37-0	ВНТ	No data.	TLV: 2 mg/m3 (Inhalation)	No data.	
8.2 Exposure Controls:					

8.2.1 Engineering Controls Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne (Ventilation etc.): levels below recommended exposure limits.

8.2.2 Personal protection equipment:

Eye Protection: Safety glasses

Protective Gloves: Compatible chemical-resistant gloves

Other Protective Clothing: Lab coat

- **Respiratory Equipment** NIOSH approved respirator, as conditions warrant.
- (Specify Type):

Work/Hygienic/Maintenan Do not take internally.

 ce Practices:
 Facilities storing or utilizing this material should be equipped with an eyewash and a safety shower.

 Wash thoroughly after handling.
 No data available.

Section 9. Physical and Chemical Properties

Information on Basic Physical and Chemical Properties				
Physical States:	[]Gas [X]Liquid []Solid			
Appearance and Odor:	A solution in ethanol containing 0.1% BHT			
Melting Point:	No data.			
Boiling Point:	No data.			
Flash Pt:	14.00 C Method Used: Closed Cup			
Evaporation Rate:	No data.			
Explosive Limits:	LEL: 3.3% at 25.0 C UEL: 19.0% at 25.0 C			
Vapor Pressure (vs. Air or mm	43 MM_HG at 20.0 C			
Hg):				
Vapor Density (vs. Air = 1):	No data.			



	Specific	Gravity (Water =	1): No data.					
	-	y in Water:	No data.					
	Autoigni	-	363.00 C	:				
).2	Other Inf							
	Percent	Volatile:	No data.					
		ar Formula & Wei		NO7P 770.1				
			-	10. Stability and	Reactiv	it∨		
0.1	Reactivi	ty:	No data available					
0.2	Stability	-	Unstable []	Stable [X]				
0.3	Stability	Note(s):	Stable if stored in accordance with information listed on the product insert.					
	Polymer	ization:	Will occur []	Will not occur [X]				
0.4	Conditio	ons To Avoid:	heat, flames and	lsparks				
0.5	Incompa	atibility - Materials	s alkali metals					
	To Avoid	d:	ammonia					
			peroxides					
			strong oxidizing	agents				
10.6	Hazardo	us	carbon dioxide					
	-	osition Or	carbon monoxide	e				
	Byprodu	icts:						
			Section 1	1. Toxicological	Information	tion		
1.1	Informat	formation on The toxicological effects of this product ha			ve not been	thoroughly stu	died.	
	Toxicolo	gical Effects:	Ethanol - Toxicity Data: Oral TDLO (man): 1.14 ml/kg; Oral TDLO (man): 650 mg/kg; Oral LD50					
			(rat): 7,060 mg/kg; Oral LD50 (mouse): 3,450 mg/kg; Oral LD50 (mouse): 10.5 ml/kg; Oral LD50					
				g/kg; Inhalation LC50 (rat				-
			ppm (30m); Inhalation TCLO (human): 2,500 mg/m3 (20m); Inhalation LC50 (rat): 5,900 mg/m3 (6b); Inhalation LCLO (mause): 20 200 ppm (7b);					
			 (6h); Inhalation LCLO (mouse): 29,300 ppm (7h); Ethanol - Irritation Data: Eyes (rabbit): 500 mg (24h) mild; Skin (rabbit): 20 mg (24h) moderate; Ethanol - Investigated as a mutagen, reproductive effector, and tumorigen. 					
) moderate.
	Chronic	Toxicological			• • •			n) moderate;
		Toxicological	Ethanol - Investig	gated as a mutagen, repre	oductive effect	ctor, and tumo	rigen.	
	Chronic Effects:	Toxicological	Ethanol - Investig Only select Regi		oductive effected emical Subs	ctor, and tumo	rigen.	
		Toxicological	Ethanol - Investig Only select Regi See actual entry	gated as a mutagen, reprosenting the stry of Toxic Effects of Ch	oductive effected emical Subs	ctor, and tumo	rigen.	
Carcir			Ethanol - Investig Only select Regi See actual entry Ethanol RTECS	gated as a mutagen, repro stry of Toxic Effects of Ch in RTECS for complete ir	oductive effeo emical Subs oformation.	ctor, and tumo	rigen.	
	Effects:	/:	Ethanol - Investig Only select Regi See actual entry Ethanol RTECS	gated as a mutagen, represented as a mutagen	oductive effeo emical Subs oformation.	ctor, and tumo tances (RTEC	rigen.	
CAS	Effects:	/: Hazardous Com	Ethanol - Investig Only select Regi See actual entry Ethanol RTECS NTP? No IA	gated as a mutagen, representation of Toxic Effects of Ch in RTECS for complete in Number: KQ6300000 ARC Monographs? No cal Name)	oductive effect emical Subs oformation. OSHA Rec	ctor, and tumo tances (RTEC gulated? No	rigen. S) data is pre	sented here.
CAS # 1555	Effects: nogenicity #	/: Hazardous Com	Ethanol - Investig Only select Regi See actual entry Ethanol RTECS NTP? No IA ponents (Chemic	gated as a mutagen, representation of Toxic Effects of Ch in RTECS for complete in Number: KQ6300000 ARC Monographs? No cal Name)	oductive effect emical Subs formation. OSHA Reg	ctor, and tumo tances (RTEC gulated? No	rigen. S) data is pre	Sented here.
CAS i 1555 64	Effects: nogenicity # 75-01-2	/: Hazardous Com Dihomogamma.	Ethanol - Investig Only select Regi See actual entry Ethanol RTECS NTP? No IA ponents (Chemic	gated as a mutagen, representation of Toxic Effects of Ch in RTECS for complete in Number: KQ6300000 ARC Monographs? No cal Name)	oductive effect emical Subst formation. OSHA Reg NTP n.a.	ctor, and tumo tances (RTEC gulated? No IARC n.a.	rigen. S) data is pre ACGIH n.a.	Sented here.
CAS i 1555 64	Effects: mogenicity # 75-01-2 -17-5	/: Hazardous Com Dihomogamma. Ethyl alcohol	Ethanol - Investig Only select Regi See actual entry Ethanol RTECS NTP? No IA ponents (Chemic -Linolenoyl PAF C	gated as a mutagen, representation of Toxic Effects of Ch in RTECS for complete in Number: KQ6300000 ARC Monographs? No cal Name)	oductive effectemical Substation. OSHA Reg NTP n.a. n.a. n.a.	ctor, and tumo tances (RTEC gulated? No IARC n.a. 1 3	rigen. S) data is pre ACGIH n.a. A4	OSHA n.a. n.a.
CAS 1 1555 64 128	Effects: mogenicity # 75-01-2 -17-5	/: Hazardous Com Dihomogamma. Ethyl alcohol BHT	Ethanol - Investig Only select Regi See actual entry Ethanol RTECS NTP? No IA ponents (Chemic -Linolenoyl PAF C Section	gated as a mutagen, representation of Toxic Effects of Ch in RTECS for complete in Number: KQ6300000 ARC Monographs? No cal Name) C-16	oductive effectemical Substation. OSHA Reg NTP n.a. n.a. n.a.	ctor, and tumo tances (RTEC gulated? No IARC n.a. 1 3	rigen. S) data is pre ACGIH n.a. A4	OSHA n.a. n.a.
CAS 1 1555 64 128	Effects: mogenicity # 75-01-2 -17-5 3-37-0	/: Hazardous Com Dihomogamma. Ethyl alcohol BHT	Ethanol - Investig Only select Regi See actual entry Ethanol RTECS NTP? No IA ponents (Chemic -Linolenoyl PAF C Section Avoid release int	gated as a mutagen, representation of Toxic Effects of Ch in RTECS for complete in Number: KQ6300000 ARC Monographs? No cal Name) C-16 12. Ecological In	oductive effect emical Subst formation. OSHA Reg NTP n.a. n.a. n.a. n.a.	ctor, and tumo tances (RTEC gulated? No IARC n.a. 1 3 DN	rigen. S) data is pre ACGIH n.a. A4	OSHA n.a. n.a.
CAS 1 1555 64 128 2.1	Effects: mogenicity # 75-01-2 -17-5 3-37-0	/: Hazardous Com Dihomogamma. Ethyl alcohol BHT	Ethanol - Investig Only select Regi See actual entry Ethanol RTECS NTP? No IA ponents (Chemic -Linolenoyl PAF C Section Avoid release int	gated as a mutagen, representation of Toxic Effects of Ch in RTECS for complete in Number: KQ6300000 ARC Monographs? No cal Name) C-16 12. Ecological In to the environment. control or dilution water m	oductive effect emical Subst formation. OSHA Reg NTP n.a. n.a. n.a. n.a.	ctor, and tumo tances (RTEC gulated? No IARC n.a. 1 3 DN	rigen. S) data is pre ACGIH n.a. A4	OSHA n.a. n.a.
CAS 1 1555 64 128	Effects: mogenicity # 75-01-2 -17-5 3-37-0 Toxicity:	r: Hazardous Com Dihomogamma. Ethyl alcohol BHT	Ethanol - Investig Only select Regi See actual entry Ethanol RTECS NTP? No IA ponents (Chemic -Linolenoyl PAF C Section Avoid release int Runoff from fire	gated as a mutagen, representation of Toxic Effects of Ch in RTECS for complete in Number: KQ6300000 ARC Monographs? No cal Name) C-16 12. Ecological In to the environment. control or dilution water m	oductive effect emical Subst formation. OSHA Reg NTP n.a. n.a. n.a. n.a.	ctor, and tumo tances (RTEC gulated? No IARC n.a. 1 3 DN	rigen. S) data is pre ACGIH n.a. A4	OSHA n.a. n.a.
CAS = 1555 64 128 2.1	Effects: mogenicity # 75-01-2 -17-5 3-37-0 Toxicity: Persiste Degrada	r: Hazardous Com Dihomogamma. Ethyl alcohol BHT	Ethanol - Investig Only select Regi See actual entry Ethanol RTECS NTP? No IA ponents (Chemic -Linolenoyl PAF C Section Avoid release int Runoff from fire	gated as a mutagen, representation of Toxic Effects of Chain RTECS for complete in Number: KQ6300000 ARC Monographs? No cal Name) C-16 12. Ecological In to the environment. control or dilution water me.	oductive effect emical Subst formation. OSHA Reg NTP n.a. n.a. n.a. n.a.	ctor, and tumo tances (RTEC gulated? No IARC n.a. 1 3 DN	rigen. S) data is pre ACGIH n.a. A4	OSHA n.a. n.a.
CAS 1 1555 64 128 12.1 12.2	Effects: mogenicity # 75-01-2 -17-5 3-37-0 Toxicity: Persiste Degrada	/: Hazardous Com Dihomogamma. Ethyl alcohol BHT nce and bility: mulative	Ethanol - Investig Only select Regi See actual entry Ethanol RTECS NTP? No IA ponents (Chemic -Linolenoyl PAF C Section Avoid release int Runoff from fire of No data available	gated as a mutagen, representation of Toxic Effects of Chain RTECS for complete in Number: KQ6300000 ARC Monographs? No cal Name) C-16 12. Ecological In to the environment. control or dilution water me.	oductive effect emical Subst formation. OSHA Reg NTP n.a. n.a. n.a. n.a.	ctor, and tumo tances (RTEC gulated? No IARC n.a. 1 3 DN	rigen. S) data is pre ACGIH n.a. A4	OSHA n.a. n.a.
CAS i 1555 64	Effects: nogenicity # 75-01-2 -17-5 3-37-0 Toxicity: Persiste Degrada Bioaccu	/: Hazardous Com Dihomogamma. Ethyl alcohol BHT nce and bility: mulative I:	Ethanol - Investig Only select Regi See actual entry Ethanol RTECS NTP? No IA ponents (Chemic -Linolenoyl PAF C Section Avoid release int Runoff from fire of No data available	gated as a mutagen, representation of Toxic Effects of Chain RTECS for complete in Number: KQ6300000 ARC Monographs? No cal Name) C-16 C-16 D-16 C-16 C-16 C-16 C-16 C-16 C-16 C-16 C	oductive effect emical Subst formation. OSHA Reg NTP n.a. n.a. n.a. n.a.	ctor, and tumo tances (RTEC gulated? No IARC n.a. 1 3 DN	rigen. S) data is pre ACGIH n.a. A4	OSHA n.a. n.a.



	ssment: r adverse effects:	No data available.			
		Section 13. Dispo	sal Considera	tions	
13.1 Wast	e Disposal Method:	Dispose in accordance with lo	cal, state, and federal	regulations.	
		Section 14. Trai	nsport Informa	ition	
14.1 LAN	D TRANSPORT (US		•		
DOT Pro	oper Shipping Name	: Ethyl Alcohol Solution			
DOT Ha	zard Class:	3 FLAMMA	BLE LIQUID		
UN/NA I	Number:	1170	Packing Gro	oup:	II
		FLOMMEDE LIQUID			
14.1 LAN	D TRANSPORT (Eur	opean ADR/RID):			
ADR/RII	O Shipping Name:	Ethyl Alcohol Solution			
UN Num	iber:	1170	Packing Gro	oup:	II
Hazard	Class:	3 - FLAMMABLE LIQUID			
14.3 AIR	TRANSPORT (ICAO/	IATA):			
ICAO/IA	TA Shipping Name:	Ethyl Alcohol Solution	nol Solution		
UN Number:		1170	Packing Group:		II
Hazard Class: 3 - FLAMMABLE LIQUI			IATA Classification: 3		
Additional 1	-	Transport in accordance with		-	
Information	:	When sold in quantities of less	-	-	
		E1, E2, E4, or E5, this item m Therefore packaging does not		-	-
		Section 15. Regu		ation	
		nents and Reauthorization Act	-	1	
CAS #		ponents (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
155575-01-	<u> </u>	-Linolenoyl PAF C-16	No	No	No
64-17-5	Ethyl alcohol		No	No	No
128-37-0	BHT		No	No	No
CAS #	Hazardous Com	ponents (Chemical Name)	Other US EPA or	State Lists	
155575-01-	DihomogammaLinolenoyl PAF C-16 CAA HAP,ODC: No; CWA NPDES: No; TSCA: No; CA PROP.65: No			: No; TSCA: No; CA	
64-17-5	Ethyl alcohol		CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No		
128-37-0	BHT		CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No		
	+				



Regulatory Information Statement:	No.1272/2008.			
Section 16. Other Information				
Revision Date:	04/16/2015			
Additional Information About	No data available.			
This Product:				
Company Policy or Disclaimer:	DISCLAIMER: This information is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.			