

Printing date 09/16/2021

Revision date 09/16/2021

Page 1/11

1 Identification

- · Product identifier
- · Trade name: <u>10-Pyrene-PC</u>
- · Article number: 62245
- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use. It is the responsibility of the purchaser to determine suitability for other applications.
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Cayman Chemical Co.
 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA
- · Information department: Product safety department
- Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

· Classification of the substance or mixture

GHS06 Skull and crossbones

Acute Tox. 2 H310 Fatal in contact with skin. Acute Tox. 3 H331 Toxic if inhaled.

GHS08 Health hazard

Carc. 2 H351 Suspected of causing cancer.

Repr. 2 H361 Suspected of damaging fertility or the unborn child.

STOT RE 1 H372 Causes damage to the central nervous system, the kidneys, the liver and the respiratory system through prolonged or repeated exposure.

GHS07

Acute Tox. 4 H302 Harmful if swallowed.

(Contd. on page 2)

⁻ US

Printing date 09/16/2021

Revision date 09/16/2021

(Contd. from page 1)

Trade name: 10-Pyrene-PC

Skin Irrit, 2 H31	5 Causes skin irritation.
	9 Causes serious eye irritation.
	י המושכש שבווהתש באב וווומווהוי.
 Label elements 	
GHS label elemer	
	ssified and labeled according to the Globally Harmonized System (GHS).
• Hazard pictogran	IS
73857	
GHS06 GHS07	GHS08
· Signal word Dang	
-	
	ng components of labeling:
Chloroform	
Hazard statement	
H302 Harmful if sv	
H310 Fatal in cont H331 Toxic if inha	
H315 Causes skin	
H319 Causes serie	
H351 Suspected c	
	f damaging fertility or the unborn child.
	hage to the central nervous system, the kidneys, the liver and the respiratory system
	onged or repeated exposure.
· Precautionary sta	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P262	Do not get in eyes, on skin, or on clothing.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P312 P302+P352	If swallowed: Call a poison center/doctor if you feel unwell.
P302+P352 P304+P340	If on skin: Wash with plenty of water. IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if
1 000 1 001 1 000	present and easy to do. Continue rinsing.
P310	Immediately call a poison center/doctor.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P321	Specific treatment (see on this label).
P314	Get medical advice/attention if you feel unwell.
P330	Rinse mouth.
P361+P364	Take off immediately all contaminated clothing and wash it before reuse.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations. (Contd. on page 3)

Printing date 09/16/2021

Revision date 09/16/2021

(Contd. from page 2)

99.0%

1.0%

Trade name: 10-Pyrene-PC

Classification system:
 NFPA ratings (scale 0 - 4)

Health = 3 Fire = 0 Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH3Health = 3FIRE0Fire = 0REACTIVITY0Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 67-66-3 Chloroform RTECS: FS9100000

· Other ingredients

95864-17-8 10-Pyrene-PC

4 First-aid measures

· Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

• After inhalation:

Supply fresh air or oxygen; call for doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.

• After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: Immediately call a doctor.
- · Information for doctor:
- \cdot Most important symptoms and effects, both acute and delayed

May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects. No further relevant information available.

(Contd. on page 4)

US –

Printing date 09/16/2021

Revision date 09/16/2021

Trade name: 10-Pyrene-PC

• **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents:
- Use fire fighting measures that suit the environment.
- A solid water stream may be inefficient.
- Special hazards arising from the substance or mixture
- 67-56-1During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Mount respiratory protective device.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.
- Protective Action Criteria for Chemicals

· PAC-1:	
67-66-3 Chloroform	2 ppm
· PAC-2:	
67-66-3 Chloroform	64 ppm
· PAC-3:	
67-66-3 Chloroform	3,200 ppm

7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- **Information about protection against explosions and fires:** Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

(Contd. on page 5)

(Contd. from page 3)

⁻ US

Printing date 09/16/2021

Revision date 09/16/2021

(Contd. from page 4)

Trade name: 10-Pyrene-PC

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

67-66-3 Chloroform

PEL Ceiling limit value: 240 mg/m³, 50 ppm

- REL Short-term value: 9.78* mg/m³, 2* ppm *60-min; See Pocket Guide App. A
- TLV Long-term value: 10 ppm
- A3

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Safety glasses

(Contd. on page 6)

Printing date 09/16/2021

Revision date 09/16/2021

(Contd. from page 5)

Trade name: 10-Pyrene-PC

Tightly sealed goggles

9 Physical and chemical properties

Information on basic physical and cl	hemical properties
· General Information	
· Appearance: Form:	Liquid
Color:	Colorless
Odor:	Pleasant
Structural Formula	C50H76NO8P
Molecular Weight	850.1 g/mol
Odor threshold:	Not determined.
Formulation	A solution in chloroform
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	-63 °C (-81.4 °F)
Boiling point/Boiling range:	62 °C (143.6 °F)
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	982 °C (1,799.6 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure at 20 °C (68 °F):	210 hPa (157.5 mm Hg)
Density at 20 °C (68 °F):	1.47988 g/cm³ (12.3496 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water at 20 °C (68 °F):	8 g/l
Partition coefficient (n-octanol/water	r): Not determined.
Viscosity:	
Dynamic at 20 °C (68 °F):	0.56 mPas
Kinematic:	Not determined.
	(Contd. on page

Printing date 09/16/2021

Revision date 09/16/2021

Trade name: 10-Pyrene-PC

(Cc	ontd. from page 6)
0.00 % 0.0 g/l / 0.00 lb/gal	
1.0 %	
No further relevant information available.	
	0.00 % 0.0 g/l / 0.00 lb/gal 1.0 %

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: strong oxidizing agents
- Hazardous decomposition products: carbon dioxide, carbon monoxide, hydrogen chloride gas

11 Toxicological information

· Acute toxicity:

ATE (Acute Toxicity Estimate)		
Oral	LD50	303 mg/kg (rat)
Dermal	LD50	75.8 mg/kg (rat)
Inhalative	LC50/4 h	3.03 mg/l
67-66-3 Chloroform		
Oral	LDLO	2,514 mg/kg (man)
	LD50	300 mg/kg (rat)
Dermal	LD50	>20 g/kg (rabbit)
	LD50	75 mg/kg (rat)
Inhalative	LC50	47,702 mg/m³/4h (rat)
	TCLO	5,000 mg/m³/7m (hmn)
Irritation of skin	Irritation	10 mg/24h (rabbit)
Irritation of eyes	Irritation	20 mg/24h (rabbit)
-	Intraperitoneal LD50	623 mg/kg (mouse)

· on the skin: Irritant to skin and mucous membranes.

· on the eye: Irritating effect.

· Sensitization: No sensitizing effects known.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Toxic

Harmful

(Contd. on page 8)

Printing date 09/16/2021

Revision date 09/16/2021

(Contd. from page 7)

2B

R

Trade name: 10-Pyrene-PC

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

67-66-3 Chloroform

· NTP (National Toxicology Program)

67-66-3 Chloroform

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.

UN-Number	
DOT, IMDG, IATA	UN2810
UN proper shipping name	
DOT	Toxic, liquids, organic, n.o.s. (Chloroform)
IMDG	TOXIC LIQUID, ORGANIC, N.O.S. (CHLOROFORM
ΙΑΤΑ	Toxic liquid, organic, n.o.s. (CHLOROFORM)

Printing date 09/16/2021

Revision date 09/16/2021

Trade name: 10-Pyrene-PC

	(Contd. from page
Transport hazard class(es)	
DOT	
Тохіс	
8	
Class	6.1 Toxic substances
Label	6.1
IMDG, IATA	
Class	6.1 Toxic substances
Label	6.1
Packing group	
DOT, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Toxic substances
Hazard identification number (Kemler code):	
EMS Number:	F-A,S-A
Segregation groups	Liquid halogenated hydrocarbons
Stowage Category	B
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L
-	On cargo aircraft only: 60 L
IMDG	
Limited quantities (LQ)	100 ml
Excepted quantities (EQ)	Code: E4
	Maximum net quantity per inner packaging: 1 ml Maximum net quantity per outer packaging: 500 ml
IATA Remarks:	When cold in quantities of less than ar equal to 1 ml
	When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of
	E1, E2, E4, or E5, this item meets the De Minimi
	Quantities exemption, per IATA 2.6.10.
	Therefore packaging does not have to be labeled a
	Dangerous Goods/Excepted Quantity.
	UN 2810 TOXIC LIQUID, ORGANIC, N.O.S
UN "Model Regulation":	(CHLOROFORM), 6.1, II

(Contd. on page 10)

Printing date 09/16/2021

Revision date 09/16/2021

Trade name: 10-Pyrene-PC

(Contd. from page 9)

	, health and environmental regulations/legislation specific for the substance or mi	ixture
	her relevant information available.	
Sara		
	n 355 (extremely hazardous substances):	
	3 Chloroform	
	n 313 (Specific toxic chemical listings):	
67-66-3	3 Chloroform	
	(Toxic Substances Control Act):	
67-66-3	3 Chloroform	ACTIV
Hazaro	Ious Air Pollutants	
	3 Chloroform	
	sition 65	
-	cals known to cause cancer:	
67-66-3	3 Chloroform	
Chemi	cals known to cause reproductive toxicity for females:	
None c	f the ingredients is listed.	
Chemi	cals known to cause reproductive toxicity for males:	
None c	f the ingredients is listed.	
Chemi	cals known to cause developmental toxicity:	
67-66-3	3 Chloroform	
Carcin	ogenic categories	
EPA (E	nvironmental Protection Agency)	
67-66-3	3 Chloroform B	32, L, N
TLV (T	hreshold Limit Value)	
67-66-3	3 Chloroform	ŀ
NIOSH	-Ca (National Institute for Occupational Safety and Health)	

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- · Date of preparation / last revision 09/16/2021 / -
- **Abbreviations and acronyms:** IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation

Printing date 09/16/2021

Revision date 09/16/2021

Trade name: 10-Pyrene-PC

	IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic VPVB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 2: Acute toxicity – Category 3 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A Carc. 2: Carcinogenicity – Category 2 Repr. 2: Reproductive toxicity – Category 2	(Contd. from page 10)
F		