

Multi-region format

| | CHEMICAL | | Supersedes Revision: 06/20/2013 | | | | | |
|-----|--|---|---|--|--|--|--|--|
| | accordi | ng to Regulation (EC) No. 1907/2006 as amended by (EC) No. 2015/8 | 330 and US OSHA HCS 2015 | | | | | |
| | Section 1. | Identification of the Substance/Mixture and of t | the Company/Undertaking | | | | | |
| .1 | Product Code: | 63260 | | | | | | |
| | Product Name: | S-Farnesyl Thioacetic Acid | | | | | | |
| | Synonyms: | (3,7,11-trimethyl-2E,6E,10-dodecatrienyl)thioa | acetic acid; FTA; | | | | | |
| .2 | Relevant identified uses of | of the substance or mixture and uses advised ag | painst: | | | | | |
| | Relevant identified uses | | - | | | | | |
| .3 | Details of the Supplier of | | | | | | | |
| .5 | Company Name: | Cayman Chemical Company | | | | | | |
| | company name. | 1180 E. Ellsworth Rd. | | | | | | |
| | | Ann Arbor, MI 48108 | | | | | | |
| | Web site address: | www.caymanchem.com | | | | | | |
| | Information: | Cayman Chemical Company | +1 (734)971-3335 | | | | | |
| .4 | Emergency telephone nu | mber: | | | | | | |
| | Emergency Contact: | CHEMTREC Within USA and Canada: | +1 (800)424-9300 | | | | | |
| | | CHEMTREC Outside USA and Canada: | +1 (703)527-3887 | | | | | |
| | | Section 2. Hazards Identific | cation | | | | | |
| 2.1 | Classification of the Subs | | | | | | | |
| •• | Flammable Liquids, Cat | | | | | | | |
| | Skin Corrosion/Irritation | | | | | | | |
| 2.2 | Label Elements: | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | GHS Signal Word: | Danger | | | | | | |
| | GHS Hazard Phrases: | | | | | | | |
| | H225: Highly flammable liquid and vapor. | | | | | | | |
| | H316: Causes mild skin irritation. | | | | | | | |
| | GHS Precaution Phrase | s: | | | | | | |
| | P210: Keep away from {h | eat/sparks/open flames/hot surfaces} No smoking | g. | | | | | |
| | P280: Wear {protective g | loves/protective clothing/eye protection/face protect | tion}. | | | | | |
| | GHS Response Phrases | 5: | | | | | | |
| | P303+361+353: IF ON S | KIN (or hair): Remove/take off immediately all conta | aminated clothing. Rinse skin with | | | | | |
| | water/shower. | | | | | | | |
| | P332+313: If skin irritation occurs, get medical advice/attention. | | | | | | | |
| | GHS Storage and Disposal Phrases: | | | | | | | |
| | Please refer to Section 7 | for Storage and Section 13 for Disposal information | ٦. | | | | | |
| 2.3 | Adverse Human Health | Causes mild skin irritation. | | | | | | |
| | Effects and Symptoms: | Material may be irritating to the mucous membran | nes and upper respiratory tract. | | | | | |
| | · - | May be harmful by inhalation, ingestion, or skin al | bsorption. | | | | | |
| | | May cause eye or respiratory system irritation. | | | | | | |
| | | To the best of our knowledge, the toxicological pro- | operties have not been thoroughly investigated. | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |



| | | | tion 3. Composition | ·······ation | | | |
|-------------|--|-----------------------------------|---|---------------------|---------------------------|---|--|
| CAS RTEC | | Hazardous Com REACH Registra | ponents (Chemical Name)/ ition No. | Concentration | EC No./ EC Index No. | GHS Classification | |
| 13578 NA | 84-48-4 | S-Farnesyl Thioace | tic Acid | 1.0 % | 630-766-7 NA | Skin Corr. 2: H315 Eye Damage 2A: H319 STOT (SE) 3: H335 H336 | |
| 64- KQ63 | -17-5 00000 | Ethyl alcohol 01-2119457610-43 | | 99.0 % | 200-578-6 603-002-00-5 | Flam. Liq. 2: H225 | |
| | | | Section 4. Fi | rst Aid Meas | sures | | |
| 4.1 | Descri | ption of First Aid | | | | | |
| | Measu In Case | res: e of Inhalation: | Remove to fresh air. If not br Get immediate medical atten | | al respiration or gi | ve oxygen by trained personnel. | |
| | In Case | e of Skin Contact: | Immediately wash skin with s clothing. Get medical attentic | | |) minutes. Remove contaminate vefore reuse. | |
| | In Case | e of Eye Contact: | Hold eyelids apart and flush and tested by medical persor | | water for at least 2 | 0 minutes. Have eyes examined | |
| | In Case | e of Ingestion: | Wash out mouth with water p unconscious person. Get me medical personnel. | - | - | ive anything by mouth to an ng unless directed to do so by | |
| 4.2 | Import | ant Symptoms and | d May cause anemia, cough, C | NS depression, dro | owsiness, headach | ie, heart damage, lassitude | |
| | - | , Both Acute and | (weakness, exhaustion), live | - | | - | |
| | Delaye | d: | | | | | |
| | | | Section 5. Fire | Fighting Me | asures | | |
| 5.1 | Suitab | e Extinguishing | Use alcohol-resistant foam, | carbon dioxide, wat | er, or dry chemica | spray. | |
| | Media: | | Use water spray to cool fire- | exposed containers | i. | | |
| | Unsuit Media: | | g A solid water stream may be | inefficient. | | | |
| 5.2 | Flamm | able Properties ar | ndCan release vapors that form | • | • | at or above the flashpoint. | |
| | Hazard | s: | Container explosion may occ | | tions. | | |
| | | | Emits toxic fumes under fire Sensitive to static discharge. | | | | |
| | | | Vapors can travel to a source | | sh back. | | |
| | | | No data available. | | | | |
| | Flash F | Pt: | 14.00 C Method Used: C | osed Cup | | | |
| | | ive Limits: | LEL: 3.3% at 25.0 C | - | % at 25.0 C | | |
| | - | nition Pt: | 363.00 C | | | | |
| 5.3 | Fire Fighting Instructions: As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or | | | | | | |
| | | | equivalent), and full protective Note: Flammable as diluted | | ontact with skin ar | id eyes. | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |



| 6.1 | | | | | |
|--------------|---|---|--|--|--------------------------|
| 6.1 | | Section 6 | . Accidenta | I Release Measures | |
| | Protective Precautions, | Avoid breathi | ng vapors and pro | vide adequate ventilation. | |
| | Protective Equipment and | As conditions | warrant, wear a N | NOSH approved self-contained breathing | apparatus, or respirat |
| | Emergency Procedures: | and appropria | ate personal prote | ction (rubber boots, safety goggles, and h | eavy rubber gloves). |
| 6.2 | Environmental | Take steps to | avoid release into | o the environment, if safe to do so. | |
| | Precautions: | | | | |
| 5.3 | Methods and Material For | Contain spill | and collect, as app | propriate. | |
| | Containment and Cleanin | gTransfer to a | chemical waste co | ontainer for disposal in accordance with lo | cal regulations. |
| | Up: | | | | |
| | | Secti | on 7. Hand | ling and Storage | |
| 7.1 | Precautions To Be Taken | Avoid breathin | ng dust/fume/gas/r | mist/vapours/spray. | |
| | in Handling: | Avoid prolong | ed or repeated ex | posure. | |
| | | Keep away fro | om sources of igni | tion. | |
| | | Take precauti | onary measures a | gainst static discharge. | |
| 7.2 | Precautions To Be Taken | | • | nd flame. | |
| | in Storing: | - | er tightly closed. | | |
| | | | dance with inform | ation listed on the product insert. | |
| | Other Precautions: | Hygroscopic | | | |
| | Sect | ion 8. Ex | posure Con | trols/Personal Protection | |
| 3.1 | Exposure Parameters: | | | | |
| CAS # | Chemical Name | Jurisd | liction | Recommended Exposure Limits | Notations |
| 64-17- | 5 Ethyl alcohol | ACGI | I TLV | TLV: 1000 ppm | |
| | | France | e VL | TWA: 1900 mg/m3 (1000 ppm) | |
| | | OSHA | | STEL: 9500 mg/m3 (5000 ppm) | |
| | | JUSHA | FELS | PEL: 1000 ppm | |
| | | Britain | EH40 | $T_{M/A}$: 1920 mg/m3 (1000 ppm) | |
| | | Britain | EH40 | TWA: 1920 mg/m3 (1000 ppm) STEL: () | |
| 8.2 | Exposure Controls: | Britain | EH40 | | |
| 8.2 8.2.1 | Exposure Controls: Engineering Controls | | | | ontrols to control airbo |
| | | Use process e | | STEL: () | ontrols to control airbo |
| | Engineering Controls | Use process e levels below r | enclosures, local e | STEL: () | ontrols to control airbo |
| 8.2.1 | Engineering Controls (Ventilation etc.): | Use process e levels below r | enclosures, local e ecommended exp | STEL: () | ontrols to control airbo |
| 8.2.1 | Engineering Controls (Ventilation etc.): Personal protection equip | Use process e levels below r oment: Safety glasses | enclosures, local e ecommended exp | STEL: () exhaust ventilation, or other engineering co osure limits. | ontrols to control airbo |
| 8.2.1 | Engineering Controls (Ventilation etc.): Personal protection equip Eye Protection: | Use process e levels below r oment: Safety glasses Compatible ch | enclosures, local e ecommended exp s | STEL: () exhaust ventilation, or other engineering co osure limits. | ontrols to control airbo |
| 8.2.1 | Engineering Controls (Ventilation etc.): Personal protection equip Eye Protection: Protective Gloves: | Use process e levels below r oment: Safety glasse: Compatible ch :Lab coat | enclosures, local e ecommended exp s nemical-resistant g | STEL: () exhaust ventilation, or other engineering co osure limits. | ontrols to control airbo |
| 8.2.1 | Engineering Controls (Ventilation etc.): Personal protection equip Eye Protection: Protective Gloves: Other Protective Clothing Respiratory Equipment | Use process e levels below r oment: Safety glasse: Compatible ch :Lab coat | enclosures, local e ecommended exp s nemical-resistant g | STEL: () exhaust ventilation, or other engineering co osure limits. | ontrols to control airbo |
| 8.2.1 | Engineering Controls (Ventilation etc.): Personal protection equip Eye Protection: Protective Gloves: Other Protective Clothing Respiratory Equipment (Specify Type): | Use process e levels below r oment: Safety glasse: Compatible ch :Lab coat NIOSH approv | enclosures, local e ecommended exp s nemical-resistant g ved respirator, as | STEL: () exhaust ventilation, or other engineering co osure limits. | ontrols to control airbo |
| 8.2.1 | Engineering Controls (Ventilation etc.): Personal protection equip Eye Protection: Protective Gloves: Other Protective Clothing Respiratory Equipment | Use process e levels below r oment: Safety glasses Compatible ch :Lab coat NIOSH approv | enclosures, local e ecommended exp s nemical-resistant g ved respirator, as ternally. | STEL: () exhaust ventilation, or other engineering co osure limits. | |
| 8.2.1 | Engineering Controls (Ventilation etc.): Personal protection equip Eye Protection: Protective Gloves: Other Protective Clothing Respiratory Equipment (Specify Type): Work/Hygienic/Maintenan | Use process e levels below r oment: Safety glasses Compatible ch :Lab coat NIOSH approv Do not take in Facilities stori | enclosures, local e ecommended exp s nemical-resistant g ved respirator, as ternally. | STEL: () exhaust ventilation, or other engineering co osure limits. gloves conditions warrant. material should be equipped with an eyew | |



Page: 4 of 6

| | | Supersedes Revision: 06, | /20/2013 |
|------|--------------------------------------|--|-----------|
| | Sec | tion 9. Physical and Chemical Properties | |
| 9.1 | Information on Basic Physica | al and Chemical Properties | |
| | Physical States: | []Gas [X]Liquid []Solid | |
| | Appearance and Odor: | A solution in ethanol | |
| | pH: | No data. | |
| | Melting Point: | No data. | |
| | Boiling Point: | No data. | |
| | Flash Pt: | 14.00 C Method Used: Closed Cup | |
| | Evaporation Rate: | No data. | |
| | Flammability (solid, gas): | No data available. | |
| | Explosive Limits: | LEL: 3.3% at 25.0 C UEL: 19.0% at 25.0 C | |
| | Vapor Pressure (vs. Air or m Hg): | nm 43 MM_HG at 20.0 C | |
| | Vapor Density (vs. Air = 1): | No data. | |
| | Specific Gravity (Water = 1): | No data. | |
| | Solubility in Water: | No data. | |
| | Octanol/Water Partition | No data. | |
| | Coefficient: | | |
| | Autoignition Pt: | 363.00 C | |
| | Decomposition Temperature | | |
| | Viscosity: | No data. | |
| 9.2 | Other Information | | |
| | Percent Volatile: | No data. | |
| | Molecular Formula & Weight | | |
| | increation i contrata a recigin | | |
| | | Section 10. Stability and Reactivity | |
| 10.1 | | o data available. | |
| 10.2 | - | nstable [] Stable [X] | |
| 10.3 | | table if stored in accordance with information listed on the product insert. | |
| | | /ill occur [] Will not occur [X] | |
| 10.4 | | eat, flames, and sparks | |
| 10.5 | Incompatibility - Materials all | | |
| | | mmonia | |
| | | eroxides | |
| | | rong oxidizing agents | |
| 10.6 | | arbon dioxide | |
| | | arbon monoxide | |
| | Byproducts: | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | Multi-reg | gion forr |



| Contractor | ī | | | | upersedes Revis | sion: 06/20/201 |
|--------------|---|--|--|--|---|---|
| | | Section 11. Toxicolog | | | | |
| Toxic | nation on ological Effects: nic Toxicological s: | The toxicological effects of this proc Ethanol - Toxicity Data: Oral TDLO (rat): 7,060 mg/kg; Oral LD50 (mou (rabbit): 6,300 mg/kg; Inhalation LC ppm (30m); Inhalation TCLO (huma (6h); Inhalation LCLO (mouse): 29, Ethanol - Irritation Data: Eyes (rabb Ethanol - Investigated as a mutager Only select Registry of Toxic Effect See actual entry in RTECS for com Ethanol RTECS Number: KQ63000 | (man): 1.14 ml/kg; se): 3,450 mg/kg; (50 (rat): 20,000 pp an): 2,500 mg/m3 (300 ppm (7h); it): 500 mg (24h) n n, reproductive effe s of Chemical Sub- plete information. | Oral TDLO (r Oral LD50 (mo om (10h); Inha 20m); Inhalati nild; Skin (rab ector, and tum | man): 650 mg/ł ouse): 10.5 ml/ Ilation TCLO (h on LC50 (rat): bit): 20 mg (24 iorigen. | kg; Oral LD50 numan): 1,800 5,900 mg/m3 h) moderate; |
| Carcinogenio | city: | NTP? No IARC Monographs? | No OSHA Re | gulated? No | | |
| CAS # | Hazardous Cor | nponents (Chemical Name) | NTP | IARC | ACGIH | OSHA |
| 135784-48-4 | S-Farnesyl Thio | acetic Acid | n.a. | n.a. | n.a. | n.a. |
| 64-17-5 | Ethyl alcohol | | n.a. | 1 | A4 | n.a. |
| | | Section 12. Ecologi | cal Informati | ion | | |
| 12.1 Toxic | ity: | Avoid release into the environment. | | | | |
| | | Runoff from fire control or dilution w | ater may cause po | ollution. | | |
| 12.2 Persis | stence and | No data available. | | | | |
| Degra | dability: | | | | | |
| | cumulative | No data available. | | | | |
| Poten | | | | | | |
| | ity in Soil: | No data available. | | | | |
| | | B No data available. | | | | |
| | sment: adverse effects: | No data available. | | | | |
| 12.0 Other | adverse effects. | | O | | | |
| | | Section 13. Disposal | | | | |
| 13.1 Waste | e Disposal Method: | Dispose in accordance with local, s | tate, and federal re | egulations. | | |
| | | Section 14. Transp | ort Informati | ion | | |
| 14.1 LAN |) TRANSPORT (US | DOT): | | | | |
| DOT Pro | per Shipping Nam | e: Ethyl Alcohol Solution | | | | |
| DOT Haz | ard Class: | 3 FLAMMABLE | LIQUID | | | |
| UN/NA N | lumber: | UN1170 | Packing Grou | p: | II | |
| |) TRANSPORT (Eu) Shipping Name: | ropean ADR/RID): Ethyl Alcohol Solution | | | | |
| UN Num | | 1170 | Packing Grou | p: | II | |
| Hazard C | | 3 - FLAMMABLE LIQUID | . asking ordu | F' | | |
| | | | | | | |
| | | | | | | |
| | | | | | N | Aulti-region for |



14.3 AIR TRANSPORT (ICAO/IATA):

| ICAO/IATA Shipping Name: | Ethyl Alcohol Solution | | |
|--------------------------|--------------------------------------|--------------------------------------|---------------------------|
| UN Number: | 1170 | Packing Group: | II |
| Hazard Class: | 3 - FLAMMABLE LIQUID | IATA Classification: | 3 |
| Additional Transport | Transport in accordance with loca | I, state, and federal regulations. | |
| Information: | When sold in quantities of less that | an or equal to 1 mL, or 1 g, with an | Excepted Quantity Code of |
| | E1, E2, E4, or E5, this item meets | the De Minimis Quantities exempt | tion, per IATA 2.6.10. |
| | Therefore packaging does not have | ve to be labeled as Dangerous Goo | ods/Excepted Quantity. |

Section 15. Regulatory Information

| CAS # | Hazardous Com | ponents (Chemical Name) | S. 302 (EHS) | S. 304 RQ | S. 313 (TRI) | |
|-------------------------------|------------------|---|--|-------------------|---------------------------------|--|
| 135784-48-4 | S-Farnesyl Thioa | | No | No | No | |
| 64-17-5 | Ethyl alcohol | | No | No | No | |
| CAS # Hazardous Com | | ponents (Chemical Name) | Other US EPA o | r State Lists | | |
| 135784-48-4 | S-Farnesyl Thioa | acetic Acid | CAA HAP,ODC: No; CWA NPDES: No; TSCA: No; CA PROP.65: No | | | |
| 64-17-5 | Ethyl alcohol | | CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No | | | |
| Regulatory Inf | formation | This SDS was prepared in acco | vordance with 29 CFF | R 1910.1200 and R | egulation (EC) | |
| Statement: | | No.1272/2008. | | | | |
| | | Section 16. Oth | ner Informatio | on | | |
| Revision Date | : | 08/13/2018 | | | | |
| Additional Info | ormation About | No data available. | | | | |
| This Product: | | | | | | |
| Company Policy or Disclaimer: | | DISCLAIMER: This information is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. | | | | |
| | | express or implied, with respect use. Users should make their c | to such information | , and we assume r | no liability resulting from its | |
| | | express or implied, with respect use. Users should make their c | to such information | , and we assume r | no liability resulting from its | |
| | | express or implied, with respect use. Users should make their c | to such information | , and we assume r | no liability resulting from its | |
| | | express or implied, with respect use. Users should make their c | to such information | , and we assume r | no liability resulting from its | |
| | | express or implied, with respect use. Users should make their c | to such information | , and we assume r | no liability resulting from its | |
| | | express or implied, with respect use. Users should make their c | to such information | , and we assume r | no liability resulting from its | |
| | | express or implied, with respect use. Users should make their c | to such information | , and we assume r | no liability resulting from its | |